

FORM PTO-1390  
(REV. 11-2000)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTORNEY'S DOCKET NUMBER

GJE-65

**TRANSMITTAL LETTER TO THE UNITED STATES  
DESIGNATED/ELECTED OFFICE (DO/EO/US)  
CONCERNING A FILING UNDER 35 U.S.C. 371**

U.S. APPLICATION NO. (If known, see 37 CFR 1.5)

**09/830807**

INTERNATIONAL APPLICATION NO.  
PCT/GB99/03721

INTERNATIONAL FILING DATE  
09 Nov 1999

PRIORITY DATE CLAIMED  
09 Nov 1998 (See #20 below)

**TITLE OF INVENTION**

Virulence Genes And Proteins, And Their Use

**APPLICANT(S) FOR DO/EO/US** Helen Rachel Crooke, Enda Elizabeth Clarke, Paul Howard Everest, Gordon Dougan, David William Jacqueline Elizabeth Shea and Robert Graham Feldman

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☐ This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (21) indicated below.
4. ☐ The US has been elected by the expiration of 19 months from the priority date (Article 31).
5. ☒ A copy of the International Application as filed (35 U.S.C. 371(c)(2))
  - a. ☐ is attached hereto (required only if not communicated by the International Bureau).
  - b. ☒ has been communicated by the International Bureau.
  - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☐ An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)).
  - a. ☐ is attached hereto.
  - b. ☐ has been previously submitted under 35 U.S.C. 154(d)(4).
7. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))
  - a. ☐ are attached hereto (required only if not communicated by the International Bureau).
  - b. ☒ have been communicated by the International Bureau.
  - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
  - d. ☐ have not been made and will not be made.
8. ☐ An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371 (c)(3)).
9. ☒ An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)), unsigned.
10. ☐ An English language translation of the annexes of the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).

**Items 11 to 20 below concern document(s) or information included:**

11. ☐ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
12. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
13. ☒ A **FIRST** preliminary amendment.
14. ☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
15. ☐ A substitute specification.
16. ☐ A change of power of attorney and/or address letter.
17. ☒ A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 37 CFR 1.821 - 1.825.
18. ☐ A second copy of the published international application under 35 U.S.C. 154(d)(4).
19. ☐ A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4).
20. ☒ Other items or information:

Further priority dates: 17 December 1998; 13 January 1999; and 28 January 1999.

U.S. APPLICATION NO. (if known, see 37 CFR 1.53) <b>09/830807</b>		INTERNATIONAL APPLICATION NO <b>PCT/GB99/03721</b>		ATTORNEY'S DOCKET NUMBER <b>GJE-65</b>	
---	--	---	--	---	--

21. <input checked="" type="checkbox"/> The following fees are submitted: <b>BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)):</b> Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO. .... <b>\$1000.00</b>  International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO ..... <b>\$860.00</b>  International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO ..... <b>\$710.00</b>  International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4) ..... <b>\$690.00</b>  International preliminary examination fee (37 CFR 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)-(4) ..... <b>\$100.00</b>  <b>ENTER APPROPRIATE BASIC FEE AMOUNT =</b>				<b>CALCULATIONS PTO USE ONLY</b>          <div style="display: flex; justify-content: space-between;"> <span>\$860.00</span> <span></span> </div>	
--	--	--	--	---	--

Surcharge of <b>\$130.00</b> for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(e)).					
---	--	--	--	--	--

CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	\$	
Total claims	<u>22</u> - 20 =	<u>2</u>	x <b>\$18.00</b>	<b>\$36.00</b>	
Independent claims	<u>8</u> - 3 =	<u>5</u>	x <b>\$80.00</b>	<b>\$400.00</b>	
MULTIPLE DEPENDENT CLAIM(S) (if applicable)			+ <b>\$270.00</b>	<b>\$0.00</b>	
<b>TOTAL OF ABOVE CALCULATIONS =</b>				<b>\$1,296.00</b>	
<input type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27. The fees indicated above are reduced by 1/2.				+	<b>\$0.00</b>
<b>SUBTOTAL =</b>				<b>\$1,296.00</b>	
Processing fee of <b>\$130.00</b> for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(f)).				+	<b>\$0.00</b>
<b>TOTAL NATIONAL FEE =</b>				<b>\$1,296.00</b>	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). <b>\$40.00</b> per property				+	<b>\$0.00</b>
<b>TOTAL FEES ENCLOSED =</b>				<b>\$1,296.00</b>	

	Amount to be refunded:	\$
	charged:	\$

a. ☐ A check in the amount of \$ \_\_\_\_\_ to cover the above fees is enclosed.

b. ☒ Please charge my Deposit Account No. 19-0065 in the amount of \$ 1,296.00 to cover the above fees.  
 A duplicate copy of this sheet is enclosed.

c. ☒ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any  
 overpayment to Deposit Account No. 19-0065. A duplicate copy of this sheet is enclosed.

d. ☐ Fees are to be charged to a credit card. **WARNING:** Information on this form may become public. **Credit card  
 information should not be included on this form.** Provide credit card information and authorization on PTO-2038.

**NOTE:** Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR  
 1.137 (a) or (b)) must be filed and granted to restore the application to pending status.

CORRESPONDENCE ADDRESS:

CUSTOMER NUMBER  
**23,557**

*Glenn P. Ladwig*  
 SIGNATURE  
 Glenn P. Ladwig  
 NAME  
**46,853**  
 REGISTRATION NUMBER

April 30, 2001  
DATE

09/830807

JC08 Rec'd PCT/PTO 30 APR 2001

April 30, 2001

Patent Application

Docket No. GJE-65

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : Helen Rachel Crooke, Enda Elizabeth Clarke, Paul Howard Everest,  
Gordon Dougan, David William Holden, Jacqueline Elizabeth Shea,  
Robert Graham Feldman

Docket No. : GJE-241

For : Hydroxamic And Carboxylic Acid Derivatives having MMP and TNF  
Inhibitory Activity

PRELIMINARY AMENDMENT

Please amend the above-identified patent application as follows:

In the Specification

After page 17: Please insert as new page 18 the attached Abstract of the Disclosure.

In the claims

The following amendments are made with respect to the claims in the international application PCT/GB99/03721 attached as Annexes to the International Preliminary Examination Report (IPER). Therefore, please replace existing page 17 of the international application with the amended claim sheet (replacement page 17) of the annex attached to the IPER, and make the following amendments to the pending claims so that they read as follows:

Claim 1 (amended):

An isolated peptide encoded by an operon, wherein said operon comprises a gene selected from the group consisting of *tatA*, *tatB*, *tatC*, *tatE*, *mdoG*, *creC*, *recG*, *yggN*, *eck1*, *iroD*, *iroC*, *iroE*, *mtd2*, and *ms1* to *ms16*, obtainable from *E. coli* K1, or a homologue thereof in a Gram-negative bacterium, wherein said homologue has at least 30% homology at the amino acid or nucleotide level, or a functional fragment thereof.

Claim 2 (amended):

The isolated peptide, according to claim 1, comprising an amino acid sequence selected from the group consisting of SEQ ID NOS. 2, 5, 7, 9, 11, 12, 13, 14, 16, 18, 19, 21, 23, 24, 25, 26, 28, 29, 31, 32 and 35-48.

Claim 3 (amended):

An isolated polynucleotide which comprises a gene selected from the group consisting of *tatA*, *tatB*, *tatC*, *tatE*, *mdoG*, *creC*, *recG*, *yggN*, *eck1*, *iroD*, *iroC*, *iroE*, *mtd2*, and *ms1* to *ms16*, obtainable from *E. coli* K1, or a homologue thereof in a Gram-negative bacterium, wherein said homologue has at least 30% homology at the amino acid or nucleotide level, or a functional fragment thereof.

Claim 4 (amended):

A host transformed to express a peptide encoded by an operon, wherein said operon comprises a gene selected from the group consisting of *tatA*, *tatB*, *tatC*, *tatE*, *mdoG*, *creC*, *recG*, *yggN*, *eck1*, *iroD*, *iroC*, *iroE*, *mtd2*, and *ms1* to *ms16*, obtainable from *E. coli* K1, or a

homologue thereof in a Gram-negative bacterium, wherein said homologue has at least 30% homology at the amino acid or nucleotide level, or a functional fragment thereof.

Claim 5 (amended):

A vaccine comprising a peptide, or the means for its expression, wherein said peptide is encoded by an operon, wherein said operon comprises a gene selected from the group consisting of *tatA*, *tatB*, *tatC*, *tatE*, *mdoG*, *creC*, *recG*, *yggN*, *eck1*, *iroD*, *iroC*, *iroE*, *mtd2*, and *msl* to *msl6*, obtainable from *E. coli* K1, or a homologue thereof in a Gram-negative bacterium, wherein said homologue has at least 30% homology at the amino acid or nucleotide level, or a functional fragment thereof.

Claim 6 (amended):

A vaccine comprising a microorganism having a virulence gene mutation, wherein the gene is selected from the group consisting of *tatA*, *tatB*, *tatC*, *tatE*, *mdoG*, *creC*, *recG*, *yggN*, *eck1*, *iroD*, *iroC*, *iroE*, *mtd2*, and *msl* to *msl6*, obtainable from *E. coli* K1, or a homologue thereof in a Gram-negative bacterium, wherein said homologue has at least 30% homology at the amino acid or nucleotide level, or a functional fragment thereof.

Claim 7 (amended):

The vaccine, according to claim 6, wherein said virulence gene mutation comprises a virulence gene deletion in two genes, wherein one gene encodes *tatA* and the other encodes *tatE*.

Claim 8 (amended):

The vaccine, according to claim 6, wherein the gene lies within a pathogenicity island.

Claim 9 (amended):

A method for screening potential drugs, or for the detection of virulence, wherein said method utilizes a peptide encoded by an operon, wherein said operon comprises a gene selected from the group consisting of *tatA*, *tatB*, *tatC*, *tatE*, *mdoG*, *creC*, *recG*, *yggN*, *eck1*, *iroD*, *iroC*, *iroE*, *mtd2*, and *ms1* to *ms16*, obtainable from *E. coli* K1, or a homologue thereof in a Gram-negative bacterium, wherein said homologue has at least 30% homology at the amino acid or nucleotide level, or a functional fragment thereof.

Claim 10 (amended):

A method for treatment or prevention of a condition associated with infection by a Gram-negative bacterium, said method comprising administering a vaccine to a person or animal in need thereof, wherein said vaccine comprises a peptide, or a host transformed to express said peptide, wherein said peptide is encoded by an operon comprising a gene selected from the group consisting of *tatA*, *tatB*, *tatC*, *tatE*, *mdoG*, *creC*, *recG*, *yggN*, *eck1*, *iroD*, *iroC*, *iroE*, *mtd2*, and *ms1* to *ms16*, obtainable from *E. coli* K1, or a homologue thereof in a Gram-negative bacterium, wherein said homologue has at least 30% homology at the amino acid or nucleotide level, or a functional fragment thereof.

Claim 11 (amended):

The method, according to claim 10, wherein the bacterium is *E. coli*.

Please add the following new claims:

12. The polynucleotide, according to claim 3, wherein said gene encodes a peptide comprising an amino acid sequence selected from the group consisting of SEQ ID NOS. 2, 5, 7, 9, 11, 12, 13, 14, 16, 18, 19, 21, 23, 24, 25, 26, 28, 29, 31, 32 and 35-48.

13. The host, according to claim 4, wherein said peptide comprises an amino acid sequence selected from the group consisting of SEQ ID NOS. 2, 5, 7, 9, 11, 12, 13, 14, 16, 18, 19, 21, 23, 24, 25, 26, 28, 29, 31, 32 and 35-48.

14. The vaccine, according to claim 5, wherein said peptide comprises an amino acid sequence selected from the group consisting of SEQ ID NOS. 2, 5, 7, 9, 11, 12, 13, 14, 16, 18, 19, 21, 23, 24, 25, 26, 28, 29, 31, 32 and 35-48.

15. The vaccine, according to claim 6, wherein said peptide comprises an amino acid sequence selected from the group consisting of SEQ ID NOS. 2, 5, 7, 9, 11, 12, 13, 14, 16, 18, 19, 21, 23, 24, 25, 26, 28, 29, 31, 32 and 35-48.

16. The vaccine, according to claim 15, wherein said virulence gene mutation comprises a virulence gene deletion in two genes, wherein one gene encodes *tatA* and the other encodes *tatE*.

17. The vaccine, according to claim 15, wherein the gene lies within a pathogenicity island.

18. The method, according to claim 9, wherein said peptide comprises an amino acid sequence selected from the group consisting of SEQ ID NOS. 2, 5, 7, 9, 11, 12, 13, 14, 16, 18, 19, 21, 23, 24, 25, 26, 28, 29, 31, 32 and 35-48.

19. The method, according to claim 9, wherein said peptide comprises an amino acid sequence as set forth in SEQ ID NO. 33.

20. The method, according to claim 10, wherein said peptide comprises an amino acid sequence selected from the group consisting of SEQ ID NOS. 2, 5, 7, 9, 11, 12, 13, 14, 16, 18, 19, 21, 23, 24, 25, 26, 28, 29, 31, 32 and 35-48.

21. The method, according to claim 20, wherein the bacterium is *E. coli*.

22. A method for treatment or prevention of a condition associated with infection by a Gram-negative bacterium, said method comprising administering a nucleotide to a person or animal in need thereof, wherein said nucleotide comprises an operon including a gene selected from the group consisting of *tatA*, *tatB*, *tatC*, *tatE*, *mdoG*, *creC*, *recG*, *yggN*, *eck1*, *iroD*, *iroC*, *iroE*, *mtd2*, and *ms1* to *ms16*, obtainable from *E. coli* K1, or a homologue thereof in a Gram-negative bacterium, wherein said homologue has at least 30% homology at the amino acid or nucleotide level, or a functional fragment thereof.



Remarks

Claims 1-11 have been amended and new claims 12-22 have been added.

No new matter has been added by these amendments.

The Commissioner is hereby authorized to charge any fees under 37 CFR 1.16 or 1.17 as required by this paper to Deposit Account 19-0065.

Respectfully Submitted



Glenn P. Ladwig

Patent Attorney

Registration No. 46,853

Phone No.: 352-375-8100

Address: Saliwanchik, Lloyd & Saliwanchik  
2421 N.W. 41<sup>st</sup> Street  
Suite A-1 Gainesville, FL 32606

GPL/la

Marked-up Version of Amended Claims

Claim 1 (amended):

[A] An isolated peptide encoded by an operon, [including any of the genes identified herein as] wherein said operon comprises a gene selected from the group consisting of *tatA*, *tatB*, *tatC*, *tatE*, *mdoG*, *creC*, *recG*, *yggN*, *eck1*, *iroD*, *iroC*, *iroE*, *mtd2*, and *msl* to [16] *msl6*, obtainable from *E. coli* K1, or a homologue thereof in a Gram-negative bacterium, [having] wherein said homologue has at least 30% homology at the amino acid or nucleotide level, or a functional fragment thereof[, for therapeutic use].

Claim 2 (amended):

[A] The isolated peptide, according to claim 1, comprising [any of the amino acid sequences identified herein as] an amino acid sequence selected from the group consisting of SEQ ID NOS. 2, 5, 7, 9, 11, 12, 13, 14, 16, 18, 19, 21, 23, 24, 25, 26, 28, 29, 31, 32 and 35-48.

Claim 3 (amended):

[A] An isolated polynucleotide [encoding a peptide according to claim 1 or claim 2, for therapeutic use] which comprises a gene selected from the group consisting of *tatA*, *tatB*, *tatC*, *tatE*, *mdoG*, *creC*, *recG*, *yggN*, *eck1*, *iroD*, *iroC*, *iroE*, *mtd2*, and *msl* to *msl6*, obtainable from *E. coli* K1, or a homologue thereof in a Gram-negative bacterium, wherein said homologue has at least 30% homology at the amino acid or nucleotide level, or a functional fragment thereof.

Claim 4 (amended):

A host transformed to express a peptide [according to claim 1 or claim 2] encoded by an operon, wherein said operon comprises a gene selected from the group consisting of *tatA*, *tatB*, *tatC*, *tatE*, *mdoG*, *creC*, *recG*, *yggN*, *eck1*, *iroD*, *iroC*, *iroE*, *mtd2*, and *ms1* to *ms16*, obtainable from *E. coli* K1, or a homologue thereof in a Gram-negative bacterium, wherein said homologue has at least 30% homology at the amino acid or nucleotide level, or a functional fragment thereof.

Claim 5 (amended):

A vaccine comprising a peptide [according to claim 1 or claim 2], or the means for its expression, wherein said peptide is encoded by an operon, wherein said operon comprises a gene selected from the group consisting of *tatA*, *tatB*, *tatC*, *tatE*, *mdoG*, *creC*, *recG*, *yggN*, *eck1*, *iroD*, *iroC*, *iroE*, *mtd2*, and *ms1* to *ms16*, obtainable from *E. coli* K1, or a homologue thereof in a Gram-negative bacterium, wherein said homologue has at least 30% homology at the amino acid or nucleotide level, or a functional fragment thereof.

Claim 6 (amended):

A vaccine comprising a microorganism having a virulence gene mutation, wherein the gene is selected from the group consisting of *tatA*, *tatB*, *tatC*, *tatE*, *mdoG*, *creC*, *recG*, *yggN*, *eck1*, *iroD*, *iroC*, *iroE*, *mtd2*, and *ms1* to *ms16*, obtainable from *E. coli* K1, or a homologue thereof in a Gram-negative bacterium, wherein said homologue has at least 30% homology at the amino acid or nucleotide level, or a functional fragment thereof [according to claim 1 or claim 2].

Claim 7 (amended):

[A] The vaccine, according to claim 6, [having] wherein said virulence gene mutation comprises a virulence gene deletion in two genes, wherein one gene encodes *tatA* and the other encodes *tatE*.

Claim 8 (amended):

[A] The vaccine, according to claim 6, wherein the gene lies within a pathogenicity island[, wherein the island comprises a gene identified herein].

Claim 9 (amended):

[Use of a product according to any of claims 1 to 4, or SEQ ID NO. 33,] A method for screening potential drugs, or for the detection of virulence, wherein said method utilizes a peptide encoded by an operon, wherein said operon comprises a gene selected from the group consisting of *tatA*, *tatB*, *tatC*, *tatE*, *mdoG*, *creC*, *recG*, *yggN*, *eck1*, *iroD*, *iroC*, *iroE*, *mtd2*, and *msl* to *msl6*, obtainable from *E. coli* K1, or a homologue thereof in a Gram-negative bacterium, wherein said homologue has at least 30% homology at the amino acid or nucleotide level, or a functional fragment thereof.

Claim 10 (amended):

[Use of a product according to any of claims 1 to 4, for the manufacture of a medicament for use in the] A method for treatment or prevention of a condition associated with infection by a Gram-negative bacterium, said method comprising administering a vaccine to a person or animal in need thereof, wherein said vaccine comprises a peptide, or a host transformed to express said

peptide, wherein said peptide is encoded by an operon comprising a gene selected from the group consisting of *tatA*, *tatB*, *tatC*, *tatE*, *mdoG*, *creC*, *recG*, *yggN*, *eck1*, *iroD*, *iroC*, *iroE*, *mtd2*, and *ms1* to *ms16*, obtainable from *E. coli* K1, or a homologue thereof in a Gram-negative bacterium, wherein said homologue has at least 30% homology at the amino acid or nucleotide level, or a functional fragment thereof.

Claim 11 (amended):

[Use] The method, according to claim 10, wherein the bacterium is *E. coli*.

## VIRULENCE GENES AND PROTEINS, AND THEIR USE

### Field of the Invention

This invention relates to the identification of virulence genes and proteins, and their use. More particularly, it relates to their use in therapy and in screening for drugs.

### Background to the Invention

*E. coli* is a member of the *Enterobacteriaceae*, or enteric bacteria, which are Gram-negative microorganisms that populate the intestinal tracts of animals. Other members of this bacterial family include *Enterobacter*, *Klebsiella*, *Salmonella*, *Shigella* and *Yersinia*. Although *E. coli* is found normally in the human gastrointestinal tract, it has been implicated in human disease, including septicaemia, meningitis, urinary tract infection, wound infection, abscess formation, peritonitis and cholangitis.

The disease states caused by *E. coli* are dependent upon certain virulence determinants. For example, *E. coli* has been implicated in neonatal meningitis and a major determinant of virulence has been identified as the K1 antigen, which is a homopolymer of sialic acid. The K1 antigen may have a role in avoiding the host's immunological system and preventing phagocytosis.

### Summary of the Invention

The present invention is based on the identification of a series of virulence genes in *E. coli* K1, and also related organisms the products of which may be implicated in the pathogenicity of the organism.

According to one aspect of the present invention, a peptide is encoded by an operon including any of the genes identified herein as *mdoG*, *creC*, *recG*, *yggN*, *tatA*, *tatB*, *tatC*, *tatE*, *eck1*, *iroD*, *iroC*, *iroE*, *mtd2* and *ms1* to 16, from *E. coli* K1, or a homologue thereof in a Gram-negative bacterium, or a functional fragment thereof. Such a peptide is suitable for therapeutic use, e.g. when isolated.

The term "functional fragments" is used herein to define a part of the gene or peptide which retains similar therapeutic utility as the whole gene or peptide. For example, a functional fragment of the peptide may be used as an antigenic determinant, useful in a vaccine or in the production of antibodies.

A gene fragment may be used to encode the active peptide. Alternatively, the gene fragment may have utility in gene therapy, targetting the wild-type gene *in vivo* to exert a therapeutic effect.

5 A peptide according to the present invention may comprise any of the amino acid sequences identified herein as SEQ ID NOS. 2, 5, 7, 9, 11, 12, 13, 14, 16, 23, 24, 25, 26, 28, 31, 29, 32 and 35-48.

10 The identification of these peptides as virulence determinants allows them to be used in a number of ways in the treatment of infection. For example, a host may be transformed to express a peptide according to the invention or modified to disrupt expression of the gene encoding the peptide. A vaccine may also comprise a peptide according to the invention, or the means for its expression, for the treatment of infection. In addition, a vaccine may comprise a microorganism having a virulence gene deletion, wherein the gene encodes a peptide according to the invention.

15 According to another aspect of the invention, the peptides or genes may be used for screening potential antimicrobial drugs or for the detection of virulence.

A further aspect of this invention is the use of any of the products identified herein, for the treatment or prevention of a condition associated with  
20 infection by a Gram-negative bacterium, in particular by *E. coli*.

#### Description of the Invention

The present invention has made use of signature-tagged mutagenesis (STM) (Hensel *et al*, Science, 1995;269:400-403) to screen *E. coli* K1 strain RS228 (Pluschke *et al*, Infection and Immunity 39:599-608) mini-Tn5 mutant  
25 bank for attenuated mutants, to identify virulence genes (and virulence determinants) of *E. coli*.

Although *E. coli* K1 was used as the microorganism to identify the virulence genes, corresponding genes in other enteric bacteria are considered to be within the scope of the present invention. For example, corresponding  
30 genes or encoded proteins may be found, based on sequence homology, in *Enterobacter*, *Klebsiella* and other genera implicated in human intestinal disease, including *Salmonella*, *Shigella* and *Yersinia*.

The term "virulence determinant" is used herein to define a product, e.g. a peptide or protein that may have a role in the maintenance of pathogenic bacteria. In particular, a virulence determinant is a bacterial protein or peptide that is implicated in the pathogenicity of the infectious or disease-causing microorganism.

A gene that encodes a virulence determinant may be termed a "virulence gene". Disruption of a virulence gene by way of mutation, deletion or insertion, will result in a reduced level of survival of the bacteria in a host, or a general reduction in the pathogenicity of the microorganism.

Signature-tagged mutagenesis has proved a very useful technique for identifying virulence genes, and their products. The technique relies on the ability of transposons to insert randomly into the genome of a microorganism, under permissive conditions. The transposons are individually marked for easy identification, and then introduced separately into a microorganism, resulting in disruption of the genome. Mutated microorganisms with reduced virulence are then detected by negative selection and the genes where insertional inactivation has occurred are identified and characterised.

A first stage in the STM process is the preparation of suitable transposons or transposon-like elements. A library of different transposons are prepared, each being incorporated into a vector or plasmid to facilitate transfer into the microorganism. The preparation of vectors with suitable transposons will be apparent to a skilled person in the art and is further disclosed in WO-A-96/17951. For the Gram-negative bacteria, e.g. *E. coli*, suitable transposons include Tn5 and Tn10. Having prepared the transposons, mutagenesis of a bacterial strain is then carried out to create a library of individually mutated bacteria.

Pools of the mutated microorganisms are then introduced into a suitable host. After a suitable length of time, the microorganisms are recovered from the host and those microorganisms that have survived in the host are identified, thereby also identifying the mutated strains that failed to survive, i.e. avirulent strains. Corresponding avirulent strains in a stored library are then used to identify the genes where insertional inactivation occurred. Usually, the site of



transposon insertion is identified by isolating the DNA flanking the transposons insertion site, and this permits characterisation of the genes implicated in virulence.

Once an avirulent microorganism has been identified, it is possible to  
5 determine more fully the potential role of the mutated gene in virulence, by infecting a suitable host animal with a lethal dose of the mutant. The survival time of the infected animal is compared with that of a control infected with the wild-type strain, and those animals surviving for longer periods than the control may be said to be infected with microorganisms having mutated virulence  
10 genes.

Alternatively, the potential role in virulence can be investigated by infecting an animal host with a mixture of the wild-type and mutant bacteria. After a suitable period of time, bacteria are harvested from organs of the host animal and the ratio of wild-type and mutant bacteria determined. This ratio is  
15 divided by the ratio of mutant to wild-type bacteria in the inoculum, to determine the competitive index (CI). Mutants which have a competitive index of less than 1 may be said to be avirulent.

It is possible that the gene which is inactivated by the insertion of the transposon may not be a true virulence gene, but may be having a polar effect  
20 on a downstream (virulence) gene. This can be determined by further experimentation, placing non-polar mutations in more defined regions of the gene, or mutating other adjacent genes, and establishing whether or not the mutant is avirulent.

Having characterised a virulence gene in *E. coli*, it is possible to use the  
25 gene sequence to establish homologies in other microorganisms. In this way it is possible to determine whether other microorganisms have similar virulence determinants. Sequence homologies may be established by searching in existing databases, e.g. EMBL or Genbank.

Virulence genes are often clustered together in distinct chromosomal  
30 regions called pathogenicity islands. Pathogenicity islands can be recognised as they are usually flanked by repeat sequences, insertion elements or tRNA genes. Also the G+C content is normally different from the remainder of the

chromosome, suggesting that they were acquired by horizontal transmission from another organism. For example the G+C content of the *E. coli* K12 genome is 52%. Any pathogenicity islands found in *E. coli* strains are likely to have a G+C content that varies from this average.

5 The identified virulence genes are likely to be useful both in generating attenuated vaccine strains and as a target for antimicrobials. The same may be true for homologues in Gram-negative bacteria in general.

For the purpose of this invention, the appropriate degree of homology is typically at least 30%, preferably at least 50%, 60% or 70%, and more  
10 preferably at least 80% or 90% (at the amino acid or nucleotide level).

Proteins according to the invention may be purified and isolated by methods known in the art. In particular, having identified the gene sequence, it will be possible to use recombinant techniques to express the genes in a suitable host. Active fragments and homologues can be identified and may be  
15 useful in therapy. For example, the proteins or their active fragments may be used as antigenic determinants in a vaccine, to elicit an immune response. They may also be used in the preparation of antibodies, for passive immunisation, or diagnostic applications. Suitable antibodies include monoclonal antibodies, or fragments thereof, including single chain fv  
20 fragments. Methods for the preparation of antibodies will be apparent to those skilled in the art.

The preparation of vaccines based on attenuated microorganisms is known to those skilled in the art. Vaccine compositions can be formulated with suitable carriers or adjuvants, e.g. alum, as necessary or desired, and used in  
25 therapy, to provide effective immunisation against *E. coli* or other Gram-negative bacteria. The preparation of vaccine formulations will be apparent to the skilled person.

More generally, and as is well known to those skilled in the art, a suitable amount of an active component of the invention can be selected, for therapeutic  
30 use, as can suitable carriers or excipients, and routes of administration. These factors will be chosen or determined according to known criteria such as the

nature/severity of the condition to be treated, the type or health of the subject etc.

The following Examples illustrate the invention. For the Examples, STM was used to screen an *E. coli* K1 mini-Tn5 mutant bank for attenuated mutants, using a mouse model of systemic infection. The basic procedure followed that disclosed in Hensel *et al*, *supra*. *E. coli* K1 containing a mini-Tn5 insertion within a virulence gene was not recovered from mice inoculated with a mixed population of mutants, and is therefore likely to be attenuated.

The DNA region flanking either side of the mini-Tn5 insertion was cloned by inverse PCR or by rescue of a kanamycin-resistance marker. In the latter case, chromosomal DNA from the STM-derived mutant was digested with restriction enzymes, ligated into the plasmid pUC19, and kanamycin-resistant clones selected after transformation into competent *E. coli* K12 cells. Subsequent cloning and sequencing was then performed and the gene sequences compared using sequences in publicly available sequence databases (EMBL) to help characterise the putative gene products.

#### Example 1

In a first mutant, two fragments of cloned DNA were sequenced. The nucleotide sequences are shown as SEQ ID NO. 1 and SEQ ID NO. 3 and a translated region of the DNA from SEQ ID NO. 1 is shown as SEQ ID NO. 2. SEQ ID NO. 1 shows 99.8% identity to the *mdoGH* region from *E. coli* K12 (EMBL database accession number AE000206) from nucleotides 2577 to 6908. This DNA fragment encodes the 5'-part of the *ymdD* gene, the entire *mdoG* gene and the 5'-part of the *mdoH* gene. The product of the *mdoG* gene is of unknown function, but is believed to be involved in the biosynthesis of membrane-derived oligosaccharides.

SEQ ID NO. 3 shows 98.3% identity to the 3'-part of the *mdoH* gene and downstream gene sequences from *E. coli* K12 (nucleotides 7187 to 7760). SEQ ID NO. 2 shows 99.6% identity to the *mdoG* protein from *E. coli* K12 (Swiss Prot accession number P33136) at amino acid 1 to 511.

The novel gene was tested for attenuation of virulence, using mixed infections, in a murine model of systemic infection (Achtman *et al.*, Infection and

Immunity, 1983; Vol. 39:315-335), and shown to be attenuated with a competitive index (CI) of 0.38. This confirms that the attenuation of the original transposon mutant is likely to be due to the disruption of the *mdoG* gene.

Polar and a non-polar deletion mutants of *mdoG* were constructed. The  
5 *mdoG* gene and flanking regions were amplified by PCR with oligonucleotides  
5'-TGCTCTAGAGCCATTACTCAGAATGGG-3' (SEQ ID NO. 49) and 5'-  
CGCGAGCTCGACGACTGAATGATCCC-3' (SEQ ID NO. 50). The product was  
cloned into pUC19. A PCR product containing 5'- and 3'-terminal fragments of  
*mdoG* and the entire pUC19 sequence was then amplified by inverse PCR with  
10 the oligonucleotides 5'-TCCCCCGGGTACTGCAGCACTCAACC-3' (SEQ ID  
NO. 51) and 5'-GATCCCCGGGACCACTGAAATGCGTGC-3' (SEQ ID NO. 52).  
A non-polar kanamycin resistance cassette (*aphT*) was inserted in both  
orientations between the *mdoG* sequences to give a polar and a non-polar  
construct. The *mdoG::aphT* fusions were then transferred to the suicide vector  
15 pCDV442. The chromosomal copy of the *mdoG* was mutated by allelic transfer  
after conjugation of the pCDV442 constructs into wild type *E. coli* K1.

The constructed mutants were tested for attenuation of virulence in a  
murine model of systemic infection (Achtman et al., *supra*). Both the polar and  
the non-polar constructs were attenuated in virulence, with competitive indices  
20 of 0.37 and 0.35, respectively (mean CI from three mice each). This confirms  
that the attenuation of the original transposon mutant is likely to be due to the  
disruption of the *mdoG* gene.

### Example 2

A second mutant was identified with a virulence gene having the  
25 nucleotide sequence shown in SEQ ID NO. 4 and the translated amino acid  
sequence shown as SEQ ID NO. 5. The mini-Tn5 transposon inserted at  
nucleotide 581 (SEQ ID NO. 4) and at amino acid 187 (SEQ ID NO. 5).

These sequences show 97.9% identity to the *creC* gene of *E. coli* K12  
(EMBL and Genbank accession numbers M13608, AE000510 and U14003).

30 The *creC* protein from *E. coli* K12 belongs to the protein family of  
histidine kinases as well as to a protein family consisting of proteins containing  
a signal domain.

The novel gene was tested for attenuation of virulence (Achtman *et al*, *supra*.), and shown to be attenuated with a competitive index of 0.09.

As the *E. coli* K12 *creC* gene is transcribed as part of an operon with the *creD* gene, it is possible that this attenuation is due to a polar effect on a presumed *E. coli* K1 *creD* gene.

#### Example 3

A third mutant had a nucleotide sequence shown as SEQ ID NO. 6 immediately following the mini-Tn5. A translation of this sequence is shown as SEQ ID NO. 7.

The nucleotide sequence shows 93.7% identity to the *recG* gene of *E. coli* K12, at nucleotides 5-146 (EMBL and Genbank accession numbers P24230 and M64367). This demonstrates that the disrupted gene is at least partially identical to the *recG* gene of *E. coli* K12. The *recG* gene of *E. coli* K12 encodes a 76.4kD protein which functions as ATP-dependent DNA helicase, and plays a critical role in DNA repair.

In tests for attenuation, the competitive index was shown to be 0.48. The *recG* gene is transcribed as the terminal gene of an operon, and it is therefore unlikely that this attenuation is due to a polar effect on another *E. coli* K1 gene.

#### Example 4

A fourth mutant had a transposon inserted within the nucleotide sequence shown as SEQ ID NO. 8, with a translation product shown as SEQ ID NO. 9.

The mini-Tn5 transposon inserted at nucleotide 359 and amino acid 80.

These sequences show 98.5% sequence identity to the *yggN* gene of *E. coli* K12 (EMBL accession number AE000378) at nucleotides 339-1054, and 99.6% identity at the amino acid level.

Although the sequence of the *yggN* gene is known, the function of its encoded protein has not yet been determined.

The novel gene was tested for attenuation of virulence, and shown to be attenuated with a competitive index of 0.43.

#### Example 5

Several mutants were also found with a transposon insertion within the same region. Cloning and sequencing the region revealed a nucleotide sequence shown as SEQ ID NO. 10. This sequence has homology with the *tatABCD* operon of *E. coli* K12 (EMBL and Genbank accession numbers  
5 AJ005830, AE000459 and AE000167). This operon encodes proteins of predicted mass 9.6 kD, 18.4 kD, 28.9 kD and 29.5 kD, which function as components of a Sec-independent protein export pathway. The pathway permits translocation of fully folded proteins to the periplasm through a gated pore, after the attachment of co-factors in the cytoplasm.

10 Translation of the nucleotide sequence revealed a protein corresponding to *tatA* (SEQ ID NO. 11), a sequence corresponding to *tatB* (SEQ ID NO. 12), a sequence corresponding to *tatC* (SEQ ID NO. 13) and a sequence corresponding to *tatD* (SEQ ID NO. 14).

The mini-Tn5 transposons in the mutants identified by STM are located  
15 at nucleotides 1429 and 2226 of SEQ ID NO. 10. These transposon insertions disrupt the *tatB* protein sequence at amino acid 50 and the *tatC* protein sequence at amino acid 143.

The *tatB* and *tatC* genes were tested for attenuation of virulence and were shown to be attenuated with competitive indices of 0.0012 and 0.0039,  
20 respectively. These genes were also attenuated in virulence when tested in single infections in the same model of systemic infection.

#### Example 6

A further mutant was insertionally inactivated within a region corresponding to the *tatE* gene of *E. coli* K12, shown as SEQ ID NO. 15. A  
25 translation of the sequence as shown as SEQ ID NO. 16. The *tatE* gene shows 98% identity to that of the *E. coli* K12 gene (accession number AE000167) at nucleotides 6719-7306.

To establish whether the *tatA*, *tatD* and *tatE* genes are required for virulence, non-polar deletion mutations were constructed in each. The regions  
30 of DNA flanking either side of the *tatA*, *tatD* and *tatE* genes were amplified with the following primers:

*tatA*

5'-TCG TCT AGA GAT GAT GGT GAT GGA GCG-3' (SEQ ID NO. 53)

5 5'-GAA CTG CAG CCA AAT ACT GAT ACC ACC C-3' (SEQ ID NO. 54)

5'-GAA CTG CAG GCT AAA ACA GAA GAC GCG-3' (SEQ ID NO. 55)

10 5'-CAT GCA TGC ACT CCA TAT GAC AAC CGC-3' (SEQ ID NO. 56)

Primers SEQ ID NO. 53 and SEQ ID NO. 54 were used to amplify DNA sequences upstream of *tatA*, Primers SEQ ID NO. 55 and SEQ ID NO. 56 were used to amplify DNA sequences downstream of *tatA*.

15 *tatD*

5'-TCG TCT AGA ATG AAG CTG CGC ATG AGG-3' (SEQ ID NO. 57)

20 5'-CAA CTG CAG TCG CAA ATT GCG AAC TGG-3' (SEQ ID NO. 58)

5'-CAA CTG CAG ACC GCA ACT TTT CGA CGC-3' (SEQ ID NO. 59)

5'-CAT GCA TGC CAG TGA GCC ATT GTT CCC-3' (SEQ ID NO. 60)

25 Primers SEQ ID NO. 57 and SEQ ID NO. 58 were used to amplify DNA sequences upstream of *tatD*, Primers SEQ ID NO. 59 and SEQ ID NO. 60 were used to amplify DNA sequences downstream of *tatD*.

30 *tatE*

5'-TGC TCT AGA TAC GAC TCT GAC AGG AGG-3' (SEQ ID NO. 61)

5'-TCA GAT ATC AAC TAC CAG CAG TTT GG-3' (SEQ ID NO. 62)

35 5'-TCA GAT ATC CAT AAA GAG TGA CGT GGC-3' (SEQ ID NO. 63)

5'-TGC TCT AGA AAA CGT GGC AAC AGA GCG-3' (SEQ ID NO. 64)

40 Primers SEQ ID NO. 61 and SEQ ID NO. 62 were used to amplify DNA sequences upstream of *tatE*, Primers SEQ ID NO. 63 and SEQ ID NO. 64 were used to amplify DNA sequences downstream of *tatE*.

After cloning these flanking DNA fragments into pUC19, a non-polar *aphT* kanamycin resistance cassette (Galan *et al*, J.Bacteriol, 1992;174:4338-4349) was inserted between the flanking DNA fragments to replace the *tatA*, *tatD* and *tatE* genes. These DNA fragments were then transferred to the suicide  
5 vector pCVD442 (Blomfield *et. al*, Mol. Micro., 1991;5:1447-1457). The chromosomal copies of the *E. coli* K1 *tatA*, *tatD* and *tatE* genes were then mutated by allelic transfer after conjugation of the pCVD442 constructs into wild type *E. coli* K1.

Disruptions of the *tatA*, *tatD* and *tatE* genes have been tested for  
10 attenuation of virulence (Achtman *et al.*, *supra*).

None of the genes was attenuated when deleted in isolation. The genes may still play a role in virulence, and to test this, mutants were prepared with deletions in both *tatA* and *tatE* genes. The double mutant was tested for attenuation in virulence using mixed infections with the wild-type strain and  
15 shown to be attenuated with a competitive index of 0.0017. It seems therefore that the *tatA*, *tatD* and *tatE* genes may be used in combination to create avirulent microorganisms.

Given the similarity of the *E. coli* K1 *tatABCD* genes to predicted *tatABCD* genes present in the *S. typhimurium* genome and *Neisseria meningitidis* genome it seemed likely that the *tat* system may also be required  
20 for virulence in these, and other, organisms. A deletion in the *S. typhimurium* *tatC* gene (SEQ ID NO. 17) was constructed by amplifying the DNA flanking either side of the *tatC* gene with the following primers:

25 5'-TGC TCT AGA AGG CGT TGT CGA TCC TG-3' (SEQ ID NO. 65)

5'-GAA CTG CAG GAA AAG GCC GAG CAG ACT G-3' (SEQ ID NO. 66)

5'-GAA CTG CAG TAC AGC CAT GTT TAC GGT-3' (SEQ ID NO. 67)

30 5'-CAT GCA TGC GGT GTA CGA CAG TTT GCG-3' (SEQ ID NO. 68)



Primers SEQ ID NO. 65 and SEQ ID NO. 66 were used to amplify DNA sequences downstream of the *S. typhimurium tatC* gene, Primers SEQ ID NO. 67 and SEQ ID NO. 68 were used to amplify DNA sequences upstream of the *S. typhimurium tatC* gene.

5           The encoded amino acid sequences for two regions of the *tatC* gene are shown as SEQ ID NO. 18 and SEQ ID NO. 19.

          After cloning these flanking DNA fragments into pUC19, a non-polar kanamycin resistance cassette (*aphT*) was inserted between the flanking DNA fragments to replace the *S. typhimurium tatC* gene. This DNA fragment was then transferred to the suicide vector pCVD442. The chromosomal copy of the *S. typhimurium tatC* gene was then mutated by allelic transfer after conjugation of the pCVD442 construct into wild type *S. typhimurium* strains TML and SL1344.

          The disrupted *S. typhimurium tatC* gene was tested for attenuation of virulence, using mixed and single infections in a murine model of systemic infection. For mixed infections, 6-7 week old *balbC* mice were inoculated intraperitoneally with  $10^4$  bacterial cells. Competitive indices were calculated after comparing the numbers of mutant and wild-type bacteria present in spleens after 3 days. For single infections, mice were inoculated either intraperitoneally or orally with varying doses and mouse survival monitored for 17 days. The strains were attenuated in virulence, the competitive indices of the SL1344 *tatC* and TML *tatC* deletion strains being 0.078 and 0.098, respectively.

          In single infections, mouse survival was extended compared to the wild-type controls.

          Sequence homology was also demonstrated with the *tat* sequence from *Neisseria meningitidis*. The gene sequence from *N. meningitidis* is shown as SEQ ID NO. 20 and the encoded amino acid sequence for *tatC* is shown as SEQ ID NO. 21.

          To test for virulence, a deletion mutant was created using the following primers:

5'-TGCTCTAGACACATCATGGGCACACC-3' (SEQ ID NO. 69)

5'-GAACTGCAGAACCGTCCACATCAGGCG-3' (SEQ ID NO. 70)

5 5'-GAACTGCAGACCCTGCTTGCCATTCCG-3' (SEQ ID NO. 71)

5'-GAACTGCAGACCCTGCTTGCCATTCCG-3' (SEQ ID NO. 72)

10 Cloning of the DNA fragments and the *aphT* kanamycin resistance cassette into pUC19 followed the procedure outlined above for *S. typhimurium*. The chromosomal copy of the *N. meningitidis tatC* gene was mutated by transformation of the pUC19-based constructs into wild-type *N. meningitidis* cells.

15 Southern analysis of the resulting transformants indicated that all the transformants were merodiploids and contained both the wild-type and mutated copies of the *tatC* gene. This indicates that there is some selection against the isolation of mutants in which the *tatC* gene has been deleted.

Further studies on polar and non-polar constructs showed that transformants did not grow on selective media. This suggests that the *N. meningitidis tatC* gene is essential for the *in vitro* growth of this organism.

#### 20 Example 7

A further mutant was identified with a transposon insertion within a nucleotide sequence identified herein as SEQ ID NO. 22, at nucleotide 3981. The sequence defined herein as *eck1*, shows sequence homology to several Group 1 glycosyltransferases from a number of bacteria. Sequence homology was also shown to the *gnd* gene of *E. coli* K12 (at nucleotides 4197-4604 of SEQ ID NO. 22).

30 The translation of the *E. coli eck1* gene is shown as SEQ ID NO. 26. The gene has been tested for attenuation of virulence, as described above, and is shown to be attenuated with a competitive index of 0.025.

Several open reading frames (ORF) were also identified from the DNA sequence (SEQ ID NO. 22). The first of these is defined herein as MS1 and a translation product shown as SEQ ID NO. 25. The amino acid sequence is shown to have 50.3% identity to a putative glycosyl transferase from *E. coli*

serotype 0111 (TrEMBL database accession number AAD46732). The amino acid sequence also shows homology with the eck1 protein from *E. coli* K1 and also the TrsE protein from *Yersinia enterocolitica* (TrEMBL database accession number Q56917).

5 A second open reading frame identified herein as MS2 had the gene sequence shown as SEQ ID NO. 24. This shows sequence homology to the putative glycosyl transferase TrsC from *Yersinia enterocolitica* (TrEMBL database accession number Q56915), and also the glycosyl transferase WbnA from *E. coli* serotype 0113 (TrEMBL database accession number AAD50485).

10 A third open reading frame encodes a product identified herein as MS3 (SEQ ID NO. 23). The amino acid sequence shows 30.2% identity to a rhamnosyltransferase from *Streptococcus mutans*.

The gene sequence shown as SEQ ID NO. 22 may be at least part of a pathogenicity island, with multiple virulence genes being positioned in a cluster on the microorganism's genome.

#### 15 Example 8

A further mutant was identified having a transposon insertion within the *iroCDE* operon. The nucleotide sequences flanking either side of the mini-Tn5 insertion are shown as SEQ ID NO. 27 and SEQ ID NO. 30.

20 The mini-Tn5 transposon is inserted at nucleotide 1272 of SEQ ID NO. 27 and at nucleotide 1 of SEQ ID NO. 30, and interrupts the *iroD* gene. The N-terminal region of *iroD* is shown as SEQ ID NO. 29, and the C-terminal region is shown as SEQ ID NO. 31.

In addition to *iroD*, the gene shown as SEQ ID NO. 27 encodes a partial peptide with the amino acid sequence shown as SEQ ID NO. 28. This amino acid sequence shows 70.9% identity to the putative ATP binding cassette transporter *iroC* from *Salmonella typhi*.

25 The gene sequence shown as SEQ ID NO. 30 includes an open reading frame that encodes a peptide with the amino acid sequence shown as SEQ ID NO. 32 and this has sequence homology to the *iroE* protein from *Salmonella typhi*.

Testing the genes in a model for attenuation of virulence, as described above, showed that the *iroD* gene was attenuated with a competitive index of 0.107. The mini-Tn5 mutation in the *iroD* gene has been reintroduced into the wild-type *E. coli* K1 strain by P1 transduction. The resulting transductant is also  
5 attenuated in virulence with a competitive index of 0.1. This indicates that the attenuated phenotype is linked to the insertion within *iroD*. However, it is possible that the attenuation is due to a polar effect on the *E. coli* K1 *iroE* gene.

#### Example 9

A further mutant was identified with a transposon insertion within the  
10 nucleotide sequence shown as SEQ ID NO. 33. The transposon is inserted at nucleotide 2264 of SEQ ID NO. 33. The nucleotide sequence shows sequence homology to the *aslA* / *hemY* region of *E. coli* K12 (EMBL accession number AE000456). The *aslA* encodes an arylsulfatase homologue whereas *hemY* is involved in the biosynthesis of protoheme IX. This demonstrates that the  
15 disrupted region is at least partially identical to the *aslA* / *hemY* region of *E. coli* K12.

The transposon is inserted at nucleotide 2264 of SEQ ID NO. 33. This insertion site is 216 nucleotides downstream from the stop codon of the *hemY* gene and 472 nucleotides upstream from the start codon of the *aslA* gene.

The novel region has been tested for attenuation of virulence, as  
20 described above, and shown to be attenuated with a competitive index of 0.033. The mini-Tn5 mutation in this region has been reintroduced into the wild-type *E. coli* K1 strain by P1 transduction. The resulting transductant is also attenuated in virulence with a competitive index of 0.008. This indicates that  
25 the attenuated phenotype is linked to the transposon insertion in this region. However, polar and non-polar deletion mutants of *aslA* were constructed and tested for attenuation of virulence as described above.

Neither the polar nor the non-polar mutants were attenuated in virulence and this demonstrates that the attenuation of the original transposon mutant is  
30 not due to a polar effect on the *aslA* gene. This indicates that the transposon is disrupting some other function encoded within the intergenic region between *aslA* and *hemY*. For example there could be some untranslated RNA molecule,

such as a regulatory RNA similar to oxyS (Altuvia *et al.*, Cell, 1997;90:43-53), encoded within this region. Alternatively the transposon could be disrupting some DNA structure that may, for example, be involved in DNA replication. This DNA region is also present in the pathogen *Salmonella typhimurium* suggesting that it may be important for pathogenicity in other organisms. This region (SEQ ID NO. 33) may be used as a target, to identify anti-microbial drugs.

#### Example 10

A further mutant was identified and the DNA region flanking either side of the mini-Tn5 insertion was cloned and had the nucleotide sequence shown as SEQ ID NO. 34. This nucleotide sequence has homology with the *mtd2* gene of *Herpetosiphon aurantiacus* (EMBL accession number P25265), with the *mtd2* gene product functioning as a cytosine-specific methyltransferase. The *mtd2* gene is not found in the *E. coli* K12 genome and may represent a pathogenicity island.

The mini-Tn5 transposon insertions were located at nucleotides 4773 and 3764 of SEQ ID NO. 34 and were shown to interrupt the *mtd2* gene.

The amino acid sequence of the *mtd2* gene is shown as SEQ ID NO. 43.

The *E. coli* K1 *mtd2* gene was tested for attenuation of virulence, as described above, and shown to be attenuated with a competitive index of 0.073.

In addition to the *mtd2* gene, a series of open reading frames were also identified with translation products identified herein as MS4 to MS16, SEQ ID NOS. 48-44 and 42-35, respectively. As the open reading frames are located in a potential pathogenicity island, mutations in these genes may also result in attenuation in virulence. Further, since it is known that *E. coli* and other bacteria may encode peptides in different forms in the nucleotide sequence, the coding regions of some of these proteins may overlap. In addition, any aminoacid sequence shown starting with Val may in fact start with Met.

CLAIMS

1. A peptide encoded by an operon including any of the genes identified herein as *tatA*, *tatB*, *tatC*, *tatE*, *mdoG*, *creC*, *recG*, *yggN*, *eck1*, *iroD*, *iroC*, *iroE*, *mtd2* and *ms1* to 16, obtainable from *E. coli* K1, or a homologue thereof in a  
5 Gram-negative bacterium, having at least 30% homology at the amino acid or nucleotide level, or a functional fragment thereof, for therapeutic use.
2. A peptide according to claim 1, comprising any of the amino acid sequences identified herein as SEQ ID NOS. 2, 5, 7, 9, 11, 12, 13, 14, 16, 18, 19, 21, 23, 24, 25, 26, 28, 29, 31, 32 and 35-48.
- 10 3. A polynucleotide encoding a peptide according to claim 1 or claim 2, for therapeutic use.
4. A host transformed to express a peptide according to claim 1 or claim 2.
5. A vaccine comprising a peptide according to claim 1 or claim 2, or the means for its expression.
- 15 6. A vaccine comprising a microorganism having a virulence gene mutation, wherein the gene encodes a peptide according to claim 1 or claim 2.
7. A vaccine according to claim 6, having a virulence gene deletion in two genes, wherein one gene encodes *tatA* and the other encodes *tatE*.
8. A vaccine according to claim 6, wherein the gene lies within a  
20 pathogenicity island, wherein the island comprises a gene identified herein.
9. Use of a product according to any of claims 1 to 4, or SEQ ID NO. 33, for screening potential drugs or for the detection of virulence.
10. Use of a product according to any of claims 1 to 4, for the manufacture of a medicament for use in the treatment or prevention of a condition associated  
25 with infection by a Gram-negative bacterium.
11. Use according to claim 10, wherein the bacterium is *E. coli*.

AMENDED SHEET

Abstract of the Disclosure

The present invention is based on the identification of a series of virulence genes in *E. coli* K1, the products of which may be implicated in the pathogenicity of the organisms. The identification of the genes allows them, or their expressed products, to be used in a number of ways to treat infection.

As a below-named inventor, I hereby declare that my residence, post office address and citizenship are as stated below next to my name; I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of subject matter which is claimed and for which a patent is sought on an invention entitled

**VIRULENCE GENES AND PROTEINS, AND THEIR USE**

☒ was filed on 09 NOV 1999 as United States Application Number or PCT International Application Number PCT/GB99/03721 and was amended on 21 JAN 2001 (if applicable)

Prior Foreign Application Number(s)	Country	Foreign Filing Date	Priority Not Claimed	Certified Copy Attached?	
				YES	NO
see attached sheet			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith: David R. Saliwanchik, Reg. 31,794; Jeff Lloyd, Reg. 35,589; Doran R. Pace, Reg. 38,261; Christine Q. McLeod, Reg. 36,213; Jay M. Sanders, Reg. 39,355; James S. Parker, Reg. 40,119 and Jean E. Kyle, Reg. 36,987; Frank C. Eisenschenk, Reg. 45,332; Seth M. Blum, Reg. 45,489.

Direct all correspondence to:  
Saliwanchik, Lloyd & Saliwanchik  
2421 N.W. 41st Street, Suite A-1  
Gainesville, FL 32606-6669  
USA



## Priority Details

Country:	GB	Appln No:	9824569.9	Dated:	09 NOV 1998
Applicant:	Microscience Limited				
Country:	GB	Appln No:	9824570.7	Dated:	09 NOV 1998
Applicant:	Microscience Limited				
Country:	GB	Appln No:	9827814.6	Dated:	17 DEC 1998
Applicant:	Microscience Limited				
Country:	GB	Appln No:	9827815.3	Dated:	17 DEC 1998
Applicant:	Microscience Limited				
Country:	GB	Appln No:	9827816.1	Dated:	17 DEC 1998
Applicant:	Microscience Limited				
Country:	GB	Appln No:	9827818.7	Dated:	17 DEC 1998
Applicant:	Microscience Limited				
Country:	GB	Appln No:	9900708.0	Dated:	13 JAN 1999
Applicant:	Microscience Limited				
Country:	GB	Appln No:	9900710.6	Dated:	13 JAN 1999
Applicant:	Microscience Limited				
Country:	GB	Appln No:	9900711.4	Dated:	13 JAN 1999
Applicant:	Microscience Limited				
Country:	GB	Appln No:	9901915.0	Dated:	28 JAN 1999
Applicant:	Microscience Limited				

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C 1001 and that such willful false statements may jeopardise the validity of the application or any patent issued thereon.

1-00  
Full name of sole or First Inventor Helen Rachel CROOKE

Inventor's signature

Helen Croke

Residence address London, United Kingdom GBX

Post Office address

c/o Dept. of Infectious Diseases, Imperial College School of Medicine at the Hammersmith Campus, Du Cane Road, London W12 ONN, United Kingdom

Country of Citizenship United Kingdom

Date of signature

20/4/01

2-00  
Full name of Second Inventor

Enda Elizabeth CLARKE

Inventor's signature

Enda Clarke

Residence address London, United Kingdom GBX

Post Office address

c/o Dept. of Infectious Diseases, Imperial College School of Medicine at the Hammersmith Campus, Du Cane Road, London W12 ONN, United Kingdom

Country of Citizenship United Kingdom

Date of signature

20-4-01

3-00  
Full name of Third Inventor

Paul Howard EVEREST

Inventor's signature

Paul Everest

Residence address London, United Kingdom GBX

Post Office address

c/o Dept. of Infectious Diseases, Imperial College School of Medicine at the Hammersmith Campus, Du Cane Road, London W12 ONN, United Kingdom

Country of Citizenship United Kingdom

Date of signature

30/4/2001

400  
Full name of  
Fourth Inventor

Gordon DOUGAN

Inventor's signature



Residence address

London, United Kingdom GBX

Post Office address

c/o Dept. of Infectious Diseases, Imperial College School of  
Medicine at the Hammersmith Campus, Du Cane Road, London  
W12 ONN, United Kingdom

Country of Citizenship United Kingdom

Date of signature

8/5/01

500  
Full name of  
Fifth Inventor

David William HOLDEN

Inventor's signature



Residence address

London, United Kingdom GBX

Post Office address

c/o Dept. of Infectious Diseases, Imperial College School of  
Medicine at the Hammersmith Campus, Du Cane Road, London  
W12 ONN, United Kingdom

Country of Citizenship United Kingdom


Date of signature

9/5/01

600  
Full name of  
Sixth Inventor

Jacqueline Elizabeth SHEA

Inventor's signature



Residence address

London, United Kingdom GBX

Post Office address

c/o Dept. of Infectious Diseases, Imperial College School of  
Medicine at the Hammersmith Campus, Du Cane Road, London  
W12 ONN, United Kingdom

Country of Citizenship United Kingdom

Date of signature

29/5/01

7-00



Nafarua

London, United Kingdom GBX

c/o Dept. of Infectious Diseases, Imperial College School of  
Medicine at the Hammersmith Campus, Du Cane Road, London  
W12 0NN, United Kingdom

Date of signature 25 APR 2001

Year	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100
1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	

## SEQUENCE LISTING

<110> Microscience Limited

<120> VIRULENCE GENES AND PROTEINS, AND THEIR USE

<130> REP05921WO

<140>

<141>

<160> 72

<170> PatentIn Ver. 2.1

<210> 1

<211> 4333

<212> DNA

<213> Escherichia coli

<220>

<221> CDS

<222> (1017)..(2549)

<400> 1

ccattactca gaatgggcgg atacacaata aaaattgttc ttcttattac cgcataaccg 60  
atgccgaggc acaaaaaaat caccgatagt ttaccatcg agaatttttt attcgtttta 120  
tcagaatttt ctaaattatt tctgatacgt ttgaatatcc agacgcacag cgtcgtcatg 180  
accactaaca ccagtaaaaa ccacaggtgt gatattaatt cccaggccaa cgtattatat 240  
ttgtcataca atgacagtcc aggccaactt tccgctttcc ctttgacgta ttgcagcata 300  
ataaattgcg gcaatgtcag tagggggatg gctgttaaca tcgggatacc tacacgttcg 360  
acacgtactt tccaccattt tttcaaggga tagcgtaaaa aaagcatgta ggaaaagtac 420  
ccggatataa cgaaaaatac ctgcatgcgg aacgagtgga tgaagtcatt aaaaagggtc 480  
agccataatg acggttcggc gctattcaca tgccatgtat ggctcgaata gattaaagaa 540  
atatgaaaag ggatccctaa caacatcagc caggcgcgga tggagtcgag gaaatattca 600  
cgttgcgcgg gtactgggtt catatatggt taactaatct cggatttttc gtcttatccc 660  
tgtcgggtta tgccttttagg cttgttgcca tagcgacacc gacctgaccg cgccaggcgc 720

aggcttcaag gtttttatgc atagcatcat cgctaccact aaccagaatg gaagcgtctg 780  
 taagacgggt gataaataaa tttgctggca aaccctacac gaagtcgatg cttctgtctt 840  
 taggagaagc acggaaagtg aaaacgggtg caatcaggtg cttaatccat gagccagtggt 900  
 gctgaacgat accgggattc tgttgctgga atggcaggtt atccattaaa atagatcgga 960  
 tcgatataag cacacaaagg gggaagtgct tactaattat gaaacataaa ctacaa atg 1019  
 Met  
 1

atg aaa atg cgt tgg ttg agt gct gca gta atg tta acc ctg tat aca 1067  
 Met Lys Met Arg Trp Leu Ser Ala Ala Val Met Leu Thr Leu Tyr Thr  
 5 10 15

tct tca agc tgg gct ttc agt att gat gat gtc gca aag caa gct caa 1115  
 Ser Ser Ser Trp Ala Phe Ser Ile Asp Asp Val Ala Lys Gln Ala Gln  
 20 25 30

tcc tta gcc ggg aaa ggc tat gag gcg ccc aaa agc aac ttg ccc tcc 1163  
 Ser Leu Ala Gly Lys Gly Tyr Glu Ala Pro Lys Ser Asn Leu Pro Ser  
 35 40 45

gtt ttc cgc gat atg aaa tac gcg gac tat cag cag atc cag ttt aat 1211  
 Val Phe Arg Asp Met Lys Tyr Ala Asp Tyr Gln Gln Ile Gln Phe Asn  
 50 55 60 65

cat gac aaa gcg tac tgg aac aat ctg aag acc cca ttc aaa ctc gag 1259  
 His Asp Lys Ala Tyr Trp Asn Asn Leu Lys Thr Pro Phe Lys Leu Glu  
 70 75 80

ttc tac cat cag ggt atg tac ttc gat acc ccg gtc aaa ata aat gaa 1307  
 Phe Tyr His Gln Gly Met Tyr Phe Asp Thr Pro Val Lys Ile Asn Glu  
 85 90 95

gtg act gcc acc gca gtc aaa cga atc aaa tac agc ccg gat tat ttc 1355  
 Val Thr Ala Thr Ala Val Lys Arg Ile Lys Tyr Ser Pro Asp Tyr Phe  
 100 105 110

act ttc ggc gat gtt cag cat gac aaa gac acg gta aaa gac ctt ggt 1403  
 Thr Phe Gly Asp Val Gln His Asp Lys Asp Thr Val Lys Asp Leu Gly  
 115 120 125

ttt gcc ggt ttc aaa gtg ctt tac ccg atc aac agc aaa gat aaa aac 1451  
 Phe Ala Gly Phe Lys Val Leu Tyr Pro Ile Asn Ser Lys Asp Lys Asn  
 130 135 140 145

gat gaa atc gtc agc atg ctc ggg gcc agc tat ttc cgc gtg att ggt 1499  
Asp Glu Ile Val Ser Met Leu Gly Ala Ser Tyr Phe Arg Val Ile Gly  
150 155 160

gca ggt cag gtt tat ggc ctt tct gca cgc ggc ctg gca att gat acc 1547  
Ala Gly Gln Val Tyr Gly Leu Ser Ala Arg Gly Leu Ala Ile Asp Thr  
165 170 175

gcc ttg cca tcg ggt gaa gaa ttt cca cgc ttc aaa gag ttc tgg atc 1595  
Ala Leu Pro Ser Gly Glu Glu Phe Pro Arg Phe Lys Glu Phe Trp Ile  
180 185 190

gag cgt cca aaa ccg act gat aaa cgt tta acc att tat gca ttg ctt 1643  
Glu Arg Pro Lys Pro Thr Asp Lys Arg Leu Thr Ile Tyr Ala Leu Leu  
195 200 205

gac tcg ccg cgc gcg aca ggt gct tac aaa ttc gta gtt atg cca gga 1691  
Asp Ser Pro Arg Ala Thr Gly Ala Tyr Lys Phe Val Val Met Pro Gly  
210 215 220 225

cgt gac acg gtt gtg gat gtg cag tcg aaa atc tat ctg cgc gat aaa 1739  
Arg Asp Thr Val Val Asp Val Gln Ser Lys Ile Tyr Leu Arg Asp Lys  
230 235 240

gtc ggc aaa ctg ggg gtt gca ccg tta acc agt atg ttc ctg ttt ggg 1787  
Val Gly Lys Leu Gly Val Ala Pro Leu Thr Ser Met Phe Leu Phe Gly  
245 250 255

ccg aac caa ccg tcg cct gca aat aac tat cgt ccg gag ttg cac gac 1835  
Pro Asn Gln Pro Ser Pro Ala Asn Asn Tyr Arg Pro Glu Leu His Asp  
260 265 270

tct aac ggt ctg tct atc cat gct ggt aat ggc gaa tgg atc tgg cgt 1883  
Ser Asn Gly Leu Ser Ile His Ala Gly Asn Gly Glu Trp Ile Trp Arg  
275 280 285

ccg ttg aat aac ccg aaa cat tta gcg gtc agc agc ttc tcg atg gaa 1931  
Pro Leu Asn Asn Pro Lys His Leu Ala Val Ser Ser Phe Ser Met Glu  
290 295 300 305

aac ccg caa ggc ttc ggt cta ttg cag cgt ggt cgt gat ttc tcc cgc 1979  
Asn Pro Gln Gly Phe Gly Leu Leu Gln Arg Gly Arg Asp Phe Ser Arg  
310 315 320

ttt gaa gat ctc gat gat cgt tac gat ctt cgt cca agc gca tgg gtg 2027  
Phe Glu Asp Leu Asp Asp Arg Tyr Asp Leu Arg Pro Ser Ala Trp Val  
325 330 335

act ccg aaa ggg gag tgg ggc aaa ggc agc gtt gag ctg gtg gaa att 2075  
 Thr Pro Lys Gly Glu Trp Gly Lys Gly Ser Val Glu Leu Val Glu Ile  
 340 345 350

cca acc aac gat gaa acc aac gat aac atc gtc gct tac tgg acg ccg 2123  
 Pro Thr Asn Asp Glu Thr Asn Asp Asn Ile Val Ala Tyr Trp Thr Pro  
 355 360 365

gat cag ctg ccg gag ccg ggt aaa gag atg aac ttt aaa tac acc atc 2171  
 Asp Gln Leu Pro Glu Pro Gly Lys Glu Met Asn Phe Lys Tyr Thr Ile  
 370 375 380 385

acc ttc agc cgt gat gaa gac aaa ctg cat gcg cca gat aac gca tgg 2219  
 Thr Phe Ser Arg Asp Glu Asp Lys Leu His Ala Pro Asp Asn Ala Trp  
 390 395 400

gtg caa caa acg cgt cgt tca acg ggg gat gtg aag cag tcg aac ctg 2267  
 Val Gln Gln Thr Arg Arg Ser Thr Gly Asp Val Lys Gln Ser Asn Leu  
 405 410 415

att cgc cag cct gac ggt act atc gcc ttt gtg gtc gat ttt acc ggc 2315  
 Ile Arg Gln Pro Asp Gly Thr Ile Ala Phe Val Val Asp Phe Thr Gly  
 420 425 430

gct gag atg aaa aaa ctg cca gag gat acc ccg gtc aca gcg caa acc 2363  
 Ala Glu Met Lys Lys Leu Pro Glu Asp Thr Pro Val Thr Ala Gln Thr  
 435 440 445

agc att ggt gat aat ggt gag ata gtt gaa agc acg gtg cgt tat aac 2411  
 Ser Ile Gly Asp Asn Gly Glu Ile Val Glu Ser Thr Val Arg Tyr Asn  
 450 455 460 465

ccg gtt acc aaa ggc tgg cgt ctg gtg atg cgt gtg aaa gtg aaa gat 2459  
 Pro Val Thr Lys Gly Trp Arg Leu Val Met Arg Val Lys Val Lys Asp  
 470 475 480

gcc aag aaa acc act gaa atg cgt gct gcg ctg gtg aat gcc gat cag 2507  
 Ala Lys Lys Thr Thr Glu Met Arg Ala Ala Leu Val Asn Ala Asp Gln  
 485 490 495

acg ttg agt gaa acc tgg agc tac cag tta cct gcc aat gaa 2549  
 Thr Leu Ser Glu Thr Trp Ser Tyr Gln Leu Pro Ala Asn Glu  
 500 505 510

taagacaact gactacattg acgcaatgcc catcgccgca agcgagaaag cggcattgcc 2609

gaagactgat atccgcgccg ttcacagggc gctggatgcc gaacaccgca cctgggcccgcg 2669



ggaggatgac tccccgcaag gctcggtaaa ggcgcgtctg gaacaagcct ggccagattc 2729  
acttgctgat ggacagttaa ttaaagacga cgaaggggcg gatcagctaa aggcgatgcc 2789  
agaagtaaaa cgctcctcga tgtttcccgga cccgtggcgt accaaccgg taggcggtt 2849  
ctgggatcgc ctgcgtggac gcgatgtgac gccgcgctat ctggctcgtt tgaccaaaga 2909  
agagcaggag agtgagcaaa agtggcgtag cgtcggtagc atccgccgtt acattctgtt 2969  
gatcctgacg ctgcgcgaaa ctgttgctgc gacctggtat atgaagacca ttcttcctta 3029  
tcaggggtgg gcgctgatta atcctatgga tatggttggc caggatgtgt gggtttcctt 3089  
tatgcagctt ctgccttata tgctgcaaac cggatatcctg atcctctttg cggtaactgtt 3149  
ctgttggttg tccgccggat tctggaccgg cgttgatggg cttcctgcaa ctgcttattg 3209  
gtcgcgataa atacagtata tctgcgtcaa cagttggcga tgaaccatta aaccgggagc 3269  
atgcacggc gttgatcatg cctatctgta acgaagacgt gaaccgtgtt tttgctggct 3329  
tgcggtgcaac gtgggaatca gtaaaagcca ccgggaatgc caaacatttt gatgtctaca 3389  
ttcttagtga cagttataac ccgatatct gcgtcgaga gcaaaaagcc tggatggagc 3449  
ttatcgctga agtcggtggc gaaggtcaga ttttctatcg ccgccgccgc cgtcgcgtga 3509  
agcgtaaaag cggtaatatc gatgacttct gccgtcgtg gggcagccag tacagctaca 3569  
tggtggtgct ggatgctgac tcggtaatga ccggtgattg tttgtgcggc ctggtgcgcc 3629  
tgatggaagc caaccgaac gccgggatca ttcagtcgtc gccgaaagcg tccggcatgg 3689  
atacgctgta tgcgcgtgt cagcagttcg cgaccgcgt gtatgggcca ctgtttacag 3749  
ccggtttgca cttctggcaa cttggcgagt cgcactactg ggggcataac gcgattatcc 3809  
gcgtgaaacc gtttatcgag cactgtgcac tggctccgct gccgggagaa ggttcttttg 3869  
ccggttcaat cctgtcacat gacttcgtg aagcggcggt gatgcgccgt gcaggttggg 3929  
gggtctggat tgettacgat ctcccggtt cttatgaaga attaccgcct aacttgcttg 3989  
atgagctaaa acgtgaccgc cgctggtgcc acggtaacct gatgaacttc cgtctgttcc 4049  
tggtgaaggg tatgcacccg gttcacctg cggtgttctt gacgggctg atgtcttctc 4109

tctccgctcc gctgtgggtt atgttctctg cgctctctac tgcattgcag gtagtacatg 4169  
 cgttgaccga accgcaatac ttcctgcaac cacggcagtt gttcccggta tggccgcagt 4229  
 ggcgtcctga gctggcgatt gcactttttg cttcgaccat ggtgctgttg ttcctgccga 4289  
 agctattgag cattttgctt atctggtgca aaggaacgaa agaa 4333

<210> 2

<211> 511

<212> PRT

<213> Escherichia coli

<400> 2

Met Met Lys Met Arg Trp Leu Ser Ala Ala Val Met Leu Thr Leu Tyr  
 1 5 10 15

Thr Ser Ser Ser Trp Ala Phe Ser Ile Asp Asp Val Ala Lys Gln Ala  
 20 25 30

Gln Ser Leu Ala Gly Lys Gly Tyr Glu Ala Pro Lys Ser Asn Leu Pro  
 35 40 45

Ser Val Phe Arg Asp Met Lys Tyr Ala Asp Tyr Gln Gln Ile Gln Phe  
 50 55 60

Asn His Asp Lys Ala Tyr Trp Asn Asn Leu Lys Thr Pro Phe Lys Leu  
 65 70 75 80

Glu Phe Tyr His Gln Gly Met Tyr Phe Asp Thr Pro Val Lys Ile Asn  
 85 90 95

Glu Val Thr Ala Thr Ala Val Lys Arg Ile Lys Tyr Ser Pro Asp Tyr  
 100 105 110

Phe Thr Phe Gly Asp Val Gln His Asp Lys Asp Thr Val Lys Asp Leu  
 115 120 125

Gly Phe Ala Gly Phe Lys Val Leu Tyr Pro Ile Asn Ser Lys Asp Lys  
 130 135 140

Asn Asp Glu Ile Val Ser Met Leu Gly Ala Ser Tyr Phe Arg Val Ile  
 145 150 155 160

Gly Ala Gly Gln Val Tyr Gly Leu Ser Ala Arg Gly Leu Ala Ile Asp  
 165 170 175

Thr Ala Leu Pro Ser Gly Glu Glu Phe Pro Arg Phe Lys Glu Phe Trp  
 180 185 190

Ile Glu Arg Pro Lys Pro Thr Asp Lys Arg Leu Thr Ile Tyr Ala Leu  
 195 200 205

Leu Asp Ser Pro Arg Ala Thr Gly Ala Tyr Lys Phe Val Val Met Pro  
 210 215 220

Gly Arg Asp Thr Val Val Asp Val Gln Ser Lys Ile Tyr Leu Arg Asp  
 225 230 235 240

Lys Val Gly Lys Leu Gly Val Ala Pro Leu Thr Ser Met Phe Leu Phe  
 245 250 255

Gly Pro Asn Gln Pro Ser Pro Ala Asn Asn Tyr Arg Pro Glu Leu His  
 260 265 270

Asp Ser Asn Gly Leu Ser Ile His Ala Gly Asn Gly Glu Trp Ile Trp  
 275 280 285

Arg Pro Leu Asn Asn Pro Lys His Leu Ala Val Ser Ser Phe Ser Met  
 290 295 300

Glu Asn Pro Gln Gly Phe Gly Leu Leu Gln Arg Gly Arg Asp Phe Ser  
 305 310 315 320

Arg Phe Glu Asp Leu Asp Asp Arg Tyr Asp Leu Arg Pro Ser Ala Trp  
 325 330 335

Val Thr Pro Lys Gly Glu Trp Gly Lys Gly Ser Val Glu Leu Val Glu  
 340 345 350

Ile Pro Thr Asn Asp Glu Thr Asn Asp Asn Ile Val Ala Tyr Trp Thr  
 355 360 365

Pro Asp Gln Leu Pro Glu Pro Gly Lys Glu Met Asn Phe Lys Tyr Thr  
 370 375 380

Ile Thr Phe Ser Arg Asp Glu Asp Lys Leu His Ala Pro Asp Asn Ala  
 385 390 395 400

Trp Val Gln Gln Thr Arg Arg Ser Thr Gly Asp Val Lys Gln Ser Asn  
 405 410 415

Leu Ile Arg Gln Pro Asp Gly Thr Ile Ala Phe Val Val Asp Phe Thr  
 420 425 430

Gly Ala Glu Met Lys Lys Leu Pro Glu Asp Thr Pro Val Thr Ala Gln  
 435 440 445

Thr Ser Ile Gly Asp Asn Gly Glu Ile Val Glu Ser Thr Val Arg Tyr  
 450 455 460

Asn Pro Val Thr Lys Gly Trp Arg Leu Val Met Arg Val Lys Val Lys  
 465 470 475 480

Asp Ala Lys Lys Thr Thr Glu Met Arg Ala Ala Leu Val Asn Ala Asp  
 485 490 495

Gln Thr Leu Ser Glu Thr Trp Ser Tyr Gln Leu Pro Ala Asn Glu  
 500 505 510

<210> 3

<211> 574

<212> DNA

<213> Escherichia coli

<400> 3

ttcgttgatc ctgtcaccgt ttgttcgggt atttccagcc gtgccaccgt tggctctgca 60  
 accaaacgct ggaaactggt ccctgatccc ggaagagtat tcaccgccgc aggtgctggt 120  
 tgataccgat cggttccttg agatgaatcg tcaatgctcc cttgatgatg gttttatgca 180  
 cgcggtgttt aaccgcgtcat ttaacgctct ggcaaccgca atggcgaccg cgcgtcaccg 240  
 cgccagcaag gtgctggaaa tcgcccgtga ccgccacggt gaacaggcgc tgaacgagac 300  
 gccagagaag ctgaatcgcg atcgtcgcct ggtgctgcta agcgatccgg tgacgatggc 360  
 ccgtctgcat ttccgcgtct ggaattcccc ggagagatat tcttcatggg tgagttatta 420  
 cgaagggata aagctcaatc cactggcatt gcgtaaaccg gatgcggctt cgcaataaaa 480  
 acgtagttgc ctgatgcgct acgcttatca ggcctacatc gttcctgcaa tttattgatt 540  
 ttgcaagatt ttgtaggtcg gataaggcgt tcac 574

<210> 4

<211> 1478

<212> DNA

<213> Escherichia coli

<220>

<221> CDS

<222> (25)..(1449)

<400> 4

gggataatgc ctgagggggcc tgta atg cgt atc ggc atg cgg ttg ttg ctg 51  
 Met Arg Ile Gly Met Arg Leu Leu Leu

															1																5
ggc	tat	ttt	tta	ctg	gtg	gcg	gtg	gcg	gcc	tgg	ttc	gta	ctg	gct	att	99															
Gly	Tyr	Phe	Leu	Leu	Val	Ala	Val	Ala	Ala	Trp	Phe	Val	Leu	Ala	Ile																
10					15					20					25																
ttt	gtc	aaa	gaa	gtt	aaa	ccg	ggc	gtg	cga	aga	gca	acc	gag	ggg	acg	147															
Phe	Val	Lys	Glu	Val	Lys	Pro	Gly	Val	Arg	Arg	Ala	Thr	Glu	Gly	Thr																
				30					35					40																	
tta	atc	gac	acc	gca	acg	ttg	ctg	gcg	gag	ctg	gcg	cgt	ccc	gat	ttg	195															
Leu	Ile	Asp	Thr	Ala	Thr	Leu	Leu	Ala	Glu	Leu	Ala	Arg	Pro	Asp	Leu																
			45					50					55																		
ctc	tct	ggg	gac	cca	acg	cat	ggg	caa	ctg	gcg	cag	gcg	ttt	aat	cag	243															
Leu	Ser	Gly	Asp	Pro	Thr	His	Gly	Gln	Leu	Ala	Gln	Ala	Phe	Asn	Gln																
		60					65					70																			
cta	caa	cat	cgc	ccg	ttt	cgc	gcc	aat	atc	ggt	ggc	att	aac	aaa	gtg	291															
Leu	Gln	His	Arg	Pro	Phe	Arg	Ala	Asn	Ile	Gly	Gly	Ile	Asn	Lys	Val																
	75					80					85																				
cgc	aac	gaa	tat	cat	gtc	tat	atg	acc	gat	gcg	cag	ggc	aaa	gta	ttg	339															
Arg	Asn	Glu	Tyr	His	Val	Tyr	Met	Thr	Asp	Ala	Gln	Gly	Lys	Val	Leu																
90					95					100					105																
ttc	gat	tcg	gca	aat	aaa	gcc	gtt	gga	cag	gat	tat	tcg	cgc	tgg	aat	387															
Phe	Asp	Ser	Ala	Asn	Lys	Ala	Val	Gly	Gln	Asp	Tyr	Ser	Arg	Trp	Asn																
				110					115					120																	
gac	gtc	tgg	cta	acg	ttg	cgt	ggt	cag	tat	ggt	gcg	cgc	agc	acg	ttg	435															
Asp	Val	Trp	Leu	Thr	Leu	Arg	Gly	Gln	Tyr	Gly	Ala	Arg	Ser	Thr	Leu																
			125					130					135																		
caa	aat	cct	gcc	gat	ccc	gaa	agt	tct	gtg	atg	tat	gtt	gcc	gcg	ccg	483															
Gln	Asn	Pro	Ala	Asp	Pro	Glu	Ser	Ser	Val	Met	Tyr	Val	Ala	Ala	Pro																
	140							145					150																		
att	atg	gac	ggc	tcg	cgg	ctt	att	ggc	gtt	ttg	agc	gta	ggc	aaa	ccg	531															
Ile	Met	Asp	Gly	Ser	Arg	Leu	Ile	Gly	Val	Leu	Ser	Val	Gly	Lys	Pro																
	155					160					165																				
aac	gcg	gcg	atg	gct	ccg	gtc	att	aag	cgt	agc	gag	cgg	cga	att	tta	579															
Asn	Ala	Ala	Met	Ala	Pro	Val	Ile	Lys	Arg	Ser	Glu	Arg	Arg	Ile	Leu																
170						175				180				185																	
tgg	gcc	agc	gcc	att	ttg	ttg	ggg	att	gca	ctg	gtg	att	ggc	gca	ggc	627															
Trp	Ala	Ser	Ala	Ile	Leu	Leu	Gly	Ile	Ala	Leu	Val	Ile	Gly	Ala	Gly																

190	195	200	
atg gtt tgg tgg atc aac cgc tct att gcc agg ctc act cgc tat gct			675
Met Val Trp Trp Ile Asn Arg Ser Ile Ala Arg Leu Thr Arg Tyr Ala			
205	210	215	
gat tcc gtc act gac aat aag ccc gtt cct ctc ccc gat ctc ggt agt			723
Asp Ser Val Thr Asp Asn Lys Pro Val Pro Leu Pro Asp Leu Gly Ser			
220	225	230	
agc gag ttg cgt aaa ctc gcg cag gcg ctg gaa agt atg cgc gtg aag			771
Ser Glu Leu Arg Lys Leu Ala Gln Ala Leu Glu Ser Met Arg Val Lys			
235	240	245	
ctg gaa ggg aaa aac tat att gag cag tat gtt tat gcg tta act cat			819
Leu Glu Gly Lys Asn Tyr Ile Glu Gln Tyr Val Tyr Ala Leu Thr His			
250	255	260	265
gag cta aaa agc cca ctg gcg gcg att cgt ggc gcg gcg gaa att tta			867
Glu Leu Lys Ser Pro Leu Ala Ala Ile Arg Gly Ala Ala Glu Ile Leu			
270	275	280	
cgc gaa ggt ccg ccg ccg gaa gtg gtg gct cgt ttt acc gac aac att			915
Arg Glu Gly Pro Pro Pro Glu Val Val Ala Arg Phe Thr Asp Asn Ile			
285	290	295	
ctg acg caa aat gcg cga atg cag gca ctg gtg gaa acg tta cta cgc			963
Leu Thr Gln Asn Ala Arg Met Gln Ala Leu Val Glu Thr Leu Leu Arg			
300	305	310	
cag gca aga ctg gag aat cgt cag gaa gtc gtt ctg act gct gtt gat			1011
Gln Ala Arg Leu Glu Asn Arg Gln Glu Val Val Leu Thr Ala Val Asp			
315	320	325	
gtg gcg gca tta ttt cgc cgc gtc agc gaa gcg cgc acc gtg cag ttg			1059
Val Ala Ala Leu Phe Arg Arg Val Ser Glu Ala Arg Thr Val Gln Leu			
330	335	340	345
gca gaa aaa aac atc act ttg cat gtt atg cct act gag gtt aac gtt			1107
Ala Glu Lys Asn Ile Thr Leu His Val Met Pro Thr Glu Val Asn Val			
350	355	360	
gct tct gaa ccg gcg tta ctg gag cag gcg ctg ggg aat tta ctg gat			1155
Ala Ser Glu Pro Ala Leu Leu Glu Gln Ala Leu Gly Asn Leu Leu Asp			
365	370	375	
aac gcc atc gat ttt act ccc gag agc ggt tgc ata acg cta agc gcc			1203
Asn Ala Ile Asp Phe Thr Pro Glu Ser Gly Cys Ile Thr Leu Ser Ala			

380 385 390

gaa gtg gat cag gaa tac gtc acc ctt aag gtg ctg gat acc ggt agt 1251  
 Glu Val Asp Gln Glu Tyr Val Thr Leu Lys Val Leu Asp Thr Gly Ser  
 395 400 405

ggg att cct gac tac gcg ctg tca cgt att ttt gaa cgc ttt tac tct 1299  
 Gly Ile Pro Asp Tyr Ala Leu Ser Arg Ile Phe Glu Arg Phe Tyr Ser  
 410 415 420 425

ttg ccg cgt gca aat ggg caa aaa agc agc ggt ctg ggg ttg gcg ttt 1347  
 Leu Pro Arg Ala Asn Gly Gln Lys Ser Ser Gly Leu Gly Leu Ala Phe  
 430 435 440

gtc agt gag gtc gcc cgt ttg ttt aac ggc gaa gtc acg ctg cgc aac 1395  
 Val Ser Glu Val Ala Arg Leu Phe Asn Gly Glu Val Thr Leu Arg Asn  
 445 450 455

gtg cag gaa ggt ggc gtg ctg gcc tcg ctt cga ctt cac cgt cac ttc 1443  
 Val Gln Glu Gly Gly Val Leu Ala Ser Leu Arg Leu His Arg His Phe  
 460 465 470

aca tag cttcaaattc ttccacata gtcttcgta 1478  
 Thr  
 475

<210> 5  
 <211> 474  
 <212> PRT  
 <213> Escherichia coli

<400> 5  
 Met Arg Ile Gly Met Arg Leu Leu Leu Gly Tyr Phe Leu Leu Val Ala  
 1 5 10 15

Val Ala Ala Trp Phe Val Leu Ala Ile Phe Val Lys Glu Val Lys Pro  
 20 25 30

Gly Val Arg Arg Ala Thr Glu Gly Thr Leu Ile Asp Thr Ala Thr Leu  
 35 40 45

Leu Ala Glu Leu Ala Arg Pro Asp Leu Leu Ser Gly Asp Pro Thr His  
 50 55 60

Gly Gln Leu Ala Gln Ala Phe Asn Gln Leu Gln His Arg Pro Phe Arg  
 65 70 75 80

Ala	Asn	Ile	Gly	Gly	Ile	Asn	Lys	Val	Arg	Asn	Glu	Tyr	His	Val	Tyr		
				85							90			95			
Met	Thr	Asp	Ala	Gln	Gly	Lys	Val	Leu	Phe	Asp	Ser	Ala	Asn	Lys	Ala		
				100							105			110			
Val	Gly	Gln	Asp	Tyr	Ser	Arg	Trp	Asn	Asp	Val	Trp	Leu	Thr	Leu	Arg		
				115							120			125			
Gly	Gln	Tyr	Gly	Ala	Arg	Ser	Thr	Leu	Gln	Asn	Pro	Ala	Asp	Pro	Glu		
				130							135			140			
Ser	Ser	Val	Met	Tyr	Val	Ala	Ala	Pro	Ile	Met	Asp	Gly	Ser	Arg	Leu		
145							150						155			160	
Ile	Gly	Val	Leu	Ser	Val	Gly	Lys	Pro	Asn	Ala	Ala	Met	Ala	Pro	Val		
				165							170			175			
Ile	Lys	Arg	Ser	Glu	Arg	Arg	Ile	Leu	Trp	Ala	Ser	Ala	Ile	Leu	Leu		
				180							185			190			
Gly	Ile	Ala	Leu	Val	Ile	Gly	Ala	Gly	Met	Val	Trp	Trp	Ile	Asn	Arg		
				195							200			205			
Ser	Ile	Ala	Arg	Leu	Thr	Arg	Tyr	Ala	Asp	Ser	Val	Thr	Asp	Asn	Lys		
210							215						220				
Pro	Val	Pro	Leu	Pro	Asp	Leu	Gly	Ser	Ser	Glu	Leu	Arg	Lys	Leu	Ala		
225							230						235			240	
Gln	Ala	Leu	Glu	Ser	Met	Arg	Val	Lys	Leu	Glu	Gly	Lys	Asn	Tyr	Ile		
				245							250			255			
Glu	Gln	Tyr	Val	Tyr	Ala	Leu	Thr	His	Glu	Leu	Lys	Ser	Pro	Leu	Ala		
				260							265			270			
Ala	Ile	Arg	Gly	Ala	Ala	Glu	Ile	Leu	Arg	Glu	Gly	Pro	Pro	Pro	Glu		
				275							280			285			
Val	Val	Ala	Arg	Phe	Thr	Asp	Asn	Ile	Leu	Thr	Gln	Asn	Ala	Arg	Met		
290							295						300				
Gln	Ala	Leu	Val	Glu	Thr	Leu	Leu	Arg	Gln	Ala	Arg	Leu	Glu	Asn	Arg		
305							310						315			320	
Gln	Glu	Val	Val	Leu	Thr	Ala	Val	Asp	Val	Ala	Ala	Leu	Phe	Arg	Arg		
				325							330			335			



Val Ser Glu Ala Arg Thr Val Gln Leu Ala Glu Lys Asn Ile Thr Leu  
 340 345 350

His Val Met Pro Thr Glu Val Asn Val Ala Ser Glu Pro Ala Leu Leu  
 355 360 365

Glu Gln Ala Leu Gly Asn Leu Leu Asp Asn Ala Ile Asp Phe Thr Pro  
 370 375 380

Glu Ser Gly Cys Ile Thr Leu Ser Ala Glu Val Asp Gln Glu Tyr Val  
 385 390 395 400

Thr Leu Lys Val Leu Asp Thr Gly Ser Gly Ile Pro Asp Tyr Ala Leu  
 405 410 415

Ser Arg Ile Phe Glu Arg Phe Tyr Ser Leu Pro Arg Ala Asn Gly Gln  
 420 425 430

Lys Ser Ser Gly Leu Gly Leu Ala Phe Val Ser Glu Val Ala Arg Leu  
 435 440 445

Phe Asn Gly Glu Val Thr Leu Arg Asn Val Gln Glu Gly Gly Val Leu  
 450 455 460

Ala Ser Leu Arg Leu His Arg His Phe Thr  
 465 470

<210> 6

<211> 128

<212> DNA

<213> Escherichia coli

<220>

<221> CDS

<222> (1)..(126)

<400> 6

atg aaa ggt cgc ctg tta gat gct gtc ccg ctc agt tcc cta acg ggc 48  
 Met Lys Gly Arg Leu Leu Asp Ala Val Pro Leu Ser Ser Leu Thr Gly  
 1 5 10 15

gtt ggc gca gcg ctt agt aac aag ctg gcg aaa atc aac ctg cat acc 96  
 Val Gly Ala Ala Leu Ser Asn Lys Leu Ala Lys Ile Asn Leu His Thr  
 20 25 30

gta cag gat tta ctc tta cac ctt cct ctg cg 128

Val Gln Asp Leu Leu Leu His Leu Pro Leu  
 35 40

<210> 7  
 <211> 42  
 <212> PRT  
 <213> Escherichia coli

<400> 7  
 Met Lys Gly Arg Leu Leu Asp Ala Val Pro Leu Ser Ser Leu Thr Gly  
 1 5 10 15

Val Gly Ala Ala Leu Ser Asn Lys Leu Ala Lys Ile Asn Leu His Thr  
 20 25 30

Val Gln Asp Leu Leu Leu His Leu Pro Leu  
 35 40

<210> 8  
 <211> 1174  
 <212> DNA  
 <213> Escherichia coli

<220>  
 <221> CDS  
 <222> (121)..(837)

<400> 8  
 agatgcacga tcgagtaggc cggataaggc gtttacgccg catccagcat ggaaaacgcg 60

cactttgtta tcaatctggg gccagcaaat gctggcctga tttgttcttg agggaagact 120

atg atg cgc aaa atg ctg ctg gcg gca gca ctt tca gtg acg gca atg 168  
 Met Met Arg Lys Met Leu Leu Ala Ala Ala Leu Ser Val Thr Ala Met  
 1 5 10 15

acc gct cac gcc gac tac cag tgc agc gtc acg ccg cgt gac gat gtg 216  
 Thr Ala His Ala Asp Tyr Gln Cys Ser Val Thr Pro Arg Asp Asp Val  
 20 25 30

att gtc agc ccg caa acc gtg cag gtg aag ggc gaa aac ggc aat ctg 264  
 Ile Val Ser Pro Gln Thr Val Gln Val Lys Gly Glu Asn Gly Asn Leu  
 35 40 45

gtg atc acg cca gac ggc aac gtg atg tat aac ggt aag caa tat tcc 312

Val	Ile	Thr	Pro	Asp	Gly	Asn	Val	Met	Tyr	Asn	Gly	Lys	Gln	Tyr	Ser	
50						55					60					
ctg	aat	gcc	gcc	cag	cgc	gag	cag	gcg	aag	gat	tat	cag	gct	gaa	cta	360
Leu	Asn	Ala	Ala	Gln	Arg	Glu	Gln	Ala	Lys	Asp	Tyr	Gln	Ala	Glu	Leu	
65					70					75					80	
cgt	agc	acc	ctg	ccg	tgg	att	gat	gga	ggc	gcg	aaa	agc	cgc	gtc	gag	408
Arg	Ser	Thr	Leu	Pro	Trp	Ile	Asp	Gly	Gly	Ala	Lys	Ser	Arg	Val	Glu	
				85					90					95		
aaa	gct	cgt	att	gcg	ctg	gat	aaa	att	atc	gtt	cag	gag	atg	ggc	gaa	456
Lys	Ala	Arg	Ile	Ala	Leu	Asp	Lys	Ile	Ile	Val	Gln	Glu	Met	Gly	Glu	
			100					105						110		
agc	agc	aaa	atg	cgc	agc	cgt	ctg	acc	aaa	ctt	gat	gcg	cag	ctg	aaa	504
Ser	Ser	Lys	Met	Arg	Ser	Arg	Leu	Thr	Lys	Leu	Asp	Ala	Gln	Leu	Lys	
		115					120						125			
gag	cag	atg	aac	cgc	att	atc	gaa	acg	cgc	agc	gat	ggc	ctg	acg	ttt	552
Glu	Gln	Met	Asn	Arg	Ile	Ile	Glu	Thr	Arg	Ser	Asp	Gly	Leu	Thr	Phe	
	130					135					140					
cac	tat	aaa	gcc	att	gat	cag	gtt	cgt	gcc	gaa	ggc	cag	caa	tta	gtg	600
His	Tyr	Lys	Ala	Ile	Asp	Gln	Val	Arg	Ala	Glu	Gly	Gln	Gln	Leu	Val	
145					150					155					160	
aat	cag	gca	atg	ggc	gga	att	tta	cag	gac	agc	att	aat	gaa	atg	ggc	648
Asn	Gln	Ala	Met	Gly	Gly	Ile	Leu	Gln	Asp	Ser	Ile	Asn	Glu	Met	Gly	
			165						170					175		
gcg	aaa	gcg	gtg	ctg	aaa	agc	ggc	ggt	aac	cca	tta	cag	aac	gtg	ctg	696
Ala	Lys	Ala	Val	Leu	Lys	Ser	Gly	Gly	Asn	Pro	Leu	Gln	Asn	Val	Leu	
			180					185					190			
gga	agc	ctg	ggc	ggc	ctg	caa	tcc	tca	atc	caa	acc	gag	tgg	aaa	aag	744
Gly	Ser	Leu	Gly	Gly	Leu	Gln	Ser	Ser	Ile	Gln	Thr	Glu	Trp	Lys	Lys	
		195					200					205				
cag	gaa	aaa	gat	ttc	cag	cag	ttt	ggc	aaa	gat	gtt	tgt	agc	cgc	gtt	792
Gln	Glu	Lys	Asp	Phe	Gln	Gln	Phe	Gly	Lys	Asp	Val	Cys	Ser	Arg	Val	
	210						215				220					
gtg	act	ctg	gaa	gat	agc	cgc	aaa	gcc	ctg	gtc	ggg	aat	tta	aaa		837
Val	Thr	Leu	Glu	Asp	Ser	Arg	Lys	Ala	Leu	Val	Gly	Asn	Leu	Lys		
225						230					235					
taatcctcta	ttttaagacg	gcataatact	tttttatgcc	gtttaattct	tcgttttgtt											897

acctgcctct aactttgtaa gggcgaattc tgcagatata catcacactg gcggccgctc 957  
gagcatgcat ctagagggcc caattcgccc tatagtgagt cgtattacaa ttactggcc 1017  
gtcgttttac aaccgtcgtg actgggaaaa cctggcggtt acccaactta atcgccctgc 1077  
agcacatccc ctttcgcca gctggcgtaa tagcgaaaag gcccgcaccg atcgcccttc 1137  
caacagttgc gcacctgatg gccaatggac ggcgctg 1174

<210> 9

<211> 239

<212> PRT

<213> Escherichia coli

<400> 9

Met Met Arg Lys Met Leu Leu Ala Ala Ala Leu Ser Val Thr Ala Met  
1 5 10 15

Thr Ala His Ala Asp Tyr Gln Cys Ser Val Thr Pro Arg Asp Asp Val  
20 25 30

Ile Val Ser Pro Gln Thr Val Gln Val Lys Gly Glu Asn Gly Asn Leu  
35 40 45

Val Ile Thr Pro Asp Gly Asn Val Met Tyr Asn Gly Lys Gln Tyr Ser  
50 55 60

Leu Asn Ala Ala Gln Arg Glu Gln Ala Lys Asp Tyr Gln Ala Glu Leu  
65 70 75 80

Arg Ser Thr Leu Pro Trp Ile Asp Gly Gly Ala Lys Ser Arg Val Glu  
85 90 95

Lys Ala Arg Ile Ala Leu Asp Lys Ile Ile Val Gln Glu Met Gly Glu  
100 105 110

Ser Ser Lys Met Arg Ser Arg Leu Thr Lys Leu Asp Ala Gln Leu Lys  
115 120 125

Glu Gln Met Asn Arg Ile Ile Glu Thr Arg Ser Asp Gly Leu Thr Phe  
130 135 140

His Tyr Lys Ala Ile Asp Gln Val Arg Ala Glu Gly Gln Gln Leu Val  
145 150 155 160

Asn Gln Ala Met Gly Gly Ile Leu Gln Asp Ser Ile Asn Glu Met Gly  
 165 170 175

Ala Lys Ala Val Leu Lys Ser Gly Gly Asn Pro Leu Gln Asn Val Leu  
 180 185 190

Gly Ser Leu Gly Gly Leu Gln Ser Ser Ile Gln Thr Glu Trp Lys Lys  
 195 200 205

Gln Glu Lys Asp Phe Gln Gln Phe Gly Lys Asp Val Cys Ser Arg Val  
 210 215 220

Val Thr Leu Glu Asp Ser Arg Lys Ala Leu Val Gly Asn Leu Lys  
 225 230 235

<210> 10  
 <211> 3406  
 <212> DNA  
 <213> Escherichia coli

<220>  
 <221> CDS  
 <222> (1007)..(1276)

<220>  
 <221> CDS  
 <222> (1280)..(1792)

<220>  
 <221> CDS  
 <222> (1798)..(2574)

<220>  
 <221> CDS  
 <222> (2604)..(3398)

<400> 10  
 gatgatggtg atggagcgta ttacggcat tccggtgtct gatgttgca cgctggagaa 60  
 aaacggcacc aacatgaaat tgctggcgga acgcggcgtg caggtgttct tcaactcaggt 120  
 ctttcgac agctttttcc atgctgatat gcaccctggc aacatcttcg taagctatga 180  
 acacccggaa aacccgaaat atatcgcat tgattgcggg attgttggt cgctaaacaa 240  
 agaagataaa cgctatctgg cggaaaactt tatcgcttc ttaatcgcg actatcgcaa 300

[illegible]

His Asp Lys Glu Gln Val	Val Phe Asp Ile Gly Phe Ser Glu	
85	90	95
ctg cta ttg gtg ttc atc atc ggc ctc gtc gtt ctg ggg ccg caa cga	1351	
Leu Leu Leu Val Phe Ile Ile Gly Leu Val Val Leu Gly Pro Gln Arg		
100	105	110
ctg cct gtg gcg gta aaa acg gta gcg ggc tgg att cgc gcg ttg cgt	1399	
Leu Pro Val Ala Val Lys Thr Val Ala Gly Trp Ile Arg Ala Leu Arg		
115	120	125
130		
tca ctg gcg aca acg gtg cag aac gaa ctg acc cag gag tta aaa ctc	1447	
Ser Leu Ala Thr Thr Val Gln Asn Glu Leu Thr Gln Glu Leu Lys Leu		
135	140	145
cag gag ttt cag gac agt ctg aaa aag gtt gaa aag gcg agc ctc act	1495	
Gln Glu Phe Gln Asp Ser Leu Lys Lys Val Glu Lys Ala Ser Leu Thr		
150	155	160
aac ctg acg ccc gaa ctg aaa gcg tcg atg gat gaa tta cgc cag gct	1543	
Asn Leu Thr Pro Glu Leu Lys Ala Ser Met Asp Glu Leu Arg Gln Ala		
165	170	175
gcg gag tcg atg aaa cgt tcc tac gtt gca aac gat cct gaa aag gcg	1591	
Ala Glu Ser Met Lys Arg Ser Tyr Val Ala Asn Asp Pro Glu Lys Ala		
180	185	190
agc gat gaa gcg cac acc atc cat aac ccg gtg gtg aaa gac aat gaa	1639	
Ser Asp Glu Ala His Thr Ile His Asn Pro Val Val Lys Asp Asn Glu		
195	200	205
210		
act gcg cat gaa ggc gta acg cct gct gct gca caa acg cag gcc agt	1687	
Thr Ala His Glu Gly Val Thr Pro Ala Ala Ala Gln Thr Gln Ala Ser		
215	220	225
tcg ccg gaa cag aag cca gaa acc acg cca gag ccg gtg gta aaa cct	1735	
Ser Pro Glu Gln Lys Pro Glu Thr Thr Pro Glu Pro Val Val Lys Pro		
230	235	240
gct gcg gac gct gaa ccg aaa acc gct gca cct tcc cct tcg tcg agt	1783	
Ala Ala Asp Ala Glu Pro Lys Thr Ala Ala Pro Ser Pro Ser Ser Ser		
245	250	255
gat aaa ccg taaac atg tct gta gaa gat act caa ccg ctt atc acg cat	1833	
Asp Lys Pro Met Ser Val Glu Asp Thr Gln Pro Leu Ile Thr His		
260	265	270
ctg att gag ctg cgt aag cgt ctg ctg aac tgc att atc tcg gtg atc	1881	

Leu Ile Glu Leu Arg Lys Arg Leu Leu Asn Cys Ile Ile Ser Val Ile	
275	280 285
gtg ata ttc ctg tgt ctg gtc tat ttc gcc aat gac atc tat cac ctg	1929
Val Ile Phe Leu Cys Leu Val Tyr Phe Ala Asn Asp Ile Tyr His Leu	
290	295 300 305
gta tcc gcg cca ctg atc aag cag ttg ccg caa ggt tca acg atg atc	1977
Val Ser Ala Pro Leu Ile Lys Gln Leu Pro Gln Gly Ser Thr Met Ile	
310	315 320
gcc acc gac gtg gcc tcg ccg ttc ttt acg ccg atc aag ctg acc ttt	2025
Ala Thr Asp Val Ala Ser Pro Phe Phe Thr Pro Ile Lys Leu Thr Phe	
325	330 335
atg gtg tcg ctg att ctg tca gcg ccg gtg att ctc tat cag gtg tgg	2073
Met Val Ser Leu Ile Leu Ser Ala Pro Val Ile Leu Tyr Gln Val Trp	
340	345 350
gcg ttt atc gcc cca gcg ctg tat aag cat gaa cgt cgc ctg gtg gtg	2121
Ala Phe Ile Ala Pro Ala Leu Tyr Lys His Glu Arg Arg Leu Val Val	
355	360 365
ccg ctg ctg gtt tcc agc tct ctg ctg ttt tat atc ggc atg gcg ttc	2169
Pro Leu Leu Val Ser Ser Ser Leu Leu Phe Tyr Ile Gly Met Ala Phe	
370	375 380 385
gcc tac ttt gtg gtc ttt ccg ctg gca ttt ggc ttc ctt gcc aat acc	2217
Ala Tyr Phe Val Val Phe Pro Leu Ala Phe Gly Phe Leu Ala Asn Thr	
390	395 400
gcg ccg gaa ggg gta cag gta tcc acc gac atc gcg agc tat tta agc	2265
Ala Pro Glu Gly Val Gln Val Ser Thr Asp Ile Ala Ser Tyr Leu Ser	
405	410 415
ttc gtt atg gcg ctg ttt atg gcg ttt ggt gtc tcc ttt gaa gtg ccg	2313
Phe Val Met Ala Leu Phe Met Ala Phe Gly Val Ser Phe Glu Val Pro	
420	425 430
gtg gca att gtg ctg ctg tgc tgg atg ggg att acc tcg cca gaa gac	2361
Val Ala Ile Val Leu Leu Cys Trp Met Gly Ile Thr Ser Pro Glu Asp	
435	440 445
tta cgc aaa aaa cgc ccg tat gtg ctg gtt ggt gca ttc gtt gtc ggg	2409
Leu Arg Lys Lys Arg Pro Tyr Val Leu Val Gly Ala Phe Val Val Gly	
450	455 460 465
atg ttg ctg acg ccg ccg gat gtc ttc tcg caa acg ctg ttg gcg atc	2457



Met Leu Leu Thr Pro Pro Asp Val Phe Ser Gln Thr Leu Leu Ala Ile	
470 475 480	
cct atg tac tgc ctg ttt gaa atc ggt gtc ttc ttc tca cgc ttt tac	2505
Pro Met Tyr Cys Leu Phe Glu Ile Gly Val Phe Phe Ser Arg Phe Tyr	
485 490 495	
gtt ggt aaa ggg cga aac cgg gaa gag gaa aac gac gct gaa gca gaa	2553
Val Gly Lys Gly Arg Asn Arg Glu Glu Glu Asn Asp Ala Glu Ala Glu	
500 505 510	
agc gaa aaa act gaa gaa taa attcaaccgc ccgtcagggc gggtgtcat atg	2606
Ser Glu Lys Thr Glu Glu Met	
515 520	
gag tac agg atg ttt gat atc ggc gtt aat ttg acc agt tcg caa ttt	2654
Glu Tyr Arg Met Phe Asp Ile Gly Val Asn Leu Thr Ser Ser Gln Phe	
525 530 535	
gcg aaa gac cgt gat gat gtt gta gcg cgc gct ttt gac gcg gga gtt	2702
Ala Lys Asp Arg Asp Asp Val Val Ala Arg Ala Phe Asp Ala Gly Val	
540 545 550	
aat ggg cta ctc atc acc ggt acc aat ctg cgt gaa agc cag cag gcg	2750
Asn Gly Leu Leu Ile Thr Gly Thr Asn Leu Arg Glu Ser Gln Gln Ala	
555 560 565	
caa aag ctg gcg cgt cag tat tcg tcc tgt tgg tca acg gcg ggc gta	2798
Gln Lys Leu Ala Arg Gln Tyr Ser Ser Cys Trp Ser Thr Ala Gly Val	
570 575 580 585	
cat cct cac gac agc agc cag tgg caa gct gtg act gaa gaa gcg att	2846
His Pro His Asp Ser Ser Gln Trp Gln Ala Val Thr Glu Glu Ala Ile	
590 595 600	
att gag ctg gcc gcg cag cca gaa gtg gtg gcg att ggt gaa tgt ggt	2894
Ile Glu Leu Ala Ala Gln Pro Glu Val Val Ala Ile Gly Glu Cys Gly	
605 610 615	
ctc gac ttt aac cgc aac ttt tcg acg ccg gaa gag cag gaa cgc gct	2942
Leu Asp Phe Asn Arg Asn Phe Ser Thr Pro Glu Glu Gln Glu Arg Ala	
620 625 630	
ttt gtt gcc cag cta cgc att gcc gca gaa tta aac atg ccg gta ttt	2990
Phe Val Ala Gln Leu Arg Ile Ala Ala Glu Leu Asn Met Pro Val Phe	
635 640 645	
atg cac tgt cgc gat gcc cac gag cgg ttt atg aca ttg ctg gag ccg	3038

Met His Cys Arg Asp Ala His Glu Arg Phe Met Thr Leu Leu Glu Pro  
650 655 660 665

tgg ctg gat aaa ctg cct ggt gcg gtt ctt cat tgc ttt acc ggc aca 3086  
Trp Leu Asp Lys Leu Pro Gly Ala Val Leu His Cys Phe Thr Gly Thr  
670 675 680

cgc gaa gag atg cag gcg tgc gtg gcg tgt gga att tat atc ggc att 3134  
Arg Glu Glu Met Gln Ala Cys Val Ala Cys Gly Ile Tyr Ile Gly Ile  
685 690 695

acc ggt tgg gtt tgc gat gaa cga cgc ggg ctg gag ctg cgg gaa ttg 3182  
Thr Gly Trp Val Cys Asp Glu Arg Arg Gly Leu Glu Leu Arg Glu Leu  
700 705 710

ttg ccg ttg att ccg gcg gag aaa ttg ctg atc gaa act gat gcg ccg 3230  
Leu Pro Leu Ile Pro Ala Glu Lys Leu Leu Ile Glu Thr Asp Ala Pro  
715 720 725

tat ctg ctc cct cgc gat ctc acg cca aag cca tca tcc cgg cgc aac 3278  
Tyr Leu Leu Pro Arg Asp Leu Thr Pro Lys Pro Ser Ser Arg Arg Asn  
730 735 740 745

gag cca gcc cat ctg ccc cat att ttg caa cgt att gcg cac tgg cgt 3326  
Glu Pro Ala His Leu Pro His Ile Leu Gln Arg Ile Ala His Trp Arg  
750 755 760

gga gaa gat gcc gca tgg ctg gct gcc acc acg gat gcc aat gtc aaa 3374  
Gly Glu Asp Ala Ala Trp Leu Ala Ala Thr Thr Asp Ala Asn Val Lys  
765 770 775

aca ctg ttt ggg att gcg ttt tag agtttgcg 3406  
Thr Leu Phe Gly Ile Ala Phe  
780 785

&lt;210&gt; 11

&lt;211&gt; 89

&lt;212&gt; PRT

&lt;213&gt; Escherichia coli

&lt;400&gt; 11

Met Gly Gly Ile Ser Ile Trp Gln Leu Leu Ile Ile Ala Val Ile Val  
1 5 10 15

Val Leu Leu Phe Gly Thr Lys Lys Leu Gly Ser Ile Gly Ser Asp Leu  
20 25 30

Gly Ala Ser Ile Lys Gly Phe Lys Lys Ala Met Ser Asp Asp Glu Pro  
           35                          40                          45

Lys Gln Asp Lys Thr Ser Gln Asp Ala Asp Phe Thr Ala Lys Thr Ile  
           50                          55                          60

Ala Asp Lys Gln Ala Asp Thr Asn Gln Glu Gln Ala Lys Ile Glu Asp  
           65                          70                          75                          80

Ala Lys Arg His Asp Lys Glu Gln Val  
                                   85

<210> 12

<211> 171

<212> PRT

<213> Escherichia coli

<400> 12

Val Phe Asp Ile Gly Phe Ser Glu Leu Leu Leu Val Phe Ile Ile Gly  
       1                          5                          10                          15

Leu Val Val Leu Gly Pro Gln Arg Leu Pro Val Ala Val Lys Thr Val  
                           20                          25                          30

Ala Gly Trp Ile Arg Ala Leu Arg Ser Leu Ala Thr Thr Val Gln Asn  
           35                          40                          45

Glu Leu Thr Gln Glu Leu Lys Leu Gln Glu Phe Gln Asp Ser Leu Lys  
           50                          55                          60

Lys Val Glu Lys Ala Ser Leu Thr Asn Leu Thr Pro Glu Leu Lys Ala  
           65                          70                          75                          80

Ser Met Asp Glu Leu Arg Gln Ala Ala Glu Ser Met Lys Arg Ser Tyr  
                           85                          90                          95

Val Ala Asn Asp Pro Glu Lys Ala Ser Asp Glu Ala His Thr Ile His  
                           100                          105                          110

Asn Pro Val Val Lys Asp Asn Glu Thr Ala His Glu Gly Val Thr Pro  
           115                          120                          125

Ala Ala Ala Gln Thr Gln Ala Ser Ser Pro Glu Gln Lys Pro Glu Thr  
           130                          135                          140

Thr Pro Glu Pro Val Val Lys Pro Ala Ala Asp Ala Glu Pro Lys Thr  
           145                          150                          155                          160

Ala Ala Pro Ser Pro Ser Ser Ser Asp Lys Pro  
 165 170

<210> 13

<211> 258

<212> PRT

<213> Escherichia coli

<400> 13

Met Ser Val Glu Asp Thr Gln Pro Leu Ile Thr His Leu Ile Glu Leu  
 1 5 10 15

Arg Lys Arg Leu Leu Asn Cys Ile Ile Ser Val Ile Val Ile Phe Leu  
 20 25 30

Cys Leu Val Tyr Phe Ala Asn Asp Ile Tyr His Leu Val Ser Ala Pro  
 35 40 45

Leu Ile Lys Gln Leu Pro Gln Gly Ser Thr Met Ile Ala Thr Asp Val  
 50 55 60

Ala Ser Pro Phe Phe Thr Pro Ile Lys Leu Thr Phe Met Val Ser Leu  
 65 70 75 80

Ile Leu Ser Ala Pro Val Ile Leu Tyr Gln Val Trp Ala Phe Ile Ala  
 85 90 95

Pro Ala Leu Tyr Lys His Glu Arg Arg Leu Val Val Pro Leu Leu Val  
 100 105 110

Ser Ser Ser Leu Leu Phe Tyr Ile Gly Met Ala Phe Ala Tyr Phe Val  
 115 120 125

Val Phe Pro Leu Ala Phe Gly Phe Leu Ala Asn Thr Ala Pro Glu Gly  
 130 135 140

Val Gln Val Ser Thr Asp Ile Ala Ser Tyr Leu Ser Phe Val Met Ala  
 145 150 155 160

Leu Phe Met Ala Phe Gly Val Ser Phe Glu Val Pro Val Ala Ile Val  
 165 170 175

Leu Leu Cys Trp Met Gly Ile Thr Ser Pro Glu Asp Leu Arg Lys Lys  
 180 185 190

Arg Pro Tyr Val Leu Val Gly Ala Phe Val Val Gly Met Leu Leu Thr

[illegible][illegible][illegible][illegible]

ttt ggg act aag aag tta cgt acg ctg qgc qga qac ctt qga qcg qcc 274

Phe Gly Thr Lys Lys Leu Arg Thr Leu Gly Gly Asp Leu Gly Ala Ala  
 20 25 30 35

att aaa ggg ttc aag aag gcg atg aat gat gac gat gct gcg gcg aaa 322  
 Ile Lys Gly Phe Lys Lys Ala Met Asn Asp Asp Ala Ala Ala Lys  
 40 45 50

aaa ggc gca gac gtt gat ctt cag gct gaa aag ctc tct cat aaa gag 370  
 Lys Gly Ala Asp Val Asp Leu Gln Ala Glu Lys Leu Ser His Lys Glu  
 55 60 65

tgacgtggcg agcaggacgc tccctcaata tcttggtcga tacaaaaacc cgcttcaaaa 430

agcgggtttt ttatcagaca gatgtaagta attattacag gattacttaa cttccatccc 490

tttcgcctgc aaatcggcgt ggtaagaaga gcggacaaac ggaccgcatg cagcatgggt 550

aaagcccatc gccagcgctt cgctttcatt tcgtcg 586

<210> 16

<211> 67

<212> PRT

<213> Escherichia coli

<400> 16

Met Gly Glu Ile Ser Ile Thr Lys Leu Leu Val Val Ala Ala Leu Val  
 1 5 10 15

Val Leu Leu Phe Gly Thr Lys Lys Leu Arg Thr Leu Gly Gly Asp Leu  
 20 25 30

Gly Ala Ala Ile Lys Gly Phe Lys Lys Ala Met Asn Asp Asp Asp Ala  
 35 40 45

Ala Ala Lys Lys Gly Ala Asp Val Asp Leu Gln Ala Glu Lys Leu Ser  
 50 55 60

His Lys Glu  
 65

<210> 17

<211> 4200

<212> DNA

<213> Salmonella typhimurium

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (947)..(1444)

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (1450)..(1722)

&lt;400&gt; 17

cgcaagtcaa tgcgtcccg gtcgtatgta aaagtatgtg aatagggcgg gcgaaagcgg 60

ctaacaaga ggcagcgtga aggataatgt gtataatgcg gccctaataa ttcacatct 120

atcacagagg aacatgtatg ggtggatca gtatttgga gttgttgatt gttgccgtta 180

tgcgtgtact gctgttcggc accaaaaaac tcggttccat cggttccgat cttggcgggt 240

ctatcaaagg ctttaaaaag gccatgagcg atgatgatgc caaacaggat aaaaccagtc 300

aggacgctga ttttaccgct aaatctatcg cggataagca aggcgaagcg aaaaaggaag 360

acgctaaaag ccaagataaa gagcaggtat aatccgtgtt tgatatcgggt tttagcgaac 420

tgctgttagt gttcgttacc gccctcattg tgttggggcc gcaacgattg ccagtagcgg 480

taaaaacggt agcgggctgg attcgcgcgt tgcggtcct tgcgacaacg gttcagaatg 540

aactgactca ggaactgaaa cttcaggagt tccaggacag tctgaaaaaa gtcgaaaagg 600

cgagcctgga aaatctgact cccgaactga aagcatctat ggatgaactg cgtcaggcgg 660

cggagtcgat gaaacgcacc tacagcgcta acgatcccga acaagcgagc gatgaagcgc 720

ataccatcca taatccggtg gtaaaaggga acgaaacgca gcatgagggc gtcacccctg 780

ccgccgctga aacacaggcg agcgcgccgg aacaaaagcc ggagcccgtt aaagctaacg 840

tgctgagtc gacggaaacc gttccgtag ccacgataga cgccgagaag aaatccgctg 900

cgcctgttgt cgaatcttcc cctcgtcga gtgataaacc gtaaac atg gct gta 955

Met Ala Val

1

gaa gat act caa ccg ctt atc acg cat ctg atc gag ttg cgt aag cgc 1003

Glu Asp Thr Gln Pro Leu Ile Thr His Leu Ile Glu Leu Arg Lys Arg

5 10 15

ctg cta aac tgc atc gtc gca gta ctt ctg att ttt ctg gcg tta att 1051



Leu Leu Asn Cys Ile Val Ala Val Leu Leu Ile Phe Leu Ala Leu Ile  
 20 25 30 35

tat ttc gcc aat gat att tat cat tta gtc gcc gca ccg ctg att aaa 1099  
 Tyr Phe Ala Asn Asp Ile Tyr His Leu Val Ala Ala Pro Leu Ile Lys  
 40 45 50

cag atg ccg caa ggg gcg aca atg att gcg acg gat gtg gcg tcg ccg 1147  
 Gln Met Pro Gln Gly Ala Thr Met Ile Ala Thr Asp Val Ala Ser Pro  
 55 60 65

ttt ttt acg cct atc aaa ctc acc ttc atg gtg tct ttg atc tta tcc 1195  
 Phe Phe Thr Pro Ile Lys Leu Thr Phe Met Val Ser Leu Ile Leu Ser  
 70 75 80

gcg cct gtc att ttg tac cag gtt tgg gcc ttt atc gcc ccg gcg ctg 1243  
 Ala Pro Val Ile Leu Tyr Gln Val Trp Ala Phe Ile Ala Pro Ala Leu  
 85 90 95

tat aag cat gag cgt cgt ctg gtc gta cct ctg ctg gta tcc agc tcg 1291  
 Tyr Lys His Glu Arg Arg Leu Val Val Pro Leu Leu Val Ser Ser Ser  
 100 105 110 115

ctg ctt ttc tat att ggt atg gcc ttc gcc tat ttt gtc gta ttc cct 1339  
 Leu Leu Phe Tyr Ile Gly Met Ala Phe Ala Tyr Phe Val Val Phe Pro  
 120 125 130

ttg gcc ttt ggt ttc ctg acg cat acg gcg ccg gaa ggg gta cag gtt 1387  
 Leu Ala Phe Gly Phe Leu Thr His Thr Ala Pro Glu Gly Val Gln Val  
 135 140 145

tcg aca gat atc gcc agc tat ctt agc ttt gtc atg gcg ctt ttt atg 1435  
 Ser Thr Asp Ile Ala Ser Tyr Leu Ser Phe Val Met Ala Leu Phe Met  
 150 155 160

gcc ttt gcg tagcc ttt gaa gtg ccg gtg gcg att gtg ttg ctg tgc tgg 1485  
 Ala Phe Ala Phe Glu Val Pro Val Ala Ile Val Leu Leu Cys Trp  
 165 170 175

atg ggc atc acc acg cca gaa gat ttg cgt aaa aaa ccg cct tat atc 1533  
 Met Gly Ile Thr Thr Pro Glu Asp Leu Arg Lys Lys Arg Pro Tyr Ile  
 180 185 190

ctg gtc ggg gca ttc att gtg gga atg ctg ctt acg ccg cca gat gtt 1581  
 Leu Val Gly Ala Phe Ile Val Gly Met Leu Leu Thr Pro Pro Asp Val  
 195 200 205 210

ttc tcg caa acg ttg ctg gcg ata ccg atg tac tgc ctg ttt gaa att 1629

Phe Ser Gln Thr Leu Leu Ala Ile Pro Met Tyr Cys Leu Phe Glu Ile  
 215 220 225  
 ggc gtt ttc tgc tca cgc ttt tat gtc ggt aag cga cgg acg cgc gac 1677  
 Gly Val Phe Cys Ser Arg Phe Tyr Val Gly Lys Arg Arg Thr Arg Asp  
 230 235 240  
 gaa gat aac gag gcc gaa acc gaa aag gcc gag cac act gaa gac 1722  
 Glu Asp Asn Glu Ala Glu Thr Glu Lys Ala Glu His Thr Glu Asp  
 245 250 255  
 taaacacaaac cgcccgccag ggcggttgct atatgggggc aagcatgttt gatattggcg 1782  
 ttaatttaac cagtagccag ttgcaaaag atcgtgatga tgtggtcgcc cgtgcgtttg 1842  
 cggcgggagt aaaaggtatg ctactgaccg gaacgaacat ccatgaaagt cagcaggcgt 1902  
 taaaactggc gcggcgctac cccattgtt ggtcgacggc tggcggtccat cccatgaca 1962  
 gcagtcagtg gtcaccgcg tctgaagacg ccattattgc gctggcgaac cagccggaag 2022  
 tcgtcgctat cggtagtg gggctggatt tcaatcgcaa tttttccacg ccgcaggagc 2082  
 aggagcgtgc ctttcaggcg cagctacaaa ttgccgcga attgcagata ccaatcttta 2142  
 tgcactgccg ggacgcgcat gagcgatttc tggattgct tgatccctgg ctggatagtc 2202  
 ttctgtgtgc aatactgcac tgctttaccg gttaacgcca gcaaatgcag gcctgtgtgg 2262  
 atagagggtc ctatatcggg attaccgggt gggtttgca cgaacgacgc gggcttgagc 2322  
 tacgtgaact cttaccgttt attccagcgg aaaagctact gatagaaacc gacgcgccgt 2382  
 atctgttgcc tcgcgatctt acgccgaaac caacgtcacg acgcaacgag cccgcgtatc 2442  
 tgcctcacat cctggagcgc atagcgctat ggcgtggtga agatccgcaa tggttagcgg 2502  
 cgatgacaga tgccaacgcc agaacccttat ttgaggttgt attctgaacg atcgctaaat 2562  
 cttgcgaaaa cgggtgtttt ttacgtcttg cttcacttct ttattgagta aattaagcag 2622  
 taacatcgaa cgcgtttcgc catccggttc ggtaaaaatc gctttcagcc cttcaaatgc 2682  
 gccttcctgt atgatgacgc tatcgccggg ataggggggt tcaggatcga caacgccttc 2742  
 gggcttgtag atagaaagct gatgaataac gctggaaggc acgatcgag gatgccgcca 2802  
 aagcgcacaa aatggctgac gccgcgcgtg gcgttgattg tagtggtatg tatcacttcc 2862

ggatcaaatt caacgaacag ataattagga aagagcggtt cgctgacgga ggtacgtttt 2922  
 ccgcgtacca ttttttccag ggtgatcatc ggtgtcaggc aacttaccgc ttgtctttcg 2982  
 aggtgttcct gagcacgctg aagttgcccc cgtttgcagt acagtaaata ccaggattgc 3042  
 ataatgactc ttatccgctt gttcggggcg caagcatagc aaaagccatg cgcaagtta 3102  
 attatacact tcatccttta agccgtatct ggattagcgt tggttgccag agttcacgct 3162  
 aatttaacaa aaatacagca tcccgatgat gaacgcgta taatgatgcg cttaccaaga 3222  
 ggctacaatg gacgccatga aatatcacga tttacgcgac ttctgacgc tacttgagca 3282  
 gcagggggaa ctaaaacgca tcacgctacc tgtggatcct catctggaaa tcacggaaat 3342  
 cgctgaccgc acgctgcgtg ccggtggacc ggcgttgctg tttgaaaatc cttaaaggta 3402  
 cgccatgccg gtgctgtgca acctttttgg cagcctaaaa cgcggtggcg tgggcatggg 3462  
 gcaggatgat gtttccgcct tacgggaagt gggtaaatta ttagcgtttc ttaaagaacc 3522  
 tgagccgccg aaagcgtttc gcgatctgtt tgacaagctg ccgcagttta agcaagtgc 3582  
 gaatatgccg acgaaacggt tacgcggcgc gccttgccag cagaaaatcg cgtctggcga 3642  
 tgatgtcgat ttaacgcgtc ttctgtcat gacctgttg ccggacgacg ccgcgccgct 3702  
 gattacctgg ggactgacgg taacgcgtgg tccgcacaaa gagcggcaaa acctgggcat 3762  
 ttatcgtcag cagttgatag gtaaaaaataa gctgattatg cgctggctgt ctcaccgcgg 3822  
 cggcgcgctg gatthttcagg agtgggttagc cgcgcgccg ggtgaacgtt tcccgtctc 3882  
 cgtcgcattg ggcgccgatc cggcacgata cttggcgccg tgactcctgt tcccgatact 3942  
 ctgtcggagt atgcctttgc gggcctgctg cgcggcacga aaactgaagt ggttaatgct 4002  
 ttctacgac tggagtgcgt cagcgcgaga tatcttgaag tacatgagcg gagagatgcg 4062  
 cggagacgta tgcatcata cggcatatat gaggatagc tcgtcttacg tcacgcaata 4122  
 acagcgtaga tgcacttata tcactatacg cgcgcatgag ctogtatagg tgccctatat 4182  
 ctctctatc tcaaagtc 4200

&lt;210&gt; 18

&lt;211&gt; 166

&lt;212&gt; PRT

&lt;213&gt; Salmonella typhimurium

&lt;400&gt; 18

Met Ala Val Glu Asp Thr Gln Pro Leu Ile Thr His Leu Ile Glu Leu  
 1 5 10 15

Arg Lys Arg Leu Leu Asn Cys Ile Val Ala Val Leu Leu Ile Phe Leu  
 20 25 30

Ala Leu Ile Tyr Phe Ala Asn Asp Ile Tyr His Leu Val Ala Ala Pro  
 35 40 45

Leu Ile Lys Gln Met Pro Gln Gly Ala Thr Met Ile Ala Thr Asp Val  
 50 55 60

Ala Ser Pro Phe Phe Thr Pro Ile Lys Leu Thr Phe Met Val Ser Leu  
 65 70 75 80

Ile Leu Ser Ala Pro Val Ile Leu Tyr Gln Val Trp Ala Phe Ile Ala  
 85 90 95

Pro Ala Leu Tyr Lys His Glu Arg Arg Leu Val Val Pro Leu Leu Val  
 100 105 110

Ser Ser Ser Leu Leu Phe Tyr Ile Gly Met Ala Phe Ala Tyr Phe Val  
 115 120 125

Val Phe Pro Leu Ala Phe Gly Phe Leu Thr His Thr Ala Pro Glu Gly  
 130 135 140

Val Gln Val Ser Thr Asp Ile Ala Ser Tyr Leu Ser Phe Val Met Ala  
 145 150 155 160

Leu Phe Met Ala Phe Ala  
 165

&lt;210&gt; 19

&lt;211&gt; 91

&lt;212&gt; PRT

&lt;213&gt; Salmonella typhimurium

&lt;400&gt; 19

Phe Glu Val Pro Val Ala Ile Val Leu Leu Cys Trp Met Gly Ile Thr  
 1 5 10 15

Thr Pro Glu Asp Leu Arg Lys Lys Arg Pro Tyr Ile Leu Val Gly Ala  
 20 25 30

Phe Ile Val Gly Met Leu Leu Thr Pro Pro Asp Val Phe Ser Gln Thr  
 35 40 45

Leu Leu Ala Ile Pro Met Tyr Cys Leu Phe Glu Ile Gly Val Phe Cys  
 50 55 60

Ser Arg Phe Tyr Val Gly Lys Arg Arg Thr Arg Asp Glu Asp Asn Glu  
 65 70 75 80

Ala Glu Thr Glu Lys Ala Glu His Thr Glu Asp  
 85 90

<210> 20

<211> 2601

<212> DNA

<213> *Neisseria meningitidis*

<220>

<221> CDS

<222> (1572)..(2339)

<400> 20

agacaaaaatc ctaaaaaaag tgattgaaga ggcgggagaa gtgttgatgg catccaaaga 60  
 caaaaacccg tcccacctgg tttacgaagt tgccgactta tggtttcaca ccatgattct 120  
 tctgacacac cacgacctga aggcggaaga cgtattggac gaacttgccg gccgccaagg 180  
 tttgtcgggc ttggccgaaa aagccgctcg cacagaatct tgaatttata ttaaaatccg 240  
 cactttccca cattcaatcc gtctgaccgc tgttcagacg gcatcggagc cgttatggac 300  
 aactgtatct tctgcaaaat cgccgcaaaa gacattccgg cgcaaaccgt ctatgaagac 360  
 ggcgaaatgg tttgtttcaa agacatcaac cccgctgctc cggttcatct gctgctgatt 420  
 cccaaagtcc atttcgattc gttggcacac gccgcgcccc aacatcagcc ccttttggga 480  
 aaaatgatgc tgaaagttcc cgaaatcgcc aaagcggcag gactggcaga cggcttcaaa 540  
 accctgatca acaccgaaa aggcggcgga caagaggtct tccacctgca tatacacatc 600

atgggcacac ccgtataaac cggtattttca caatcaaccc ctaataactta ctttaaggata 660  
 catcatgggc agttttttctc tgacgcactg gattatcgta ctgattatcg tcgtttttgat 720  
 attcggcacc aaaaaactgc gcaacgctcg caaagacctc ggcggtgcgg ttcattgactt 780  
 caaacagggg ctgaacgaag gtacagacgg caaagaagcc caaaaagacg atgtaatcga 840  
 acacaaaaaa gacgaagaca aagcgtaatt tatgtttgat ttcggtttg gcgagctgg 900  
 ttttgctggc attatcgccc tgattgtcct cggtcccgaa cgctgcccg aggcgcgccg 960  
 caccgcggga cggctcatcg gcaggctgca acgctttgtc ggcagcgtca aacaggaatt 1020  
 tgacacgcaa atcgaactgg aagaactaag gaaggcaaag caggaatttg aagctgccgc 1080  
 tgctcagggt cgagacagcc tcaaagaaac cggtagcgat atggagggtta atctgcacga 1140  
 catttccgac ggtctgaagc cttgggaaaa actgcccga cagcgcacgc ctgctgattt 1200  
 cgggtgctgat gaaaacggca atccctttcc cgatgcggca aacaccctat tagacggcat 1260  
 ttccgacgtt atgccgtccg aacgttccta cgcttccgcc gaaacccttg gggacagcgg 1320  
 gcaaaccggc agtacagccg aaccgcggga aaccgaccaa gaccgtgcat ggcgggaata 1380  
 cctgactgct tctgccgccg caccgctcgt acagaccgtc gaagtcagct atatcgatac 1440  
 cgctgttgaa acccctgttc cgcataccac ttcgctgcgt aaacaggcaa taagccgcaa 1500  
 acgcgatttg cgtcctaaat cccgcgcaa acctaaattg cgcgtccgta aatcataaag 1560  
 agggcaatcc g gtg tcc gaa aca caa aac gaa caa ccc gtc caa ccg ctt 1610  
 Val Ser Glu Thr Gln Asn Glu Gln Pro Val Gln Pro Leu  
 1 5 10  
 gtc gag cat ctc atc gag ctg cgc cgc cgc ctg atg tgg acg gtt gtc 1658  
 Val Glu His Leu Ile Glu Leu Arg Arg Arg Leu Met Trp Thr Val Val  
 15 20 25  
 ggt atc tta gtc tgc ttt ttc ggc cta atg ccg ttt gcc caa caa ctc 1706  
 Gly Ile Leu Val Cys Phe Phe Gly Leu Met Pro Phe Ala Gln Gln Leu  
 30 35 40 45  
 tat act ttt atc gcc gac ccg ctg atg gca aac ctg ccc aaa gac acc 1754  
 Tyr Thr Phe Ile Ala Asp Pro Leu Met Ala Asn Leu Pro Lys Asp Thr  
 50 55 60

agc atg att gcc acc gat gtc atc gca cca ttt ttc gtg ccg gtc aaa 1802  
 Ser Met Ile Ala Thr Asp Val Ile Ala Pro Phe Phe Val Pro Val Lys  
 65 70 75

gtt acc ctg atg gcg gca ttt tta att tcg ctg ccg cat acg ctc tac 1850  
 Val Thr Leu Met Ala Ala Phe Leu Ile Ser Leu Pro His Thr Leu Tyr  
 80 85 90

caa atc tgg gca ttc gtc gcc ccc gca ctc tac caa aac gaa aaa cgc 1898  
 Gln Ile Trp Ala Phe Val Ala Pro Ala Leu Tyr Gln Asn Glu Lys Arg  
 95 100 105

ctg att acg ccg ctc gtc ctc tcc agc gtc agc ctg ttt ttc atc ggc 1946  
 Leu Ile Thr Pro Leu Val Leu Ser Ser Val Ser Leu Phe Phe Ile Gly  
 110 115 120 125

atg gca ttt gcc tac ttt ttg gtt ttc ccc gtc att ttc aaa ttc ctt 1994  
 Met Ala Phe Ala Tyr Phe Leu Val Phe Pro Val Ile Phe Lys Phe Leu  
 130 135 140

gcc agc gtt acc cct gtc ggt gtc aat atg gcg aca gac atc gac aaa 2042  
 Ala Ser Val Thr Pro Val Gly Val Asn Met Ala Thr Asp Ile Asp Lys  
 145 150 155

tac ctc tcc ttc atc ttg ggg atg ttt gtc gca ttc ggt aca acg ttt 2090  
 Tyr Leu Ser Phe Ile Leu Gly Met Phe Val Ala Phe Gly Thr Thr Phe  
 160 165 170

gaa gtc ccc att gtc gtt atc ctg tta acc aaa att ggt gtg gta aca 2138  
 Glu Val Pro Ile Val Val Ile Leu Leu Thr Lys Ile Gly Val Val Thr  
 175 180 185

acc gaa cag ctc aaa cgc gcc cgc ccc tat gtg att gtc ggc gcg ttt 2186  
 Thr Glu Gln Leu Lys Arg Ala Arg Pro Tyr Val Ile Val Gly Ala Phe  
 190 195 200 205

gtc att gcc gcc atc atc acg ccg ccc gat gtg att tca caa acc ctg 2234  
 Val Ile Ala Ala Ile Ile Thr Pro Pro Asp Val Ile Ser Gln Thr Leu  
 210 215 220

ctt gcc att ccg ctg att ctc tta tac gaa gca ggt att tgg ttc gga 2282  
 Leu Ala Ile Pro Leu Ile Leu Leu Tyr Glu Ala Gly Ile Trp Phe Gly  
 225 230 235

cgc ttt ttc acg cca cgt tca gaa cag gat ggc gac ata cag ccg cct 2330  
 Arg Phe Phe Thr Pro Arg Ser Glu Gln Asp Gly Asp Ile Gln Pro Pro  
 240 245 250

gca aca acc tgacactatg ccgtccgaac ctccgcctca taccgccaca 2379  
 Ala Thr Thr  
 255

gattaaggaa tacctttgaa taccctctat ttaggttcaa acagcccgcg ccgaatggaa 2439  
 atcctgacac agttgggcta tcaggtcgtc aagctgcctg ccaacatcga cgaaacggtc 2499  
 agacagaacg aagaccctgc ccgttacgtt caaaggatgg cagaagaaaa aaaccgaacc 2559  
 gccctgaccc tcttttgcca aaccaacggc acaatgcccg at 2601

<210> 21

<211> 256

<212> PRT

<213> Neisseria meningitidis

<400> 21

Val	Ser	Glu	Thr	Gln	Asn	Glu	Gln	Pro	Val	Gln	Pro	Leu	Val	Glu	His
1				5				10					15		

Leu	Ile	Glu	Leu	Arg	Arg	Arg	Leu	Met	Trp	Thr	Val	Val	Gly	Ile	Leu
		20					25						30		

Val	Cys	Phe	Phe	Gly	Leu	Met	Pro	Phe	Ala	Gln	Gln	Leu	Tyr	Thr	Phe
	35						40					45			

Ile	Ala	Asp	Pro	Leu	Met	Ala	Asn	Leu	Pro	Lys	Asp	Thr	Ser	Met	Ile
50						55					60				

Ala	Thr	Asp	Val	Ile	Ala	Pro	Phe	Phe	Val	Pro	Val	Lys	Val	Thr	Leu
65					70					75					80

Met	Ala	Ala	Phe	Leu	Ile	Ser	Leu	Pro	His	Thr	Leu	Tyr	Gln	Ile	Trp
			85						90					95	

Ala	Phe	Val	Ala	Pro	Ala	Leu	Tyr	Gln	Asn	Glu	Lys	Arg	Leu	Ile	Thr
		100						105					110		

Pro	Leu	Val	Leu	Ser	Ser	Val	Ser	Leu	Phe	Phe	Ile	Gly	Met	Ala	Phe
		115						120				125			

Ala	Tyr	Phe	Leu	Val	Phe	Pro	Val	Ile	Phe	Lys	Phe	Leu	Ala	Ser	Val
	130					135					140				

Thr	Pro	Val	Gly	Val	Asn	Met	Ala	Thr	Asp	Ile	Asp	Lys	Tyr	Leu	Ser
145					150					155				160	



Phe Ile Leu Gly Met Phe Val Ala Phe Gly Thr Thr Phe Glu Val Pro  
                           165                          170                          175

Ile Val Val Ile Leu Leu Thr Lys Ile Gly Val Val Thr Thr Glu Gln  
                           180                          185                          190

Leu Lys Arg Ala Arg Pro Tyr Val Ile Val Gly Ala Phe Val Ile Ala  
                           195                          200                          205

Ala Ile Ile Thr Pro Pro Asp Val Ile Ser Gln Thr Leu Leu Ala Ile  
                           210                          215                          220

Pro Leu Ile Leu Leu Tyr Glu Ala Gly Ile Trp Phe Gly Arg Phe Phe  
                           225                          230                          235                          240

Thr Pro Arg Ser Glu Gln Asp Gly Asp Ile Gln Pro Pro Ala Thr Thr  
                           245                          250                          255

<210> 22

<211> 4604

<212> DNA

<213> Escherichia coli

<220>

<221> CDS

<222> (2982)..(4082)

<220>

<221> CDS

<222> (1534)..(2637)

<220>

<221> CDS

<222> (749)..(1531)

<220>

<221> CDS

<222> (6)..(746)

<400> 22

ggcta gtt gat gat aat ttg aaa ggt caa ggt gca gga aaa aat ttt tta 50  
           Val Asp Asp Asn Leu Lys Gly Gln Gly Ala Gly Lys Asn Phe Leu  
                   1                          5                          10                          15

tcg ctg ata aag tac agc gag aca gat tat aca att tat tgt gac caa 98

[illegible]

Ser	Phe	Cys	Glu	Ser	Asn	Asn	Lys	Phe	Thr	Asp	Phe	Phe	Lys	Leu	Trp		
		210					215						220				
cga	ggt	ggg	ttt	aga	tta	aat	aac	agt	aga	act	aaa	tta	tta	tta	aaa	722	
Arg	Gly	Gly	Phe	Arg	Leu	Asn	Asn	Ser	Arg	Thr	Lys	Leu	Leu	Leu	Lys		
	225					230					235						
ttc	tta	ata	cgg	aga	aaa	ttt	agc	ga	atg	att	tca	ata	ctt	aca	cct	769	
Phe	Leu	Ile	Arg	Arg	Lys	Phe	Ser		Met	Ile	Ser	Ile	Leu	Thr	Pro		
240					245						250						
act	ttt	aat	cgg	caa	cat	act	tta	tca	agg	cta	ttc	aat	tct	ctt	ata	817	
Thr	Phe	Asn	Arg	Gln	His	Thr	Leu	Ser	Arg	Leu	Phe	Asn	Ser	Leu	Ile		
255					260					265				270			
tta	caa	act	gat	aaa	gat	ttt	gag	tgg	ata	ata	att	gat	gat	ggt	agt	865	
Leu	Gln	Thr	Asp	Lys	Asp	Phe	Glu	Trp	Ile	Ile	Ile	Asp	Asp	Gly	Ser		
				275					280					285			
ata	gat	gca	aca	gcg	gta	ctt	gta	gaa	gat	ttt	aga	aaa	aaa	tgt	gat	913	
Ile	Asp	Ala	Thr	Ala	Val	Leu	Val	Glu	Asp	Phe	Arg	Lys	Lys	Cys	Asp		
		290						295					300				
ttt	gac	ttg	att	tat	tgc	tat	cag	gaa	aat	aat	ggt	aag	ccc	atg	gct	961	
Phe	Asp	Leu	Ile	Tyr	Cys	Tyr	Gln	Glu	Asn	Asn	Gly	Lys	Pro	Met	Ala		
		305					310					315					
tta	aac	gct	ggt	gtt	aaa	gct	tgt	aga	ggc	gat	tat	atc	ttt	att	gtt	1009	
Leu	Asn	Ala	Gly	Val	Lys	Ala	Cys	Arg	Gly	Asp	Tyr	Ile	Phe	Ile	Val		
	320					325					330						
gac	agt	gat	gat	gca	cta	act	ccc	gat	gcc	ata	aaa	tta	att	aaa	gaa	1057	
Asp	Ser	Asp	Asp	Ala	Leu	Thr	Pro	Asp	Ala	Ile	Lys	Leu	Ile	Lys	Glu		
335					340					345				350			
tca	ata	cat	gat	tgc	tta	tct	gag	aag	gaa	agt	ttc	agc	gga	gtc	ggt	1105	
Ser	Ile	His	Asp	Cys	Leu	Ser	Glu	Lys	Glu	Ser	Phe	Ser	Gly	Val	Gly		
				355					360					365			
ttt	aga	aaa	gca	tat	ata	aaa	ggg	ggg	att	att	ggt	aat	gat	tta	aat	1153	
Phe	Arg	Lys	Ala	Tyr	Ile	Lys	Gly	Gly	Ile	Ile	Gly	Asn	Asp	Leu	Asn		
		370						375				380					
aat	tct	tca	gaa	cat	ata	tac	tat	tta	aat	gcg	act	gag	att	agc	aat	1201	
Asn	Ser	Ser	Glu	His	Ile	Tyr	Tyr	Leu	Asn	Ala	Thr	Glu	Ile	Ser	Asn		
		385					390					395					
tta	ata	aat	ggt	gat	gtt	gca	tat	tgt	ttt	aaa	aaa	gaa	agt	ttg	gta	1249	

Leu Ile Asn Gly Asp Val Ala Tyr Cys Phe Lys Lys Glu Ser Leu Val	
400	405 410
aaa aat cca ttc ccc cgt ata gaa gat gaa aaa ttt gtt cca gaa tta	1297
Lys Asn Pro Phe Pro Arg Ile Glu Asp Glu Lys Phe Val Pro Glu Leu	
415 420 425 430	
tat att tgg aat aaa ata act gac aag gcg aag att cga ttt aac ata	1345
Tyr Ile Trp Asn Lys Ile Thr Asp Lys Ala Lys Ile Arg Phe Asn Ile	
435 440 445	
agc aaa gtt ata tat ctt tgt gag tat ctt gat gat ggt ctt tct aaa	1393
Ser Lys Val Ile Tyr Leu Cys Glu Tyr Leu Asp Asp Gly Leu Ser Lys	
450 455 460	
aat ttc cat aac cag ctt aaa aaa tac cca aag ggg ttt aag att tat	1441
Asn Phe His Asn Gln Leu Lys Lys Tyr Pro Lys Gly Phe Lys Ile Tyr	
465 470 475	
tac aaa gat caa aga aaa cga gag aaa act tat ata aaa aaa aca aag	1489
Tyr Lys Asp Gln Arg Lys Arg Glu Lys Thr Tyr Ile Lys Lys Thr Lys	
480 485 490	
atg cta att aga tat ttg caa tgt tgt tat tat gag aaa ata aa atg	1536
Met Leu Ile Arg Tyr Leu Gln Cys Cys Tyr Tyr Glu Lys Ile Met	
495 500 505	
aaa ata cta ttt gtc att aca ggt tta ggc ctt gga ggt gct gag aag	1584
Lys Ile Leu Phe Val Ile Thr Gly Leu Gly Leu Gly Gly Ala Glu Lys	
510 515 520 525	
cag gtt tgt ctt tta gct gat aaa tta agt tta agc ggg cac cat gta	1632
Gln Val Cys Leu Leu Ala Asp Lys Leu Ser Leu Ser Gly His His Val	
530 535 540	
aag att att tca ctt gga cat atg tct aat aat aaa gtc ttt cct agc	1680
Lys Ile Ile Ser Leu Gly His Met Ser Asn Asn Lys Val Phe Pro Ser	
545 550 555	
gaa aat aat gtt aat gtc att aat gta aat atg tca aaa aac att tct	1728
Glu Asn Asn Val Asn Val Ile Asn Val Asn Met Ser Lys Asn Ile Ser	
560 565 570	
gga gtt ata aaa ggt tgt gtc aga att aga gat gtt ata gct aat ttc	1776
Gly Val Ile Lys Gly Cys Val Arg Ile Arg Asp Val Ile Ala Asn Phe	
575 580 585	
aaa cca gac att gta cac agt cat atg ttt cat gca aac att atc act	1824

Lys Pro Asp Ile Val His Ser His Met Phe His Ala Asn Ile Ile Thr	
590	595 600 605
aga ttg tct gta att gga atc aaa aac aga cct ggt att ata tca act	1872
Arg Leu Ser Val Ile Gly Ile Lys Asn Arg Pro Gly Ile Ile Ser Thr	
610 615 620	
gca cat aat aaa aat gaa ggt ggg tat ttc aga atg ctc aca tat aga	1920
Ala His Asn Lys Asn Glu Gly Gly Tyr Phe Arg Met Leu Thr Tyr Arg	
625 630 635	
ata acc gat tgt tta agt gat tgt tgt aca aat gtt agc aaa gaa gca	1968
Ile Thr Asp Cys Leu Ser Asp Cys Cys Thr Asn Val Ser Lys Glu Ala	
640 645 650	
gtg gat gag ttt tta cgg ata aaa gcc ttt aat ccc gct aaa gca att	2016
Val Asp Glu Phe Leu Arg Ile Lys Ala Phe Asn Pro Ala Lys Ala Ile	
655 660 665	
act atg tat aat ggg ata gat acc aat aaa ttt aaa ttt gat tta ttg	2064
Thr Met Tyr Asn Gly Ile Asp Thr Asn Lys Phe Lys Phe Asp Leu Leu	
670 675 680 685	
gca agg agg gaa att cga gac ggt att aat ata aaa aat gat gat ata	2112
Ala Arg Arg Glu Ile Arg Asp Gly Ile Asn Ile Lys Asn Asp Asp Ile	
690 695 700	
tta tta ctt gct gca ggt cgt tta acg tta gct aaa gat tat cct aat	2160
Leu Leu Leu Ala Ala Gly Arg Leu Thr Leu Ala Lys Asp Tyr Pro Asn	
705 710 715	
tta ttg aat gca atg act ctg ctt cct gaa cac ttt aaa ctt att att	2208
Leu Leu Asn Ala Met Thr Leu Leu Pro Glu His Phe Lys Leu Ile Ile	
720 725 730	
att ggt gat ggt gaa ttg cgt gac gaa att aat atg ctt ata aaa aaa	2256
Ile Gly Asp Gly Glu Leu Arg Asp Glu Ile Asn Met Leu Ile Lys Lys	
735 740 745	
ttg caa tta tct aat agg gtg tcc ttg ttg gga gtt aaa aaa aat att	2304
Leu Gln Leu Ser Asn Arg Val Ser Leu Leu Gly Val Lys Lys Asn Ile	
750 755 760 765	
gct ccc tat ttt tct gca tgt gat att ttt gtt ctc tct tct cgt tgg	2352
Ala Pro Tyr Phe Ser Ala Cys Asp Ile Phe Val Leu Ser Ser Arg Trp	
770 775 780	
gaa gga ttt gga tta gtc gtg gca gaa gct atg tca tgt gag cga att	2400

Glu Gly Phe Gly Leu Val Val Ala Glu Ala Met Ser Cys Glu Arg Ile  
 785 790 795  
 gtt gtt ggc acg gat tca ggg gga gta aga gaa gtt att ggt gac gat 2448  
 Val Val Gly Thr Asp Ser Gly Gly Val Arg Glu Val Ile Gly Asp Asp  
 800 805 810  
 gat ttt ctt gta ccc ata tct gat tca aca caa ctt gca agc aaa att 2496  
 Asp Phe Leu Val Pro Ile Ser Asp Ser Thr Gln Leu Ala Ser Lys Ile  
 815 820 825  
 gaa aaa ttg tct ttg agc cag ata cgt gat cac att ggt ttt cgg aat 2544  
 Glu Lys Leu Ser Leu Ser Gln Ile Arg Asp His Ile Gly Phe Arg Asn  
 830 835 840 845  
 cgt gag cgt att tta aaa aat ttc tca ata gat act att att atg cag 2592  
 Arg Glu Arg Ile Leu Lys Asn Phe Ser Ile Asp Thr Ile Ile Met Gln  
 850 855 860  
 tgg caa gaa ctc tat gga act ata att tgc tca aaa cat gaa agg 2637  
 Trp Gln Glu Leu Tyr Gly Thr Ile Ile Cys Ser Lys His Glu Arg  
 865 870 875  
 tagatttata tttggaacgt gtcttttgtt tgaatttaaat tcaatctcaa ttgagatttt 2697  
 tgtattttcaa aaataccatc atagctaacg atgattggta tttatttttaa gatgctttct 2757  
 ataaatatat tgacgttttt aatgcgccga aacgattggg ctgggaacag agaagtaaaa 2817  
 ctgttttgag aatgaagagt ttttgagatg tttatggata ttaaaaattg atccagtga 2877  
 ttaattattt ataataaatc aagatttaaat gttaataaat gataatcttt tctgacactc 2937  
 atattaatta tgagtgggtac gtttggtaaa cggtaaacta ttat atg aca gct aga 2993  
 Met Thr Ala Arg  
 880  
 aca act aaa gtt ttg cac tta caa tta ctc cca ctc tta agt ggc gtt 3041  
 Thr Thr Lys Val Leu His Leu Gln Leu Leu Pro Leu Leu Ser Gly Val  
 885 890 895  
 caa agg gta aca tta aac gaa att agt gcg tta tat act gat tat gat 3089  
 Gln Arg Val Thr Leu Asn Glu Ile Ser Ala Leu Tyr Thr Asp Tyr Asp  
 900 905 910  
 tat aca cta gtt tgc tca aaa aaa ggt cca cta aca aaa gca ttg ctg 3137  
 Tyr Thr Leu Val Cys Ser Lys Lys Gly Pro Leu Thr Lys Ala Leu Leu  
 915 920 925

gaa tat gat gtc gat tgt cat tgt atc ccc gaa ctt acg aga gaa att 3185  
 Glu Tyr Asp Val Asp Cys His Cys Ile Pro Glu Leu Thr Arg Glu Ile  
 930 935 940

acc gta aag aat gat ttt aaa gca ttg ttc aag ctt tat aag ttc ata 3233  
 Thr Val Lys Asn Asp Phe Lys Ala Leu Phe Lys Leu Tyr Lys Phe Ile  
 945 950 955 960

aaa aaa gaa aaa ttt gac att gtg cat aca cat tct tca aaa aca ggt 3281  
 Lys Lys Glu Lys Phe Asp Ile Val His Thr His Ser Ser Lys Thr Gly  
 965 970 975

att ttg ggg cga gtt gct gcc aaa tta gca cgt gtt gga aag gtg atc 3329  
 Ile Leu Gly Arg Val Ala Ala Lys Leu Ala Arg Val Gly Lys Val Ile  
 980 985 990

cac act gta cat ggt ttt tct ttt cca gcc gca tct agt aaa aaa agt 3377  
 His Thr Val His Gly Phe Ser Phe Pro Ala Ala Ser Ser Lys Lys Ser  
 995 1000 1005

tat tac ctt tat ttt ttc atg gaa tgg ata gca aag ttc ttt acg gat 3425  
 Tyr Tyr Leu Tyr Phe Phe Met Glu Trp Ile Ala Lys Phe Phe Thr Asp  
 1010 1015 1020

aag tta atc gtc ttg aat gta gat gat gaa tat ata gca ata aac aaa 3473  
 Lys Leu Ile Val Leu Asn Val Asp Asp Glu Tyr Ile Ala Ile Asn Lys  
 1025 1030 1035 1040

tta aaa ttc aag cgg gat aaa gtt ttt tta att cct aat gga gta gac 3521  
 Leu Lys Phe Lys Arg Asp Lys Val Phe Leu Ile Pro Asn Gly Val Asp  
 1045 1050 1055

act gat aag ttt tct cct tta gaa aat aaa att tat agt agc acc ttg 3569  
 Thr Asp Lys Phe Ser Pro Leu Glu Asn Lys Ile Tyr Ser Ser Thr Leu  
 1060 1065 1070

aat cta gta atg gtt ggt aga tta tcc aag caa aaa gat cct gag aca 3617  
 Asn Leu Val Met Val Gly Arg Leu Ser Lys Gln Lys Asp Pro Glu Thr  
 1075 1080 1085

tta ttg ctt gct gtt gaa aaa ctg ctg aat gaa aat gtt aat gtt aag 3665  
 Leu Leu Leu Ala Val Glu Lys Leu Leu Asn Glu Asn Val Asn Val Lys  
 1090 1095 1100

ctg aca ctt gta gga gat ggt gaa cta aaa gaa cag tta gaa agc agg 3713  
 Leu Thr Leu Val Gly Asp Gly Glu Leu Lys Glu Gln Leu Glu Ser Arg  
 1105 1110 1115 1120

ttc aaa cgg caa gat gga cgt ata att ttt cat gga tgg tca gat aac 3761  
 Phe Lys Arg Gln Asp Gly Arg Ile Ile Phe His Gly Trp Ser Asp Asn  
 1125 1130 1135

att gtt aat att tta aaa gtt aat gat ctt ttt ata tta cct tct ctt 3809  
 Ile Val Asn Ile Leu Lys Val Asn Asp Leu Phe Ile Leu Pro Ser Leu  
 1140 1145 1150

tgg gag ggt atg cca tta gca att tta gaa gca ttg agc tgt gga ctt 3857  
 Trp Glu Gly Met Pro Leu Ala Ile Leu Glu Ala Leu Ser Cys Gly Leu  
 1155 1160 1165

cca tgt ata gtc act aat att cca ggt aat aat agc tta ata gaa gat 3905  
 Pro Cys Ile Val Thr Asn Ile Pro Gly Asn Asn Ser Leu Ile Glu Asp  
 1170 1175 1180

ggc tat aat ggt tgt ttg ttt gaa att aga gat tgt cag tta tta tct 3953  
 Gly Tyr Asn Gly Cys Leu Phe Glu Ile Arg Asp Cys Gln Leu Leu Ser  
 1185 1190 1195 1200

caa aaa atc atg tca tat gtt ggt aag cca gaa ctg att gca cag caa 4001  
 Gln Lys Ile Met Ser Tyr Val Gly Lys Pro Glu Leu Ile Ala Gln Gln  
 1205 1210 1215

tct acc aat gca cga tca ttt att ctg aaa aat tat gga tta gtt aaa 4049  
 Ser Thr Asn Ala Arg Ser Phe Ile Leu Lys Asn Tyr Gly Leu Val Lys  
 1220 1225 1230

aga aat aat aag gtc aga cag cta tat gat aat taaatgaaac cgaaaagtta 4102  
 Arg Asn Asn Lys Val Arg Gln Leu Tyr Asp Asn  
 1235 1240

aaaaagaaca ggtttttcaa agtgaaaata aaattacagt ttttttattg caatgattaa 4162

cgtaacatct gcattacatt caagccgcac aacccccgcg tgaccacccc tgacaggagt 4222

aaacaatgtc aaagcaacag atcggcgctcg tcggtatggc agtgatggga cgcaacctcg 4282

cgctcaacat cgaaagccgt gggtataccg tctctatattt caaccgttcc cgtgaaaaga 4342

cggaagaagt tattgccgaa aatccaggca agaaactggt tccttactat acggtgaaag 4402

agttcgttga atctcttgaa acgcctcgtc gcatcctggt aatgggttaa agcaggtgca 4462

ggcacggatg ctgctattga ttccctgaaa ccatatctcg ataaaggcga tatcatcatt 4522

gatgggtggg taataccttc ttccaggaca ccattcgtcg taaccgagag ctttctgcac 4582



aaggctttac ttcacoggtta cc

4604

&lt;210&gt; 23

&lt;211&gt; 247

&lt;212&gt; PRT

&lt;213&gt; Escherichia coli

&lt;400&gt; 23

Val	Asp	Asp	Asn	Leu	Lys	Gly	Gln	Gly	Ala	Gly	Lys	Asn	Phe	Leu	Ser
1				5					10					15	

Leu	Ile	Lys	Tyr	Ser	Glu	Thr	Asp	Tyr	Thr	Ile	Tyr	Cys	Asp	Gln	Asp
			20					25					30		

Asp	Ile	Trp	Leu	Glu	Asn	Lys	Ile	Phe	Glu	Leu	Val	Lys	Tyr	Ala	Asn
		35					40						45		

Glu	Ile	Lys	Leu	Asn	Val	Ser	Asp	Ala	Pro	Ser	Leu	Val	Tyr	Ala	Asp
	50						55					60			

Gly	Tyr	Ala	Tyr	Met	Asp	Gly	Glu	Gly	Thr	Ile	Asp	Phe	Ser	Gly	Ile
65					70					75					80

Ser	Asn	Asn	His	Ala	Asp	Gln	Leu	Lys	Asp	Phe	Leu	Phe	Phe	Asn	Gly
			85						90					95	

Gly	Tyr	Gln	Gly	Cys	Ser	Ile	Met	Phe	Asn	Arg	Ala	Met	Thr	Lys	Phe
		100						105					110		

Leu	Leu	Asn	Tyr	Arg	Gly	Phe	Val	Tyr	Leu	His	Asp	Asp	Ile	Thr	Thr
		115						120				125			

Leu	Ala	Ala	Tyr	Ala	Leu	Gly	Lys	Val	Tyr	Phe	Leu	Pro	Lys	Tyr	Leu
	130					135						140			

Met	Leu	Tyr	Arg	Gln	His	Thr	Asn	Ala	Val	Thr	Gly	Ile	Lys	Thr	Phe
145					150					155					160

Arg	Asn	Gly	Leu	Thr	Ser	Lys	Phe	Lys	Ser	Pro	Val	Asn	Tyr	Leu	Leu
			165						170					175	

Ser	Arg	Lys	His	Tyr	Gln	Val	Lys	Lys	Ser	Phe	Phe	Glu	Cys	Asn	Ser
		180						185					190		

Ser	Ile	Leu	Ser	Glu	Thr	Asn	Lys	Lys	Val	Phe	Leu	Asp	Phe	Ile	Ser
		195					200					205			

Phe Cys Glu Ser Asn Asn Lys Phe Thr Asp Phe Phe Lys Leu Trp Arg  
 210 215 220

Gly Gly Phe Arg Leu Asn Asn Ser Arg Thr Lys Leu Leu Leu Lys Phe  
 225 230 235 240

Leu Ile Arg Arg Lys Phe Ser  
 245

<210> 24

<211> 261

<212> PRT

<213> Escherichia coli

<400> 24

Met Ile Ser Ile Leu Thr Pro Thr Phe Asn Arg Gln His Thr Leu Ser  
 1 5 10 15

Arg Leu Phe Asn Ser Leu Ile Leu Gln Thr Asp Lys Asp Phe Glu Trp  
 20 25 30

Ile Ile Ile Asp Asp Gly Ser Ile Asp Ala Thr Ala Val Leu Val Glu  
 35 40 45

Asp Phe Arg Lys Lys Cys Asp Phe Asp Leu Ile Tyr Cys Tyr Gln Glu  
 50 55 60

Asn Asn Gly Lys Pro Met Ala Leu Asn Ala Gly Val Lys Ala Cys Arg  
 65 70 75 80

Gly Asp Tyr Ile Phe Ile Val Asp Ser Asp Asp Ala Leu Thr Pro Asp  
 85 90 95

Ala Ile Lys Leu Ile Lys Glu Ser Ile His Asp Cys Leu Ser Glu Lys  
 100 105 110

Glu Ser Phe Ser Gly Val Gly Phe Arg Lys Ala Tyr Ile Lys Gly Gly  
 115 120 125

Ile Ile Gly Asn Asp Leu Asn Asn Ser Ser Glu His Ile Tyr Tyr Leu  
 130 135 140

Asn Ala Thr Glu Ile Ser Asn Leu Ile Asn Gly Asp Val Ala Tyr Cys  
 145 150 155 160

Phe Lys Lys Glu Ser Leu Val Lys Asn Pro Phe Pro Arg Ile Glu Asp

165 170 175  
 Glu Lys Phe Val Pro Glu Leu Tyr Ile Trp Asn Lys Ile Thr Asp Lys  
 180 185 190  
 Ala Lys Ile Arg Phe Asn Ile Ser Lys Val Ile Tyr Leu Cys Glu Tyr  
 195 200 205  
 Leu Asp Asp Gly Leu Ser Lys Asn Phe His Asn Gln Leu Lys Lys Tyr  
 210 215 220  
 Pro Lys Gly Phe Lys Ile Tyr Tyr Lys Asp Gln Arg Lys Arg Glu Lys  
 225 230 235 240  
 Thr Tyr Ile Lys Lys Thr Lys Met Leu Ile Arg Tyr Leu Gln Cys Cys  
 245 250 255  
 Tyr Tyr Glu Lys Ile  
 260  
 <210> 25  
 <211> 368  
 <212> PRT  
 <213> Escherichia coli  
 <400> 25  
 Met Lys Ile Leu Phe Val Ile Thr Gly Leu Gly Leu Gly Gly Ala Glu  
 1 5 10 15  
 Lys Gln Val Cys Leu Leu Ala Asp Lys Leu Ser Leu Ser Gly His His  
 20 25 30  
 Val Lys Ile Ile Ser Leu Gly His Met Ser Asn Asn Lys Val Phe Pro  
 35 40 45  
 Ser Glu Asn Asn Val Asn Val Ile Asn Val Asn Met Ser Lys Asn Ile  
 50 55 60  
 Ser Gly Val Ile Lys Gly Cys Val Arg Ile Arg Asp Val Ile Ala Asn  
 65 70 75 80  
 Phe Lys Pro Asp Ile Val His Ser His Met Phe His Ala Asn Ile Ile  
 85 90 95  
 Thr Arg Leu Ser Val Ile Gly Ile Lys Asn Arg Pro Gly Ile Ile Ser  
 100 105 110

Thr Ala His Asn Lys Asn Glu Gly Gly Tyr Phe Arg Met Leu Thr Tyr  
 115 120 125

Arg Ile Thr Asp Cys Leu Ser Asp Cys Cys Thr Asn Val Ser Lys Glu  
 130 135 140

Ala Val Asp Glu Phe Leu Arg Ile Lys Ala Phe Asn Pro Ala Lys Ala  
 145 150 155 160

Ile Thr Met Tyr Asn Gly Ile Asp Thr Asn Lys Phe Lys Phe Asp Leu  
 165 170 175

Leu Ala Arg Arg Glu Ile Arg Asp Gly Ile Asn Ile Lys Asn Asp Asp  
 180 185 190

Ile Leu Leu Leu Ala Ala Gly Arg Leu Thr Leu Ala Lys Asp Tyr Pro  
 195 200 205

Asn Leu Leu Asn Ala Met Thr Leu Leu Pro Glu His Phe Lys Leu Ile  
 210 215 220

Ile Ile Gly Asp Gly Glu Leu Arg Asp Glu Ile Asn Met Leu Ile Lys  
 225 230 235 240

Lys Leu Gln Leu Ser Asn Arg Val Ser Leu Leu Gly Val Lys Lys Asn  
 245 250 255

Ile Ala Pro Tyr Phe Ser Ala Cys Asp Ile Phe Val Leu Ser Ser Arg  
 260 265 270

Trp Glu Gly Phe Gly Leu Val Val Ala Glu Ala Met Ser Cys Glu Arg  
 275 280 285

Ile Val Val Gly Thr Asp Ser Gly Gly Val Arg Glu Val Ile Gly Asp  
 290 295 300

Asp Asp Phe Leu Val Pro Ile Ser Asp Ser Thr Gln Leu Ala Ser Lys  
 305 310 315 320

Ile Glu Lys Leu Ser Leu Ser Gln Ile Arg Asp His Ile Gly Phe Arg  
 325 330 335

Asn Arg Glu Arg Ile Leu Lys Asn Phe Ser Ile Asp Thr Ile Ile Met  
 340 345 350

Gln Trp Gln Glu Leu Tyr Gly Thr Ile Ile Cys Ser Lys His Glu Arg  
 355 360 365

&lt;210&gt; 26

&lt;211&gt; 367

&lt;212&gt; PRT

&lt;213&gt; Escherichia coli

&lt;400&gt; 26

Met Thr Ala Arg Thr Thr Lys Val Leu His Leu Gln Leu Leu Pro Leu  
 1 5 10 15

Leu Ser Gly Val Gln Arg Val Thr Leu Asn Glu Ile Ser Ala Leu Tyr  
 20 25 30

Thr Asp Tyr Asp Tyr Thr Leu Val Cys Ser Lys Lys Gly Pro Leu Thr  
 35 40 45

Lys Ala Leu Leu Glu Tyr Asp Val Asp Cys His Cys Ile Pro Glu Leu  
 50 55 60

Thr Arg Glu Ile Thr Val Lys Asn Asp Phe Lys Ala Leu Phe Lys Leu  
 65 70 75 80

Tyr Lys Phe Ile Lys Lys Glu Lys Phe Asp Ile Val His Thr His Ser  
 85 90 95

Ser Lys Thr Gly Ile Leu Gly Arg Val Ala Ala Lys Leu Ala Arg Val  
 100 105 110

Gly Lys Val Ile His Thr Val His Gly Phe Ser Phe Pro Ala Ala Ser  
 115 120 125

Ser Lys Lys Ser Tyr Tyr Leu Tyr Phe Phe Met Glu Trp Ile Ala Lys  
 130 135 140

Phe Phe Thr Asp Lys Leu Ile Val Leu Asn Val Asp Asp Glu Tyr Ile  
 145 150 155 160

Ala Ile Asn Lys Leu Lys Phe Lys Arg Asp Lys Val Phe Leu Ile Pro  
 165 170 175

Asn Gly Val Asp Thr Asp Lys Phe Ser Pro Leu Glu Asn Lys Ile Tyr  
 180 185 190

Ser Ser Thr Leu Asn Leu Val Met Val Gly Arg Leu Ser Lys Gln Lys  
 195 200 205

Asp Pro Glu Thr Leu Leu Leu Ala Val Glu Lys Leu Leu Asn Glu Asn  
 210 215 220

Val Asn Val Lys Leu Thr Leu Val Gly Asp Gly Glu Leu Lys Glu Gln  
 225 230 235 240

Leu Glu Ser Arg Phe Lys Arg Gln Asp Gly Arg Ile Ile Phe His Gly  
 245 250 255

Trp Ser Asp Asn Ile Val Asn Ile Leu Lys Val Asn Asp Leu Phe Ile  
 260 265 270

Leu Pro Ser Leu Trp Glu Gly Met Pro Leu Ala Ile Leu Glu Ala Leu  
 275 280 285

Ser Cys Gly Leu Pro Cys Ile Val Thr Asn Ile Pro Gly Asn Asn Ser  
 290 295 300

Leu Ile Glu Asp Gly Tyr Asn Gly Cys Leu Phe Glu Ile Arg Asp Cys  
 305 310 315 320

Gln Leu Leu Ser Gln Lys Ile Met Ser Tyr Val Gly Lys Pro Glu Leu  
 325 330 335

Ile Ala Gln Gln Ser Thr Asn Ala Arg Ser Phe Ile Leu Lys Asn Tyr  
 340 345 350

Gly Leu Val Lys Arg Asn Asn Lys Val Arg Gln Leu Tyr Asp Asn  
 355 360 365

<210> 27

<211> 1272

<212> DNA

<213> Escherichia coli

<220>

<221> CDS

<222> (319)..(1269)

<220>

<221> CDS

<222> (3)..(215)

<400> 27

cc ggg aag cac tcg gcg ctg att gtt gca cat cgt ctg acc acc gcg 47  
 Gly Lys His Ser Ala Leu Ile Val Ala His Arg Leu Thr Thr Ala  
 1 5 10 15

caa cgc tgc gat ctg att gcc gtt att gat aag ggg tta ctt gcg gaa 95  
 Gln Arg Cys Asp Leu Ile Ala Val Ile Asp Lys Gly Leu Leu Ala Glu  
 20 25 30

tac gga acc cac gaa cag ctg tta tct gcg ggc ggc ctc tat acc cgc 143  
 Tyr Gly Thr His Glu Gln Leu Leu Ser Ala Gly Gly Leu Tyr Thr Arg  
 35 40 45

tta tgg cat gac agc gtc agc agt act gct ctc cat cgc cag cac aac 191  
 Leu Trp His Asp Ser Val Ser Ser Thr Ala Leu His Arg Gln His Asn  
 50 55 60

atg aag gag gaa acc ccg gga tag ttactggaca cgtaatgtat taaaaacaca 245  
 Met Lys Glu Glu Thr Pro Gly  
 65 70

gtcagaagcg gcggtaccgt gaatagccgc ttttaattatt tatactgaca tccttaattt 305

ttaaagagta tga atg ctg aac atg caa caa cat ctc tct gct atc gcc 354  
 Met Leu Asn Met Gln Gln His Leu Ser Ala Ile Ala  
 75 80

agc ctg cgc aac caa ctg gca gcg ggc cac att gct aac ctt act gac 402  
 Ser Leu Arg Asn Gln Leu Ala Ala Gly His Ile Ala Asn Leu Thr Asp  
 85 90 95

ttc tgg cgc gaa gct gag tcg ctg aat gtt cct ctt gtg acg cca gtc 450  
 Phe Trp Arg Glu Ala Glu Ser Leu Asn Val Pro Leu Val Thr Pro Val  
 100 105 110 115

gaa gga gcg gaa gat gag cga gaa gtg acc ttt ctg tgg cgc gcc cga 498  
 Glu Gly Ala Glu Asp Glu Arg Glu Val Thr Phe Leu Trp Arg Ala Arg  
 120 125 130

cat cct ctg cag ggc gtt tat ctg cgt ctg aac cgg gtg acg gat aaa 546  
 His Pro Leu Gln Gly Val Tyr Leu Arg Leu Asn Arg Val Thr Asp Lys  
 135 140 145

gag cac gta gaa aaa gga atg atg agc gcc ctt ccc gaa acg gat atc 594  
 Glu His Val Glu Lys Gly Met Met Ser Ala Leu Pro Glu Thr Asp Ile  
 150 155 160

tgg aca ctg aca ctg cgt tta ccc gca agt tac tgc ggc tcc tat tcg 642  
 Trp Thr Leu Thr Leu Arg Leu Pro Ala Ser Tyr Cys Gly Ser Tyr Ser  
 165 170 175

ctg ctg gaa atc ccc ccc ggc act acg gct gag acg att gca ctg tcc 690  
 Leu Leu Glu Ile Pro Pro Gly Thr Thr Ala Glu Thr Ile Ala Leu Ser

180	185	190	195	
gga ggc cgt ttt gcc acc ctt gcc gga aag gcc gat ccg cta aac aaa				738
Gly Gly Arg Phe Ala Thr Leu Ala Gly Lys Ala Asp Pro Leu Asn Lys				
200	205	210		
atg ccg gag atc aac gtt cgg gga aac gca aag gaa tca gtg ctg aca				786
Met Pro Glu Ile Asn Val Arg Gly Asn Ala Lys Glu Ser Val Leu Thr				
215	220	225		
ctt gat aaa gct ccc gcc ctg tcg gaa tgg aac ggc ggc ttc cac acc				834
Leu Asp Lys Ala Pro Ala Leu Ser Glu Trp Asn Gly Gly Phe His Thr				
230	235	240		
gga caa ctg ctt acc tcc atg cgc att atc gcc ggg aaa tct cgc cag				882
Gly Gln Leu Leu Thr Ser Met Arg Ile Ile Ala Gly Lys Ser Arg Gln				
245	250	255		
gtt cgg ctc tat att ccg gat gtt gat att tct cag ccc ctc ggg ctg				930
Val Arg Leu Tyr Ile Pro Asp Val Asp Ile Ser Gln Pro Leu Gly Leu				
260	265	270	275	
gtc gtg ctg ccc gat ggt gaa acc tgg ttt gat cac ctt ggc gta tgc				978
Val Val Leu Pro Asp Gly Glu Thr Trp Phe Asp His Leu Gly Val Cys				
280	285	290		
gcg gca att gac gcc gcc ata aat aat ggg cgc atc gtg ccc gtg gct				1026
Ala Ala Ile Asp Ala Ala Ile Asn Asn Gly Arg Ile Val Pro Val Ala				
295	300	305		
gta ctg ggc att gac aac att aat gaa cat gaa cgc act gag ata ctc				1074
Val Leu Gly Ile Asp Asn Ile Asn Glu His Glu Arg Thr Glu Ile Leu				
310	315	320		
ggc ggg cgc agc aaa ctg ata aag gat atc gcc gga cat ctg ctg ccg				1122
Gly Gly Arg Ser Lys Leu Ile Lys Asp Ile Ala Gly His Leu Leu Pro				
325	330	335		
atg att cgc gct gaa caa ccg cag cgt cag tgg gca gac cgt tcg cgc				1170
Met Ile Arg Ala Glu Gln Pro Gln Arg Gln Trp Ala Asp Arg Ser Arg				
340	345	350	355	
aca gtg ctg gcc ggg cag agc ctc ggc ggg atc agt gcg cta atg ggg				1218
Thr Val Leu Ala Gly Gln Ser Leu Gly Gly Ile Ser Ala Leu Met Gly				
360	365	370		
gct cgt tac gca ccg gaa acg ttc ggt ctg gtg ctc agc cac tct cct				1266
Ala Arg Tyr Ala Pro Glu Thr Phe Gly Leu Val Leu Ser His Ser Pro				



375

380

385

caa tgc  
Gln

1272

&lt;210&gt; 28

&lt;211&gt; 70

&lt;212&gt; PRT

&lt;213&gt; Escherichia coli

&lt;400&gt; 28

Gly Lys His Ser Ala Leu Ile Val Ala His Arg Leu Thr Thr Ala Gln  
1 5 10 15

Arg Cys Asp Leu Ile Ala Val Ile Asp Lys Gly Leu Leu Ala Glu Tyr  
20 25 30

Gly Thr His Glu Gln Leu Leu Ser Ala Gly Gly Leu Tyr Thr Arg Leu  
35 40 45

Trp His Asp Ser Val Ser Ser Thr Ala Leu His Arg Gln His Asn Met  
50 55 60

Lys Glu Glu Thr Pro Gly  
65 70

&lt;210&gt; 29

&lt;211&gt; 317

&lt;212&gt; PRT

&lt;213&gt; Escherichia coli

&lt;400&gt; 29

Met Leu Asn Met Gln Gln His Leu Ser Ala Ile Ala Ser Leu Arg Asn  
1 5 10 15

Gln Leu Ala Ala Gly His Ile Ala Asn Leu Thr Asp Phe Trp Arg Glu  
20 25 30

Ala Glu Ser Leu Asn Val Pro Leu Val Thr Pro Val Glu Gly Ala Glu  
35 40 45

Asp Glu Arg Glu Val Thr Phe Leu Trp Arg Ala Arg His Pro Leu Gln  
50 55 60

Gly Val Tyr Leu Arg Leu Asn Arg Val Thr Asp Lys Glu His Val Glu  
65 70 75 80

[illegible]

<210> 30  
 <211> 4039  
 <212> DNA  
 <213> Escherichia coli

<220>  
 <221> CDS  
 <222> (1) .. (285)

<220>  
 <221> CDS  
 <222> (370) .. (1326)

<400> 30  
 cct tca atg tgg tgg acg cca gaa aga acc agt cga cca ggc ttg ttc 48  
 Pro Ser Met Trp Trp Thr Pro Glu Arg Thr Ser Arg Pro Gly Leu Phe  
 1 5 10 15

agc gaa acc gat acc tca tgg gtg agt gag cat ctg ctt tct gcc cca 96  
 Ser Glu Thr Asp Thr Ser Trp Val Ser Glu His Leu Leu Ser Ala Pro  
 20 25 30

ccg cag ggc gta cgt atc agc ctg tgc gtg gga tgc ctg gaa ggt tgc 144  
 Pro Gln Gly Val Arg Ile Ser Leu Cys Val Gly Ser Leu Glu Gly Ser  
 35 40 45

aca gtg cct cac gtt cag cag ctt cac cag cgg ctg att acc gct ggc 192  
 Thr Val Pro His Val Gln Gln Leu His Gln Arg Leu Ile Thr Ala Gly  
 50 55 60

gtc gaa agc cat tgc gca atc tac acc ggt ggt cac gat tac gca tgg 240  
 Val Glu Ser His Cys Ala Ile Tyr Thr Gly Gly His Asp Tyr Ala Trp  
 65 70 75 80

tgg cgc ggt gca ctg att gac ggg att ggt tta cta cag ggt tga 285  
 Trp Arg Gly Ala Leu Ile Asp Gly Ile Gly Leu Leu Gln Gly  
 85 90 95

gttgacccac aaacactttc aggaaacggt acagacttcc tgaataaatc aaatagtcac 345

ctgcggaaaa ggaataatca tcag atg tat gcc cgc gag tat cgc tca aca 396  
 Met Tyr Ala Arg Glu Tyr Arg Ser Thr  
 100

cgc ccg cat aaa gcg att ttc ttt cat ctt tct tgc ctc acc ctt atc 444  
 Arg Pro His Lys Ala Ile Phe Phe His Leu Ser Cys Leu Thr Leu Ile  
 105 110 115 120

tgt agt gcg caa gtt tat gcg aag ccg gat atg cgg cca ctg ggg ccg	492
Cys Ser Ala Gln Val Tyr Ala Lys Pro Asp Met Arg Pro Leu Gly Pro	
125 130 135	
aat ata gcc gat aaa ggc tcc gtg ttt tac cat ttc agc gtc acc tct	540
Asn Ile Ala Asp Lys Gly Ser Val Phe Tyr His Phe Ser Val Thr Ser	
140 145 150	
ttc gac tct gtc gat ggc aca cgc cat tat cgg gta tgg acg gcc gtg	588
Phe Asp Ser Val Asp Gly Thr Arg His Tyr Arg Val Trp Thr Ala Val	
155 160 165	
ccg aat aca acc gca ccg gca tcg ggt tac ccg att tta tat atg ctt	636
Pro Asn Thr Thr Ala Pro Ala Ser Gly Tyr Pro Ile Leu Tyr Met Leu	
170 175 180	
gac ggt aac gca gtt atg gat cgc ctg gat gac gaa ctg ctc aaa caa	684
Asp Gly Asn Ala Val Met Asp Arg Leu Asp Asp Glu Leu Leu Lys Gln	
185 190 195 200	
ttg tca gaa aaa aca ccg cca gtg atc gtg gct gtc ggg tat cag acc	732
Leu Ser Glu Lys Thr Pro Pro Val Ile Val Ala Val Gly Tyr Gln Thr	
205 210 215	
aac ctc cct ttc gat ctc aac agc agg gct tac gac tat acg cca gca	780
Asn Leu Pro Phe Asp Leu Asn Ser Arg Ala Tyr Asp Tyr Thr Pro Ala	
220 225 230	
gca gaa agc aga aaa aca gat ctc cac tca ggg cgt ttt agc cgt aag	828
Ala Glu Ser Arg Lys Thr Asp Leu His Ser Gly Arg Phe Ser Arg Lys	
235 240 245	
agt ggt ggc agc aac aac ttc cgc cag tta ctg gaa acg cgt att gcc	876
Ser Gly Gly Ser Asn Asn Phe Arg Gln Leu Leu Glu Thr Arg Ile Ala	
250 255 260	
cca aaa gtg gaa cag gga ctg aat atc gat cgg caa cgc cgc ggc tta	924
Pro Lys Val Glu Gln Gly Leu Asn Ile Asp Arg Gln Arg Arg Gly Leu	
265 270 275 280	
tgg ggg cac tcc tac ggc ggc ctc ttc gtg ctg gat tcc tgg ctg tcc	972
Trp Gly His Ser Tyr Gly Gly Leu Phe Val Leu Asp Ser Trp Leu Ser	
285 290 295	
tcc tct tac ttc cgg tcg tac tac agc gcc agc ccg tcg ttg ggc aga	1020
Ser Ser Tyr Phe Arg Ser Tyr Tyr Ser Ala Ser Pro Ser Leu Gly Arg	
300 305 310	

ggt tat gat gct ttg cta agc cgc gtt acg gcg gtt gag cct ctg caa 1068  
 Gly Tyr Asp Ala Leu Leu Ser Arg Val Thr Ala Val Glu Pro Leu Gln  
 315 320 325

ttc tgc gcc aaa cac ctg gcg ata atg gaa ggc tcg gcg aca cag ggt 1116  
 Phe Cys Ala Lys His Leu Ala Ile Met Glu Gly Ser Ala Thr Gln Gly  
 330 335 340

gat aac cgg gaa acg cat gct gtc ggg gtg ctg tcg aaa att cat acc 1164  
 Asp Asn Arg Glu Thr His Ala Val Gly Val Leu Ser Lys Ile His Thr  
 345 350 355 360

acc ctc act ata ctg aaa gat aaa ggc gtc aat gcc gta ttt tgg gat 1212  
 Thr Leu Thr Ile Leu Lys Asp Lys Gly Val Asn Ala Val Phe Trp Asp  
 365 370 375

ttc ccc aac ctg gga cac ggg ccg atg ttc aat gcc tcc ttt cgc cag 1260  
 Phe Pro Asn Leu Gly His Gly Pro Met Phe Asn Ala Ser Phe Arg Gln  
 380 385 390

gca ctg tta gat atc agt ggt gaa aac gca aat tac aca gca ggt tgt 1308  
 Ala Leu Leu Asp Ile Ser Gly Glu Asn Ala Asn Tyr Thr Ala Gly Cys  
 395 400 405

cat gag tta agc cac taa aactgccccg cttttacgcg ggcagtaacgc 1356  
 His Glu Leu Ser His  
 410

ctgaaacact acgatcagaa tgatgcggta actccggcat agtaagccccg gcctggctcg 1416

ttataggtat tcgccccttc agaagatcgg aagatctgtt tattgaggat attactgacg 1476

ccgacattaa gacgcagatt tttattaata tcgtaattga agttcgtccc caccagtga 1536

taagcgccca gctctttacc tgacagaccg ccagtatctt cactgcgggt ttccgcatga 1596

gtacgcgggt tttgtctgcc atataacgtc cagttgacgc tggcagaaaa cgctggggtg 1656

atggtccagt taagcgagtt attgatagta tatttcggga tgaccgacag aggattaccg 1716

gtgtcttttt gctccgaagt gatcatccat gtggcattgg tattccagtt cagacgatct 1776

ttcaccagtg ggaaagacat actggcttcg ataccgtcca ccagagcttt cccgccattc 1836

tgccacttga ggatatatgc gcctgaagcg gtttgccga taacgttatc cccggccacg 1896

atcttattct ggtaatcatt gcggaagtag gtcacacttg cgtggtaatc ttcccagggtg 1956

aactccagcc caatttcttt attgacgctg atttccggat cgagatcttt attaccgatac 2016  
aggttagcacc cgctgatgt aatatctttt ggacagccat tgcctttcga gtagagcaga 2076  
tagccttcac tggattgata caggtttggg gctttaaagg ttcgggcaac ccctgctttg 2136  
actttgaaat aatcgcccaa ttcctgcgaa agattcagac tggggctgaa gttcccgccg 2196  
gagtcgctga gataatcaaa gcgcaggccg ggaatgatat tcgtgccagg aaccggctca 2256  
atgttatctt caatatacag cgactgatt tgagaatgat ttttactgct gcgatccgca 2316  
gcagagccag aaataccgct gatatactg tcattcaccg tcaggctggg agaggaagga 2376  
tcacgagct tatcgcggtt ccactctgca ccaacggta gcgtttgatc aaccatcaca 2436  
ttcaaaggaa tattaagctc gccgctgggt cgccaggaac tcaggcgatt ggtcgtaaac 2496  
ttttcaccg ctaaaatag cccttcacca ccgccgata atccttcatt catgcgggta 2556  
ttattgggtt tctcgtaata aacaccaaag cgactttgtc ccagtcacca gataccatta 2616  
tgcgtaatgc cataattctg tcggtacagg cggctcgtct cttgtgccg attttgccag 2676  
gcttttcggg aactgcactg gaagaactgt tttgcgtatc gccgcataga tattccccctg 2736  
ggggctatat ccggcttcga aatcgagaat ctgctgcgga tttaatttcc acgagacaac 2796  
gccgttaata tctttgttac gtacccttc atgccgggt gcgtttttcg taccgaccgg 2856  
agaattaata tccaactgt cagcatccgt tttattcaga ttaccataca aacgcgtggg 2916  
aagagcatta ccagccagag gccactaag gctgaaattg gcgcgacgc tagcgccctc 2976  
atcgctactt tccggctgat tgggtgtataa cgacagcgaa ccgtgccagt cgttggtggg 3036  
acgtttggta atgatgttca ccaccccc ggctgcccc gaaccgtagc gcgccgccgc 3096  
agggccgcgg atcacttcaa tacgtcaac ctgttcgggt ggacccagt tgggtgcacc 3156  
gcgggtatca cgctctccac gccagctata acgcacggag ttacgtgacg tcaccggtac 3216  
accatcaatt aaaattaagg tgttttcgg cccatacca cgaatatcga tctggcggtt 3276  
gttaccggt gtgcccagg cgctattgcc ggtaagattg acgccaggca ttttacgaat 3336  
aatatctgaa aggtcgttta ccggaggggt ctttttaata tcctcgctgg taataaccga 3396

cacgcccggc tgctgtttta atacctgctc agcgggtggct tccaccacca gagtctcgtc 3456  
 attatcatcg tcggaggatt tggctactga tacctggcta ttcaacccaa ccaggagcac 3516  
 agttagcgac cagaggattt tgtaattct catacctatt ccctaataaa tgcctaactt 3576  
 aaaatgtttg atcgtaagc tcacatcctt gccagatatt ttttactgcc attattgttt 3636  
 ttatataaga atgataatta atatcattta gcaaaagaaa aagcaatccc tcacaagata 3696  
 aatatatcga tttttcataa atatcaaatt gatatataac atatgttttt tatttcattg 3756  
 tacttcagtc aaataaattt ctgaagcact gctagtagtg ccagttcagc tttctttttg 3816  
 actcattccg gcaaagtcag taccgttcat cttttgtact gatgttgcca ctggaaaatc 3876  
 ggtgcgcttg tcgatcatcg ggaattttgt cacaatttct aacggatagt gttcacattg 3936  
 tttctaacct gcattttcag acacggggcg tgcttatgta tataagatca gcactactag 3996  
 gtctttctgc aacactactg ctttcaacaa ggtcaggcat ttc 4039

&lt;210&gt; 31

&lt;211&gt; 94

&lt;212&gt; PRT

&lt;213&gt; Escherichia coli

&lt;400&gt; 31

Pro Ser Met Trp Trp Thr Pro Glu Arg Thr Ser Arg Pro Gly Leu Phe  
 1 5 10 15

Ser Glu Thr Asp Thr Ser Trp Val Ser Glu His Leu Leu Ser Ala Pro  
 20 25 30

Pro Gln Gly Val Arg Ile Ser Leu Cys Val Gly Ser Leu Glu Gly Ser  
 35 40 45

Thr Val Pro His Val Gln Gln Leu His Gln Arg Leu Ile Thr Ala Gly  
 50 55 60

Val Glu Ser His Cys Ala Ile Tyr Thr Gly Gly His Asp Tyr Ala Trp  
 65 70 75 80

Trp Arg Gly Ala Leu Ile Asp Gly Ile Gly Leu Leu Gln Gly  
 85 90

&lt;210&gt; 32

&lt;211&gt; 318

&lt;212&gt; PRT

&lt;213&gt; Escherichia coli

&lt;400&gt; 32

Met Tyr Ala Arg Glu Tyr Arg Ser Thr Arg Pro His Lys Ala Ile Phe  
 1 5 10 15

Phe His Leu Ser Cys Leu Thr Leu Ile Cys Ser Ala Gln Val Tyr Ala  
 20 25 30

Lys Pro Asp Met Arg Pro Leu Gly Pro Asn Ile Ala Asp Lys Gly Ser  
 35 40 45

Val Phe Tyr His Phe Ser Val Thr Ser Phe Asp Ser Val Asp Gly Thr  
 50 55 60

Arg His Tyr Arg Val Trp Thr Ala Val Pro Asn Thr Thr Ala Pro Ala  
 65 70 75 80

Ser Gly Tyr Pro Ile Leu Tyr Met Leu Asp Gly Asn Ala Val Met Asp  
 85 90 95

Arg Leu Asp Asp Glu Leu Leu Lys Gln Leu Ser Glu Lys Thr Pro Pro  
 100 105 110

Val Ile Val Ala Val Gly Tyr Gln Thr Asn Leu Pro Phe Asp Leu Asn  
 115 120 125

Ser Arg Ala Tyr Asp Tyr Thr Pro Ala Ala Glu Ser Arg Lys Thr Asp  
 130 135 140

Leu His Ser Gly Arg Phe Ser Arg Lys Ser Gly Gly Ser Asn Asn Phe  
 145 150 155 160

Arg Gln Leu Leu Glu Thr Arg Ile Ala Pro Lys Val Glu Gln Gly Leu  
 165 170 175

Asn Ile Asp Arg Gln Arg Arg Gly Leu Trp Gly His Ser Tyr Gly Gly  
 180 185 190

Leu Phe Val Leu Asp Ser Trp Leu Ser Ser Ser Tyr Phe Arg Ser Tyr  
 195 200 205

Tyr Ser Ala Ser Pro Ser Leu Gly Arg Gly Tyr Asp Ala Leu Leu Ser  
 210 215 220



Arg Val Thr Ala Val Glu Pro Leu Gln Phe Cys Ala Lys His Leu Ala  
 225 230 235 240

Ile Met Glu Gly Ser Ala Thr Gln Gly Asp Asn Arg Glu Thr His Ala  
 245 250 255

Val Gly Val Leu Ser Lys Ile His Thr Thr Leu Thr Ile Leu Lys Asp  
 260 265 270

Lys Gly Val Asn Ala Val Phe Trp Asp Phe Pro Asn Leu Gly His Gly  
 275 280 285

Pro Met Phe Asn Ala Ser Phe Arg Gln Ala Leu Leu Asp Ile Ser Gly  
 290 295 300

Glu Asn Ala Asn Tyr Thr Ala Gly Cys His Glu Leu Ser His  
 305 310 315

<210> 33

<211> 3292

<212> DNA

<213> Escherichia coli

<400> 33

ccgctgcggt tgattgccgg atgcggcgtg aacgccttat ccggcctaca atcattgcaa 60  
 attcaataaa ttgcagcggt ctgtaggctg gataagatgc gtcagcatcg catccggcaa 120  
 aggcagatct cagcgatagc gccggcttag tcagatttaa tctgcgcgcg tgggtggatat 180  
 tttttcagga tctccatata cgcgtgcatt tcggtctgta gcggtacacc catcggaata 240  
 tggcgacgcg cgatagagtc gctttcctgc ggatcgggtg acagggttaa caccgacgat 300  
 cccgccgttt gcattactgt gccggtgaat ccaccctgat atccgctctg ggtataagcg 360  
 taagggttgct gaatcaggac gtgatacttg aactcatcca tacgcacagc agaaagttaa 420  
 ccggttagga agtagtgctc ggccttacgg ttagactgac catttggtcc caggaagaaa 480  
 gatgtctggt ccacaccatc gataaagggt gttttcggta ctaaattcgc tactttcgcc 540  
 ccaggatgcc ccgccagatc cagcgccgta gggaagagat ccgccagatc gacaatgccg 600  
 tcagatttac gcggttggtat catgcctttc cagtaaacga aggttggcac acgaacgccg 660  
 ccttcccatg tagaaccttt cgcaccgcgg aacggcgtgc gaccgtgcgg cggaacttcg 720  
 gcttccggac cgttatcaga ggtgaacaca atcagcgtgt tatcaagctg accgtttttc 780  
 tccagtgctt tatacagatt ggcgaagata tcgttcatct ccaccatgca gtcgccgtaa 840  
 gaggtgcgcg ccggagagct acccgcatat ttggcgttcg ggtagttatc gaagtgcacg 900  
 ccgcgagtgc cgtaatagag gaagaaaggc ttatcactct tcgccatctt gtcgaggaac 960  
 ttaacgccat attccatcca gcgttgatcc aggtcttcca tatatttcgg cgtaatgtcg 1020  
 gcaatggctt cctgttcacc gccgcgcacg gcatgaacgt catctttgct gaacggcagt 1080  
 ttttggtatg attcagaacg agccgggctc agggcgactt ccgggttgac atgaacatca 1140  
 cgccattcgg tatacatatc ggacaccgag ttaaagccgc ggaaatcatc aaagccaacg 1200  
 ttctgcggct gcgactcttt gttttccccc atatgccatt tcccgatagc ctgggtgacg 1260  
 tagccctgat cgtgcagcaa ctgcggcagc gtggttaacc cttgcagacc gcccggttgc 1320

ccgtacattg gcggcatcag aatgccgtgg tggatggagt attgtccggt gagaatcgtg 1380  
 gcgcggggtt gggaagaact cggttgagaa tacgccgaag ttaaaatcag cccctggctg 1440  
 gcaacggcgt cgatatctgg tgtaggggta ccaccgccca cgccgccgcc gttaaagcca 1500  
 acgtccatcc agcccacatc atccagcaag aaaacaacca cgttcgggtt cttaccgggt 1560  
 tttttctcaa gttccgccag tttctgctgg gtttctttgt cttgtgcagg atgctgcac 1620  
 accggcatca tgttgtcggc aatagtgggc gccggtttaa ccagatactg gtttggtgga 1680  
 tcgtatccgg caaagccttt gcgtgcgggt gcggttgacg gggatatctgc tgcgctggct 1740  
 atgagaggaa gagctgcggc gacagcaaca acaagaagtt tgggtgaaaa cgaaaattcc 1800  
 atgcaaaatg ctccgggttc atgtcgtcaa aatgatgacg taattaagca ttgataattg 1860  
 agatccctct ccctgacagg atgattgcat aaataatagt gataaaaata aattatttat 1920  
 ttatccagaa atgaattgaa aaatcaggag agcattttca atcctacctc tggcgcagg 1980  
 gatattgtaa ggcggtgatg ttatatcgcg ttgattattg atgctgtttt tagttttaac 2040  
 ggcattaata tatatgttat taattgaatg acttttatta ttcattatat atatgtgtag 2100  
 aattgtgcgc aggagaaata ttcactcagg aagttattac tcaggaagca aagaggatta 2160  
 cagaattatc tcataacaag tgtaagggga tgttatttcc cggttctctg tggcataata 2220  
 aacgagtaga tgctcattcc atctcttatg ttgccttag tgcctcataa actccggaat 2280  
 gacgcagagc cgtttacggt gcttatcgtc cactgacaga tgtcgcttat gcctcatcag 2340  
 acaccatgga cacaacgttg agtgaagcac ccacttggtg tcatacagac ctgttttaac 2400  
 gcctgctccg taataagagc aggcgttttt ttatatatca gaaaggcccc ggaggtgctt 2460  
 gcctccgggt gagaaagagc tactgtggcg ggttgttctg caacgttaac atcaaaccgt 2520  
 cgcgacgat cgctgcggct tcttccggct tgtgcagtct gtccagcgcg tcggcaagcc 2580  
 atgcgtaatc gtaggcgtcc ggacgttggt tcagcgctgc gcggaaggcg agcgatgctt 2640  
 cctgccattc tccgtgtttc atcagcgact gaccagtggt gctccacaac agcgggcgat 2700  
 cgccacgtt tttgatctgt tggcgcagca ctttttccaa gctgttcccg ggtaattgg 2760  
 gttttcagac gccggggatc ggcagcagca ggccgaatcg tcatactggc gtttcaggcc 2820  
 atcgatgata atttgctggg cagtatcatg atcgtcacac tcaataagat gttccgccat 2880  
 tgccacctgc aaggccacct gatgacgcgt tttccggctt tggtttttcc accagttacg 2940  
 caaaccttca ctaccgttat cggcacgcgc ctgatccatc aggccaatcc atgcctgttg 3000  
 ttccagcatt gcacgatgtt cttcatcacc aacatgggct ttccgccattg atgggatgat 3060  
 atccagcagc gaactccatg caccagtgcg gatatacgcc tgttccgccca gacgtaatac 3120  
 ttccgatgg cgtggcgtaa cttccagcag cttatccacg ccgtgacgtg ctgcatgggt 3180  
 ttcatcagc gccagttgca gacgtacacg ggtgatttct accggaatgg tgtcattgcc 3240  
 ggccagctcc gctgcgcgtt ccagatgttg gttggcgcgt gcttcagcat cc 3292

<210> 34

<211> 11165

<212> DNA

<213> Escherichia coli

<220>

<221> CDS

<222> (3791)..(4834)

<220>

<221> CDS

<222> (10459)..(10776)

<220>  
<221> CDS  
<222> (10134) .. (10427)

<220>  
<221> CDS  
<222> (9836) .. (10081)

<220>  
<221> CDS  
<222> (7816) .. (9480)

<220>  
<221> CDS  
<222> (4878) .. (7802)

<220>  
<221> CDS  
<222> (3460) .. (3702)

<220>  
<221> CDS  
<222> (3054) .. (3407)

<220>  
<221> CDS  
<222> (2613) .. (3041)

<220>  
<221> CDS  
<222> (2198) .. (2530)

<220>  
<221> CDS  
<222> (1939) .. (2196)

<220>  
<221> CDS  
<222> (1573) .. (1893)

<220>  
<221> CDS  
<222> (1102) .. (1485)

<220>  
<221> CDS  
<222> (2) .. (1099)

&lt;400&gt; 34

```

c agc gat atg cag cgc ggt atc cag gct gca acg gct gca ctt cag ggc 49
  Ser Asp Met Gln Arg Gly Ile Gln Ala Ala Thr Ala Ala Leu Gln Gly
    1             5             10             15

ctg gtg ggc ggc aat atg gca ggc gcg ctg gca ggt gct tca gcg ccg 97
Leu Val Gly Gly Asn Met Ala Gly Ala Leu Ala Gly Ala Ser Ala Pro
      20             25             30

gag ctg gcg aac atc atc ggt cat cac gcg ggt att gat gac aat aca 145
Glu Leu Ala Asn Ile Ile Gly His His Ala Gly Ile Asp Asp Asn Thr
      35             40             45

gcg gca aaa gcc att gcc cat gcc att ctc ggt ggt gtg aca gca gcc 193
Ala Ala Lys Ala Ile Ala His Ala Ile Leu Gly Gly Val Thr Ala Ala
      50             55             60

ctt cag ggc aac agt gcg gca gca ggc gca att ggt gcg ggt act ggt 241
Leu Gln Gly Asn Ser Ala Ala Ala Gly Ala Ile Gly Ala Gly Thr Gly
      65             70             75             80

gaa gtg atc gcg tca gcc att gcg aaa agc ctc tac ccg ggc gta gat 289
Glu Val Ile Ala Ser Ala Ile Ala Lys Ser Leu Tyr Pro Gly Val Asp
      85             90             95

ccg tcg aaa ctg aca gaa gat cag aag caa act gta agc acg ctg gca 337
Pro Ser Lys Leu Thr Glu Asp Gln Lys Gln Thr Val Ser Thr Leu Ala
      100            105            110

acg ctg tca gcg ggt atg gcc ggc ggc att gcc agt ggc gat gtg gct 385
Thr Leu Ser Ala Gly Met Ala Gly Gly Ile Ala Ser Gly Asp Val Ala
      115            120            125

ggc gcg gct gct gga gct ggt gcc ggg aag aac gtt gtt gag aat aat 433
Gly Ala Ala Ala Gly Ala Gly Ala Gly Lys Asn Val Val Glu Asn Asn
      130            135            140

gcg ctg agt ctg gtt gcc aga ggc tgt gcg gtc gca gca cct tgc agg 481
Ala Leu Ser Leu Val Ala Arg Gly Cys Ala Val Ala Ala Pro Cys Arg
      145            150            155            160

act aaa gtt gca gag cag ttg cta gaa atc ggg gcg aaa gcg ggc atg 529
Thr Lys Val Ala Glu Gln Leu Leu Glu Ile Gly Ala Lys Ala Gly Met
      165            170            175

gcc ggg ctt gcc ggg gcg gca gtc aag gat atg gcc gac agg atg acc 577
Ala Gly Leu Ala Gly Ala Ala Val Lys Asp Met Ala Asp Arg Met Thr
      180            185            190

```

tcc gat gaa ctg gag cat ctg att acc ctg caa atg atg ggt aat gat 625  
 Ser Asp Glu Leu Glu His Leu Ile Thr Leu Gln Met Met Gly Asn Asp  
 195 200 205

gag atc act act aag tat ctc agt tcg ttg cat gat aag tac ggt tcc 673  
 Glu Ile Thr Thr Lys Tyr Leu Ser Ser Leu His Asp Lys Tyr Gly Ser  
 210 215 220

ggg gct gcc tcg aat ccg aat atc ggt aaa gat ctg acc gat gcg gaa 721  
 Gly Ala Ala Ser Asn Pro Asn Ile Gly Lys Asp Leu Thr Asp Ala Glu  
 225 230 235 240

aaa gta gaa ctg ggc ggt tcc ggc tca gga acc ggt aca cca cca cca 769  
 Lys Val Glu Leu Gly Gly Ser Gly Ser Gly Thr Gly Thr Pro Pro Pro  
 245 250 255

tcg gaa aat gat cct aag cag caa aat gaa aaa act gta gat aag ctt 817  
 Ser Glu Asn Asp Pro Lys Gln Gln Asn Glu Lys Thr Val Asp Lys Leu  
 260 265 270

aat cag aag caa gaa agt gcg att aag aag atc gat aac act ata aaa 865  
 Asn Gln Lys Gln Glu Ser Ala Ile Lys Lys Ile Asp Asn Thr Ile Lys  
 275 280 285

aat gct ctg aaa gat cat gat att att gga act ctc aag gat atg gat 913  
 Asn Ala Leu Lys Asp His Asp Ile Ile Gly Thr Leu Lys Asp Met Asp  
 290 295 300

ggt aag cca gtt cct aaa gag aat gga gga tat tgg gat cat atg cag 961  
 Gly Lys Pro Val Pro Lys Glu Asn Gly Gly Tyr Trp Asp His Met Gln  
 305 310 315 320

gaa atg caa aat acg ctc aga gga tta aga aat cat gcg gat acg ttg 1009  
 Glu Met Gln Asn Thr Leu Arg Gly Leu Arg Asn His Ala Asp Thr Leu  
 325 330 335

aaa aac gtc aac aat cct gaa gct cag gct gcg tat ggc aga gca aca 1057  
 Lys Asn Val Asn Asn Pro Glu Ala Gln Ala Ala Tyr Gly Arg Ala Thr  
 340 345 350

gat gct att aat aaa ata gaa tca gcc ttg aaa gga tat gga at atg 1104  
 Asp Ala Ile Asn Lys Ile Glu Ser Ala Leu Lys Gly Tyr Gly Met  
 355 360 365

att acc tta cgt aaa ttg att gga aac atc aat atg aca aaa gag cct 1152  
 Ile Thr Leu Arg Lys Leu Ile Gly Asn Ile Asn Met Thr Lys Glu Pro  
 370 375 380

gag caa caa tca ccg ctt gaa ctc tgg ttc gaa cgt atc ata gat gtg 1200  
 Glu Gln Gln Ser Pro Leu Glu Leu Trp Phe Glu Arg Ile Ile Asp Val  
 385 390 395

cct ctt gaa aag tta aca gtg gaa gat ctt tgc cgc gct atc cga caa 1248  
 Pro Leu Glu Lys Leu Thr Val Glu Asp Leu Cys Arg Ala Ile Arg Gln  
 400 405 410 415

aat tta tgt att gat cag ttg atg cca aga gtg ttg gaa gtt cta act 1296  
 Asn Leu Cys Ile Asp Gln Leu Met Pro Arg Val Leu Glu Val Leu Thr  
 420 425 430

aaa gag ccg tta gcg ggt gaa tat tac gat ggt gaa cta att gca gct 1344  
 Lys Glu Pro Leu Ala Gly Glu Tyr Tyr Asp Gly Glu Leu Ile Ala Ala  
 435 440 445

tta tca acg ata aaa gga gaa gat cta aaa gat cag aaa agt acc ttt 1392  
 Leu Ser Thr Ile Lys Gly Glu Asp Leu Lys Asp Gln Lys Ser Thr Phe  
 450 455 460

acc caa ata agg caa ctt ata aac cag cta gaa ccg tca gat att aac 1440  
 Thr Gln Ile Arg Gln Leu Ile Asn Gln Leu Glu Pro Ser Asp Ile Asn  
 465 470 475

gat gat tta aga aaa gat ata tta aaa atc aat cag ata att gta 1485  
 Asp Asp Leu Arg Lys Asp Ile Leu Lys Ile Asn Gln Ile Ile Val  
 480 485 490

taactaatcc cggccactga gccgagatct tctttgtgtg ccgggcatgt tcagcagctt 1545

ggggggtgaaa gtccctgtc cagcctg atg gtg gcg aag gcg ttc gcg tac gca 1599  
 Met Val Ala Lys Ala Phe Ala Tyr Ala  
 495 500

ctt aac cag tgg ccg gca ctg acg tac tat gcg aac gat ggc tgg gtg 1647  
 Leu Asn Gln Trp Pro Ala Leu Thr Tyr Tyr Ala Asn Asp Gly Trp Val  
 505 510 515

gaa atc gac aac aac atc gct gaa aat gcc ctg cgg gcg gtc agt ctg 1695  
 Glu Ile Asp Asn Asn Ile Ala Glu Asn Ala Leu Arg Ala Val Ser Leu  
 520 525 530 535

ggt cgt aaa aac ttc ctg ttc ttc ggc tct gac cat ggt ggt gag cgg 1743  
 Gly Arg Lys Asn Phe Leu Phe Phe Gly Ser Asp His Gly Gly Glu Arg  
 540 545 550

gga gcg cta ctg tac agc ctg atc ggg acg tgc aaa ctg aat gac gtg 1791

Gly Ala Leu Leu Tyr Ser Leu Ile Gly Thr Cys Lys Leu Asn Asp Val  
 555 560 565

gat cca gaa agc tac ctt cgc cat gtg ctt gcc gtc ata gca gac tgg 1839  
 Asp Pro Glu Ser Tyr Leu Arg His Val Leu Ala Val Ile Ala Asp Trp  
 570 575 580

ccg gtc aac cgg gtc agc gaa ctg ctt ccg tgg cgc ata gca ctg cca 1887  
 Pro Val Asn Arg Val Ser Glu Leu Leu Pro Trp Arg Ile Ala Leu Pro  
 585 590 595

gct gaa taacacatcc ccgtcaatac ggccctcgct gtacgcttac agaaa atg ctg 1944  
 Ala Glu Met Leu  
 600

atg tct gta cag aaa gaa aag aac gtc gca gag agt gtg gta tct gaa 1992  
 Met Ser Val Gln Lys Glu Lys Asn Val Ala Glu Ser Val Val Ser Glu  
 605 610 615

acg cat acc ggc gac agc gta tat gct tcc ctg ttt gaa aaa att aac 2040  
 Thr His Thr Gly Asp Ser Val Tyr Ala Ser Leu Phe Glu Lys Ile Asn  
 620 625 630 635

ctg aat ccg gta tct gcc ctg agt gca ctg gat aac cct ttc cgg tca 2088  
 Leu Asn Pro Val Ser Ala Leu Ser Ala Leu Asp Asn Pro Phe Arg Ser  
 640 645 650

gca gat aac gcg act ggc aga att acc tcc agc ata caa cct gcg gtg 2136  
 Ala Asp Asn Ala Thr Gly Arg Ile Thr Ser Ser Ile Gln Pro Ala Val  
 655 660 665

cag tgc gca gct gct gca gca act gag ggt tct tgt ccc cgg caa tcc 2184  
 Gln Cys Ala Ala Ala Ala Ala Thr Glu Gly Ser Cys Pro Arg Gln Ser  
 670 675 680

ccg tgt tca gga a atg gtg gat aac tgg cag aag agt gta agg agt cgt 2233  
 Pro Cys Ser Gly Met Val Asp Asn Trp Gln Lys Ser Val Arg Ser Arg  
 685 690 695

gcg ctc ccg gaa gag gcg atg acg ggc tgg aac gaa ggc atg atc cgc 2281  
 Ala Leu Pro Glu Glu Ala Met Thr Gly Trp Asn Glu Gly Met Ile Arg  
 700 705 710 715

tta cag cag ttg gct gag cgc ctg aac cgt cag gat gaa cag cgg gga 2329  
 Leu Gln Gln Leu Ala Glu Arg Leu Asn Arg Gln Asp Glu Gln Arg Gly  
 720 725 730

aaa tac atg acg gtc agt gaa ctg aaa acg gag gtg ttt ggc atc atg 2377

Lys Tyr Met Thr Val Ser Glu Leu Lys Thr Glu Val Phe Gly Ile Met	
735 740 745	
cag gct ttt aac cgg cat atc ccg gcg gaa gag cag tta cgt cgc tac	2425
Gln Ala Phe Asn Arg His Ile Pro Ala Glu Glu Gln Leu Arg Arg Tyr	
750 755 760	
ggg gaa gtc cgt aac cag aat ggc agt gaa cag cag caa aaa cag gct	2473
Gly Glu Val Arg Asn Gln Asn Gly Ser Glu Gln Gln Gln Lys Gln Ala	
765 770 775	
gaa atg gcg cta aat cag tta att aac cgt tat cag atg ata cgt gca	2521
Glu Met Ala Leu Asn Gln Leu Ile Asn Arg Tyr Gln Met Ile Arg Ala	
780 785 790 795	
ggc aaa caa tagtggtagc cataatgcag gagcaaagcc tgaatcagga	2570
Gly Lys Gln	
agagttattc tgactgagtt tggttttctg gcgattcttg tg atg gtg gga tgt	2624
Met Val Gly Cys	
800	
gct tgg tta gct gaa cag gcc ttt tcc gac cat gcg ctt tca cca cac	2672
Ala Trp Leu Ala Glu Gln Ala Phe Ser Asp His Ala Leu Ser Pro His	
805 810 815	
agt gct tgg ccg tac agt gca tcg cgc gat gcc ggg ctg gcc gat acg	2720
Ser Ala Trp Pro Tyr Ser Ala Ser Arg Asp Ala Gly Leu Ala Asp Thr	
820 825 830	
ggc gcg ggc ggc tat ccc act tgt aaa cag cgg tgg gcc gac gac acc	2768
Gly Ala Gly Gly Tyr Pro Thr Cys Lys Gln Arg Trp Ala Asp Asp Thr	
835 840 845 850	
gtt ggg ctg aaa gcc cgt cta ctg caa ctt cct gcc cta gat atc tgg	2816
Val Gly Leu Lys Ala Arg Leu Leu Gln Leu Pro Ala Leu Asp Ile Trp	
855 860 865	
acg gcg ttt aaa aaa atc gac cag tcg cag gta gtg tat gaa gag gcc	2864
Thr Ala Phe Lys Lys Ile Asp Gln Ser Gln Val Val Tyr Glu Glu Ala	
870 875 880	
gtg ctg cgc tcg cgg gtc agt gaa cga aat atg cag gta tcg cag aat	2912
Val Leu Arg Ser Arg Val Ser Glu Arg Asn Met Gln Val Ser Gln Asn	
885 890 895	
ggg cgc gtt tat cca agc tat ggc ggt aac gtt gat ggc acc gtc gcc	2960
Gly Arg Val Tyr Pro Ser Tyr Gly Gly Asn Val Asp Gly Thr Val Ala	



900	905	910	
aat gcc gcc acc cgg ttg gca tcc ggc gct aga aat atc ctc ggc agc			3008
Asn Ala Ala Thr Arg Leu Ala Ser Gly Ala Arg Asn Ile Leu Gly Ser			
915	920	925	930
ata gcg gca tgt acg gca ttc gac agc gtg cgt taggcactac cg atg gta			3059
Ile Ala Ala Cys Thr Ala Phe Asp Ser Val Arg			Met Val
935	940		
cag gcg cag ctg caa ata gcg ctg gtg atc tgt att ccg ctg ata acg			3107
Gln Ala Gln Leu Gln Ile Ala Leu Val Ile Cys Ile Pro Leu Ile Thr			
945	950	955	
ctc tgt tcg gcg tgg gat gtg aaa gta gtg atg acg ctg acg ttt gtg			3155
Leu Cys Ser Ala Trp Asp Val Lys Val Val Met Thr Leu Thr Phe Val			
960	965	970	975
cag ttt gca cta ttt ttc ctc acc ttt tgg tgg gaa ctg gca cgg tgg			3203
Gln Phe Ala Leu Phe Phe Leu Thr Phe Trp Trp Glu Leu Ala Arg Trp			
980	985	990	
ctt gat agc tgg ctg ctg gat gtg ctc tac aac agc gat acc cac agt			3251
Leu Asp Ser Trp Leu Leu Asp Val Leu Tyr Asn Ser Asp Thr His Ser			
995	1000	1005	
agc tgg aat tta gcc ggg atc cag aat acg cag gat gac gtg att atc			3299
Ser Trp Asn Leu Ala Gly Ile Gln Asn Thr Gln Asp Asp Val Ile Ile			
1010	1015	1020	
aat ctg gtg atg agg ttg atg ttt ctg gtg ttg ccg aca ttc tgg ctg			3347
Asn Leu Val Met Arg Leu Met Phe Leu Val Leu Pro Thr Phe Trp Leu			
1025	1030	1035	
ggg gcg atg acg tgg gct gga gtg agg gtt ggc gtg gcg ctg aat gga			3395
Gly Ala Met Thr Trp Ala Gly Val Arg Val Gly Val Ala Leu Asn Gly			
1040	1045	1050	1055
gcg ctg gcg gga tgattgggag gtgattcgcc aatctcactt tcctatacac			3447
Ala Leu Ala Gly			
atataaaatg ta atg aaa tat ctc ttt ttt gag aat ata cat tct ata ttt			3498
Met Lys Tyr Leu Phe Phe Glu Asn Ile His Ser Ile Phe			
1060	1065	1070	
tta aca ttc agt ctc ttc cga aca tct gtg tcg cct gat ttc cca atg			3546
Leu Thr Phe Ser Leu Phe Arg Thr Ser Val Ser Pro Asp Phe Pro Met			
1075	1080	1085	

att ttt gca ttg ccc tca atc att tta ggt caa ttt acg acc aac caa 3594  
 Ile Phe Ala Leu Pro Ser Ile Ile Leu Gly Gln Phe Thr Thr Asn Gln  
 1090 1095 1100

tta act aac ttt gtg ata tgt atg ggt aac acc gtt gaa cgt cgg ctg 3642  
 Leu Thr Asn Phe Val Ile Cys Met Gly Asn Thr Val Glu Arg Arg Leu  
 1105 1110 1115 1120

ggt gtt gtt cat aat ccc ttt aaa agg tct ggg gat ggc cat gac ctc 3690  
 Gly Val Val His Asn Pro Phe Lys Arg Ser Gly Asp Gly His Asp Leu  
 1125 1130 1135

agg gcg gta gcg tgaccaaagt tcatatccat accaattatt tttatttaaa 3742  
 Arg Ala Val Ala  
 1140

atatcaactt attcgagttg ttttatttag ttcaaagaag gtatcaaa ttg ata gtt 3799  
 Leu Ile Val

ata gat ttt ttt tgt ggc tgt ggt gga gcc agt gaa ggg cta cgt cag 3847  
 Ile Asp Phe Phe Cys Gly Cys Gly Gly Ala Ser Glu Gly Leu Arg Gln  
 1145 1150 1155

gct ggc ttt gat atc gag ctt gga tta gat att gac caa caa gca tca 3895  
 Ala Gly Phe Asp Ile Glu Leu Gly Leu Asp Ile Asp Gln Gln Ala Ser  
 1160 1165 1170 1175

gaa aca ttt aaa gct aat ttc cct gat gca aaa ttc atc caa gat gat 3943  
 Glu Thr Phe Lys Ala Asn Phe Pro Asp Ala Lys Phe Ile Gln Asp Asp  
 1180 1185 1190

att agg aaa atc gaa cct caa gat atc tcc gac atc att gat att aaa 3991  
 Ile Arg Lys Ile Glu Pro Gln Asp Ile Ser Asp Ile Ile Asp Ile Lys  
 1195 1200 1205

gct aaa cgg cct ttg tta ctg agt gca tgt gca cca tgt caa cca ttt 4039  
 Ala Lys Arg Pro Leu Leu Leu Ser Ala Cys Ala Pro Cys Gln Pro Phe  
 1210 1215 1220

tcg caa cag aat aaa aat aaa act agt gac gac tca agg aga aat cta 4087  
 Ser Gln Gln Asn Lys Asn Lys Thr Ser Asp Asp Ser Arg Arg Asn Leu  
 1225 1230 1235

cta aat gaa act cat cgt ttt att aga gaa ctt ctt cct gaa tat att 4135  
 Leu Asn Glu Thr His Arg Phe Ile Arg Glu Leu Leu Pro Glu Tyr Ile  
 1240 1245 1250 1255

atg ctt gaa aat gtt cct gga atg caa aaa att gat gaa gaa aaa gaa	4183
Met Leu Glu Asn Val Pro Gly Met Gln Lys Ile Asp Glu Glu Lys Glu	
1260 1265 1270	
ggc cca ttt cag gag ttt att aag cta ctt aaa gag tta gag tat aac	4231
Gly Pro Phe Gln Glu Phe Ile Lys Leu Leu Lys Glu Leu Glu Tyr Asn	
1275 1280 1285	
tat ata tct ttt ata gcc aat gct gag aac tat ggg att ccc caa aga	4279
Tyr Ile Ser Phe Ile Ala Asn Ala Glu Asn Tyr Gly Ile Pro Gln Arg	
1290 1295 1300	
aga aaa aga ctc gtg ctc tta gct agt cga gta ggt aaa gtt acc cta	4327
Arg Lys Arg Leu Val Leu Leu Ala Ser Arg Val Gly Lys Val Thr Leu	
1305 1310 1315	
cca gag ata acc cat ggt aaa aat aaa atc cca ttc aaa act gta cga	4375
Pro Glu Ile Thr His Gly Lys Asn Lys Ile Pro Phe Lys Thr Val Arg	
1320 1325 1330 1335	
gat tat atc cag gac ttc aca aag tta tgt tca gga gaa acc gac ccc	4423
Asp Tyr Ile Gln Asp Phe Thr Lys Leu Cys Ser Gly Glu Thr Asp Pro	
1340 1345 1350	
aaa gat cct tta cat agg gct gga aca ctg agc cct ctt aac cta aaa	4471
Lys Asp Pro Leu His Arg Ala Gly Thr Leu Ser Pro Leu Asn Leu Lys	
1355 1360 1365	
aga att atg cac act cca gaa gga ggg gat aga aga aat tgg cca gaa	4519
Arg Ile Met His Thr Pro Glu Gly Gly Asp Arg Arg Asn Trp Pro Glu	
1370 1375 1380	
gag tta gtt aat aaa tgc cat aaa aat tat gat ggc cac aca gat act	4567
Glu Leu Val Asn Lys Cys His Lys Asn Tyr Asp Gly His Thr Asp Thr	
1385 1390 1395	
tat gga aga atg agt tgg gat aag cct gcg cct aca ctt acg acg aaa	4615
Tyr Gly Arg Met Ser Trp Asp Lys Pro Ala Pro Thr Leu Thr Thr Lys	
1400 1405 1410 1415	
tgt aat agt tac tcc aat ggt cgt ttt ggg cat cct gac ccc act caa	4663
Cys Asn Ser Tyr Ser Asn Gly Arg Phe Gly His Pro Asp Pro Thr Gln	
1420 1425 1430	
cat aga gca att agc ata aga gaa gca tca aga tta caa aca ttt cct	4711
His Arg Ala Ile Ser Ile Arg Glu Ala Ser Arg Leu Gln Thr Phe Pro	
1435 1440 1445	

tta agc tat gtt ttt aaa ggt tcg ctg aat tca atg gca aag caa atc	4759
Leu Ser Tyr Val Phe Lys Gly Ser Leu Asn Ser Met Ala Lys Gln Ile	
1450 1455 1460	
ggc aat gct gta cct tgc gaa ctc gct aga cta ttt ggg cta cat ctc	4807
Gly Asn Ala Val Pro Cys Glu Leu Ala Arg Leu Phe Gly Leu His Leu	
1465 1470 1475	
ata gaa aat tgt act aat aag gat tca tagatatatg gctaaaataa	4854
Ile Glu Asn Cys Thr Asn Lys Asp Ser	
1480 1485	
gaacaaaggc tcgagctttg gac atg ctt ggc aga caa caa att gca ggt ata	4907
Met Leu Gly Arg Gln Gln Ile Ala Gly Ile	
1490 1495	
cct act gcc ttg agt gag tta ttt aaa aat gct cat gat gcc tat gct	4955
Pro Thr Ala Leu Ser Glu Leu Phe Lys Asn Ala His Asp Ala Tyr Ala	
1500 1505 1510	
gat aat gtc gaa gtt gat ttt ttt agg aaa gaa aat ctt ctt atc ttg	5003
Asp Asn Val Glu Val Asp Phe Phe Arg Lys Glu Asn Leu Leu Ile Leu	
1515 1520 1525 1530	
aga gat gat gga tta ggt atg aca acc gat gaa ttt gaa gag agg tgg	5051
Arg Asp Asp Gly Leu Gly Met Thr Thr Asp Glu Phe Glu Glu Arg Trp	
1535 1540 1545	
ttg act att gga acc tcc agc aaa tta atc gac gat gat gca att aat	5099
Leu Thr Ile Gly Thr Ser Ser Lys Leu Ile Asp Asp Asp Ala Ile Asn	
1550 1555 1560	
aaa cca gca gtg gat agt aat aaa gcc ttt cgc cct atc atg gga gag	5147
Lys Pro Ala Val Asp Ser Asn Lys Ala Phe Arg Pro Ile Met Gly Glu	
1565 1570 1575	
aaa gga ata ggc cgt tta tct atc gca gca att gga cca cag gtg ctg	5195
Lys Gly Ile Gly Arg Leu Ser Ile Ala Ala Ile Gly Pro Gln Val Leu	
1580 1585 1590	
gtt ctt act agg gcc aaa aga gac aat gag ctt aag cca tta gtt gct	5243
Val Leu Thr Arg Ala Lys Arg Asp Asn Glu Leu Lys Pro Leu Val Ala	
1595 1600 1605 1610	
gca ttt gtt aat tgg agt tta ttt gct ata cca tca ctt gat ctt gat	5291
Ala Phe Val Asn Trp Ser Leu Phe Ala Ile Pro Ser Leu Asp Leu Asp	
1615 1620 1625	

gat ata gaa ata cca att aga act att atc aac gac gaa tgc ttc act	5339
Asp Ile Glu Ile Pro Ile Arg Thr Ile Ile Asn Asp Glu Cys Phe Thr	
1630 1635 1640	
aaa aaa act ctt gat gag atg att gag caa gca aga aat aat tta gac	5387
Lys Lys Thr Leu Asp Glu Met Ile Glu Gln Ala Arg Asn Asn Leu Asp	
1645 1650 1655	
tct tta tca cac aaa ata tca aaa tca aaa gta tca caa ata aat aca	5435
Ser Leu Ser His Lys Ile Ser Lys Ser Lys Val Ser Gln Ile Asn Thr	
1660 1665 1670	
caa tta tca tct ttt gaa ttt gat cct att cta tgg gaa aaa aaa tta	5483
Gln Leu Ser Ser Phe Glu Phe Asp Pro Ile Leu Trp Glu Lys Lys Leu	
1675 1680 1685 1690	
ggg ggg cta aga cta tct gga gat ggg cat gga act cac ttc ata ata	5531
Gly Gly Leu Arg Leu Ser Gly Asp Gly His Gly Thr His Phe Ile Ile	
1695 1700 1705	
atg cct acc gaa gaa ata tta ata gat gac att tcc acg agc gat agc	5579
Met Pro Thr Glu Glu Ile Leu Ile Asp Asp Ile Ser Thr Ser Asp Ser	
1710 1715 1720	
aat aaa aca tca gag cag tct tct cgc tta gaa aaa gct tta tta ggt	5627
Asn Lys Thr Ser Glu Gln Ser Ser Arg Leu Glu Lys Ala Leu Leu Gly	
1725 1730 1735	
ttt aca aac aca atg tac agt gat tca aac cct cct att ata gct cgt	5675
Phe Thr Asn Thr Met Tyr Ser Asp Ser Asn Pro Pro Ile Ile Ala Arg	
1740 1745 1750	
ttt aga gac tat ctg gaa gat ggt gag tgc att gac aga att agc gaa	5723
Phe Arg Asp Tyr Leu Glu Asp Gly Glu Cys Ile Asp Arg Ile Ser Glu	
1755 1760 1765 1770	
tca att ttt ttt aca cag caa gaa ttc aat ctt gca gat cac cac att	5771
Ser Ile Phe Phe Thr Pro Gln Glu Phe Asn Leu Ala Asp His His Ile	
1775 1780 1785	
gaa gga tgg ttc aat gaa ttt ggt caa ttc agt gga act gtt tct gtt	5819
Glu Gly Trp Phe Asn Glu Phe Gly Gln Phe Ser Gly Thr Val Ser Val	
1790 1795 1800	
tat ggt gaa gag cca att cat cat gtc gtg act tgg aaa aat aat aat	5867
Tyr Gly Glu Glu Pro Ile His His Val Val Thr Trp Lys Asn Asn Asn	
1805 1810 1815	

caa tta acc caa tgc ggt cca ttt aaa ata aaa tta gcg tat att cat	5915
Gln Leu Thr Gln Cys Gly Pro Phe Lys Ile Lys Leu Ala Tyr Ile His	
1820 1825 1830	
ggt cgg ctt cgt gat tca cgc tta ccc atg gag ttg tgg gcc cct ctg	5963
Gly Arg Leu Arg Asp Ser Arg Leu Pro Met Glu Leu Trp Ala Pro Leu	
1835 1840 1845 1850	
aag gag aaa aca gat aga tat ggt ggt tta tat atc tat cga gat gga	6011
Lys Glu Lys Thr Asp Arg Tyr Gly Gly Leu Tyr Ile Tyr Arg Asp Gly	
1855 1860 1865	
tta aga att ttg ccc tat gga gat tca gat acg gat ttt cta aaa ata	6059
Leu Arg Ile Leu Pro Tyr Gly Asp Ser Asp Thr Asp Phe Leu Lys Ile	
1870 1875 1880	
gaa aag aga aga acg tta tcc gct tct gaa tat ttt ttc tca tat cga	6107
Glu Lys Arg Arg Thr Leu Ser Ala Ser Glu Tyr Phe Phe Ser Tyr Arg	
1885 1890 1895	
cgt ttg ttt gga gca ata gaa tta aca aaa gaa aac aat gct tca tta	6155
Arg Leu Phe Gly Ala Ile Glu Leu Thr Lys Glu Asn Asn Ala Ser Leu	
1900 1905 1910	
gtt gaa aaa gct ggg cga gaa gga ttc att gaa aat aag cca tat aaa	6203
Val Glu Lys Ala Gly Arg Glu Gly Phe Ile Glu Asn Lys Pro Tyr Lys	
1915 1920 1925 1930	
cag ttt aaa gaa atg ctt gaa aat ttc ttc atc gaa atc gca aga gat	6251
Gln Phe Lys Glu Met Leu Glu Asn Phe Phe Ile Glu Ile Ala Arg Asp	
1935 1940 1945	
ttc ttt aag gac gat ggc gat atg tct gaa tta ttt gtt gag aca aag	6299
Phe Phe Lys Asp Asp Gly Asp Met Ser Glu Leu Phe Val Glu Thr Lys	
1950 1955 1960	
caa cgt aga aat gaa gaa cat gat ttg tta tct aaa aga tct aaa caa	6347
Gln Arg Arg Asn Glu Glu His Asp Leu Leu Ser Lys Arg Ser Lys Gln	
1965 1970 1975	
act aaa gct aaa aaa gat aga tta aag aaa gat ctg tat gat ttt ttt	6395
Thr Lys Ala Lys Lys Asp Arg Leu Lys Lys Asp Leu Tyr Asp Phe Phe	
1980 1985 1990	
gat aag tta gat aat gat tac tgg aat att gaa ata aat aag cta atc	6443
Asp Lys Leu Asp Asn Asp Tyr Trp Asn Ile Glu Ile Asn Lys Leu Ile	
1995 2000 2005 2010	

aat aaa aac gag gaa tat ttc tcc agt aca gaa ata aca gac acc aat	6491
Asn Lys Asn Glu Glu Tyr Phe Ser Ser Thr Glu Ile Thr Asp Thr Asn	
2015 2020 2025	
ata gat tat gta tac aat aaa att aaa gaa caa aat gat gct atc att	6539
Ile Asp Tyr Val Tyr Asn Lys Ile Lys Glu Gln Asn Asp Ala Ile Ile	
2030 2035 2040	
aaa aat cta cgt aat tct gtg gat ata aag aaa ccc tct gga gtt gga	6587
Lys Asn Leu Arg Asn Ser Val Asp Ile Lys Lys Pro Ser Gly Val Gly	
2045 2050 2055	
tta aca aaa gag tta tct aat tta tgg gat aga tat caa ata gaa aga	6635
Leu Thr Lys Glu Leu Ser Asn Leu Trp Asp Arg Tyr Gln Ile Glu Arg	
2060 2065 2070	
caa aaa ata ctg tta tca cta aat gag cta aaa gat aac gtt gat aga	6683
Gln Lys Ile Leu Leu Ser Leu Asn Glu Leu Lys Asp Asn Val Asp Arg	
2075 2080 2085 2090	
aag ctt ata gaa ctg gat aat aaa aat aat gat ttt ctc aac tta cgg	6731
Lys Leu Ile Glu Leu Asp Asn Lys Asn Asn Asp Phe Leu Asn Leu Arg	
2095 2100 2105	
aag aga ctt gaa gat tct ttg aat cta caa caa agt tac tat gaa aaa	6779
Lys Arg Leu Glu Asp Ser Leu Asn Leu Gln Gln Ser Tyr Tyr Glu Lys	
2110 2115 2120	
gaa cta aca aag tta tat aat gac gct aaa aat gct ttg aaa gat gtg	6827
Glu Leu Thr Lys Leu Tyr Asn Asp Ala Lys Asn Ala Leu Lys Asp Val	
2125 2130 2135	
caa tct aaa gca aat agg tta att tct gat aat aag aaa aaa cat aag	6875
Gln Ser Lys Ala Asn Arg Leu Ile Ser Asp Asn Lys Lys Lys His Lys	
2140 2145 2150	
agt gaa cta aaa aac att tct tat gaa ttc caa tca act aat ctc aat	6923
Ser Glu Leu Lys Asn Ile Ser Tyr Glu Phe Gln Ser Thr Asn Leu Asn	
2155 2160 2165 2170	
ggc aaa gat act gcg tat ata ttg gat gta aaa aga aat cta gaa agt	6971
Gly Lys Asp Thr Ala Tyr Ile Leu Asp Val Lys Arg Asn Leu Glu Ser	
2175 2180 2185	
aaa att gag aat act tca aac gaa gtg att aat gaa ata aga aaa cta	7019
Lys Ile Glu Asn Thr Ser Asn Glu Val Ile Asn Glu Ile Arg Lys Leu	
2190 2195 2200	

acc gac cag att gca ata att agt gat agt acc act tct gaa aat tta	7067
Thr Asp Gln Ile Ala Ile Ile Ser Asp Ser Thr Thr Ser Glu Asn Leu	
2205 2210 2215	
tca tcg gct caa gta act gaa gca atc gaa act gaa ctt gaa cat tta	7115
Ser Ser Ala Gln Val Thr Glu Ala Ile Glu Thr Glu Leu Glu His Leu	
2220 2225 2230	
cga gac caa caa gca aat aac gca gag tta ata cta ctt ggc atg gct	7163
Arg Asp Gln Gln Ala Asn Asn Ala Glu Leu Ile Leu Leu Gly Met Ala	
2235 2240 2245 2250	
ctt tct gta gta cat cat gaa ttt aat ggt aat att agg gca att aga	7211
Leu Ser Val Val His His Glu Phe Asn Gly Asn Ile Arg Ala Ile Arg	
2255 2260 2265	
agt gcg cta agg gaa tta aaa gca tgg gct gac aga aat cct aag ctt	7259
Ser Ala Leu Arg Glu Leu Lys Ala Trp Ala Asp Arg Asn Pro Lys Leu	
2270 2275 2280	
gat att ata tac caa aaa atc aga act agt ttt gat cac tta gat ggt	7307
Asp Ile Ile Tyr Gln Lys Ile Arg Thr Ser Phe Asp His Leu Asp Gly	
2285 2290 2295	
tat tta aaa acc ttt aca cca ttg aca aga cgt tta agt cgc tct aaa	7355
Tyr Leu Lys Thr Phe Thr Pro Leu Thr Arg Arg Leu Ser Arg Ser Lys	
2300 2305 2310	
acc aat ata act gga act gcc att tta gaa ttt atc aga gat gta ttc	7403
Thr Asn Ile Thr Gly Thr Ala Ile Leu Glu Phe Ile Arg Asp Val Phe	
2315 2320 2325 2330	
gat gat cgt ctt gag aaa gaa gga att gaa tta ttc act acc tca aag	7451
Asp Asp Arg Leu Glu Lys Glu Gly Ile Glu Leu Phe Thr Thr Ser Lys	
2335 2340 2345	
ttt gtt aat caa gaa att gta act tac aca tca acc att tac cct gtc	7499
Phe Val Asn Gln Glu Ile Val Thr Tyr Thr Ser Thr Ile Tyr Pro Val	
2350 2355 2360	
ttt ata aat cta att gat aac gca ata tac tgg ctt ggg aaa aca act	7547
Phe Ile Asn Leu Ile Asp Asn Ala Ile Tyr Trp Leu Gly Lys Thr Thr	
2365 2370 2375	
gga gaa aaa aga ctt ata ctt gat gct act gaa aca gga ttt gtt att	7595
Gly Glu Lys Arg Leu Ile Leu Asp Ala Thr Glu Thr Gly Phe Val Ile	
2380 2385 2390	



ggt gat act ggt ccc ggt gtt tca act aga gat cga gat ata ata ttt	7643
Gly Asp Thr Gly Pro Gly Val Ser Thr Arg Asp Arg Asp Ile Ile Phe	
2395                      2400                      2405                      2410	
gat atg gga ttt aca cga aaa aca gga ggg cgt gga atg gga tta ttc	7691
Asp Met Gly Phe Thr Arg Lys Thr Gly Gly Arg Gly Met Gly Leu Phe	
2415                      2420                      2425	
att tcc aaa gag tgt tta tct cga gat gga ttt act ata aga ttg gat	7739
Ile Ser Lys Glu Cys Leu Ser Arg Asp Gly Phe Thr Ile Arg Leu Asp	
2430                      2435                      2440	
gat tac act cct gaa cag ggt gct ttc ttt att att gag cca tca gaa	7787
Asp Tyr Thr Pro Glu Gln Gly Ala Phe Phe Ile Ile Glu Pro Ser Glu	
2445                      2450                      2455	
gaa aca agt gaa tag cggatataaa taa atg aca agc tct act gat ttt	7836
Glu Thr Ser Glu                      Met Thr Ser Ser Thr Asp Phe	
2460                      2465                      2470	
cat aaa ctt tct gaa gac tgc gtt cgc cgt ttt tta cat tct gta gtt	7884
His Lys Leu Ser Glu Asp Cys Val Arg Arg Phe Leu His Ser Val Val	
2475                      2480                      2485	
gct gta gat gac aat atg tct ttt gga gct ggt agt gat act ttc cct	7932
Ala Val Asp Asp Asn Met Ser Phe Gly Ala Gly Ser Asp Thr Phe Pro	
2490                      2495                      2500	
aca gac gaa gat att aat gct tta gtt gat ccc gac gat gat cct aca	7980
Thr Asp Glu Asp Ile Asn Ala Leu Val Asp Pro Asp Asp Asp Pro Thr	
2505                      2510                      2515	
cca ata ata aca gca tca gca tcc cca agg ata gaa tca act aaa tca	8028
Pro Ile Ile Thr Ala Ser Ala Ser Pro Arg Ile Glu Ser Thr Lys Ser	
2520                      2525                      2530	
aaa gca aag gta aaa aac cat cct ttt gat tac caa gct cta gca gaa	8076
Lys Ala Lys Val Lys Asn His Pro Phe Asp Tyr Gln Ala Leu Ala Glu	
2535                      2540                      2545                      2550	
gct ttc gcc aaa gat ggt att gct tgt tgc gga tta tta gct aag agt	8124
Ala Phe Ala Lys Asp Gly Ile Ala Cys Cys Gly Leu Leu Ala Lys Ser	
2555                      2560                      2565	
ttt aat gtt gaa gaa aga gat ata att aca gca tca tcc cac aag gca	8172
Phe Asn Val Glu Glu Arg Asp Ile Ile Thr Ala Ser Ser His Lys Ala	
2570                      2575                      2580	

gat ata aca ata ctt gac tgg gat atg caa agc gat agt ggg caa ttt	8220
Asp Ile Thr Ile Leu Asp Trp Asp Met Gln Ser Asp Ser Gly Gln Phe	
2585 2590 2595	
gct att gaa ata ata aaa tcg ata atc gtt tca gat ata aat tct gga	8268
Ala Ile Glu Ile Ile Lys Ser Ile Ile Val Ser Asp Ile Asn Ser Gly	
2600 2605 2610	
gga cgt tta cgt ctt ctt tct att tat act ggt gaa cat gtt act gct	8316
Gly Arg Leu Arg Leu Leu Ser Ile Tyr Thr Gly Glu His Val Thr Ala	
2615 2620 2625 2630	
gtt ata act aag ttg aac aat gag tta aag aaa aca tac cgt agc gta	8364
Val Ile Thr Lys Leu Asn Asn Glu Leu Lys Lys Thr Tyr Arg Ser Val	
2635 2640 2645	
ata aaa aat gat gat agt att ttt att gaa gat aac tat gca ctc gaa	8412
Ile Lys Asn Asp Asp Ser Ile Phe Ile Glu Asp Asn Tyr Ala Leu Glu	
2650 2655 2660	
caa tgg tgt ata gtt gtt att agt aaa gac gtt tat gaa aaa gat ctt	8460
Gln Trp Cys Ile Val Val Ile Ser Lys Asp Val Tyr Glu Lys Asp Leu	
2665 2670 2675	
cca aat gtg tta ata aaa aaa ttc act aac ctt aca gct ggg ttg cta	8508
Pro Asn Val Leu Ile Lys Lys Phe Thr Asn Leu Thr Ala Gly Leu Leu	
2680 2685 2690	
tcc aac gcc gca ctc tct tgc att tct gaa ata aga gaa aaa acc cat	8556
Ser Asn Ala Ala Leu Ser Cys Ile Ser Glu Ile Arg Glu Lys Thr His	
2695 2700 2705 2710	
ggg ata tta aca aaa tat aat aat aaa tta gac act gca tat gtt tcc	8604
Gly Ile Leu Thr Lys Tyr Asn Asn Lys Leu Asp Thr Ala Tyr Val Ser	
2715 2720 2725	
cac atc tta aat tta ata aaa tcc aag gag tca agg gca tat gct tat	8652
His Ile Leu Asn Leu Ile Lys Ser Lys Glu Ser Arg Ala Tyr Ala Tyr	
2730 2735 2740	
gaa aat gct cat gat tat gca gta gat tta att tct gaa gaa ata aga	8700
Glu Asn Ala His Asp Tyr Ala Val Asp Leu Ile Ser Glu Glu Ile Arg	
2745 2750 2755	
tca ata ttg caa ata agt gaa aac tta aag aaa tct cta agc aaa aac	8748
Ser Ile Leu Gln Ile Ser Glu Asn Leu Lys Lys Ser Leu Ser Lys Asn	
2760 2765 2770	

79

tta ctc gtt gaa aaa ata tct act cca aaa gta ttg aaa tgg atc ggg 9372  
 Leu Leu Val Glu Lys Ile Ser Thr Pro Lys Val Leu Lys Trp Ile Gly  
 2970 2975 2980

gaa ata aaa aca acg tac gcg caa aaa ata aca act gat att gtt gct 9420  
 Glu Ile Lys Thr Thr Tyr Ala Gln Lys Ile Thr Thr Asp Ile Val Ala  
 2985 2990 2995

aat ctg tca aga ata ggt tta gat caa cat gag tgg tta cga ata aaa 9468  
 Asn Leu Ser Arg Ile Gly Leu Asp Gln His Glu Trp Leu Arg Ile Lys  
 3000 3005 3010

tca aaa gat ata taaatgatta tatatgccgt cgttttataa aaactggcgg 9520  
 Ser Lys Asp Ile  
 3015

catgtatatc tagttagtcc atcatagaag tcaagaaatt tagtttgccc tatatcttat 9580

agaaaatata ttttatatgc ttaaaaaaca ccatctttct aagatggcat ttatgtgctt 9640

tgtttcgatc aattacaact gatatattac catattgatt aattttatgt tatttaccaa 9700

agtaacggca tcttaatata tcgtcataat atagtgcgcg ttctgactct aatactgaaa 9760

aattttattg ttctatttta cacttactgc aaatagcatc cagtttatca tatagtgtcg 9820

catcaattgg cgcag atg tca tca cgc caa atc ctt gag cat tat aat gct 9871  
 Met Ser Ser Arg Gln Ile Leu Glu His Tyr Asn Ala  
 3020 3025 3030

cta aca tat ccc cta cat caa tca atc ttg ttg cag ata atg act tcg 9919  
 Leu Thr Tyr Pro Leu His Gln Ser Ile Leu Leu Gln Ile Met Thr Ser  
 3035 3040 3045

aat ttg tta tca gtt tgc act gga aaa tcc att tac gag gat atc tcc 9967  
 Asn Leu Leu Ser Val Cys Thr Gly Lys Ser Ile Tyr Glu Asp Ile Ser  
 3050 3055 3060

ggc agt tct tgg aat atc ata cac ttc aat atc cct ctc ccc atc tct 10015  
 Gly Ser Ser Trp Asn Ile Ile His Phe Asn Ile Pro Leu Pro Ile Ser  
 3065 3070 3075

aga gcg aga ctt tcc ata ttt tct tat tgt gtc aga att aaa cct tgg 10063  
 Arg Ala Arg Leu Ser Ile Phe Ser Tyr Cys Val Arg Ile Lys Pro Trp  
 3080 3085 3090

atg agt atg gat tac atg taaccggctc atttaaaccg tctggtctgt 10111  
 Met Ser Met Asp Tyr Met

3095

3100

ttcctccggt tttaaaaaa ta atg tcc atc att ttt aat gga cac tat cgt 10163  
 Met Ser Ile Ile Phe Asn Gly His Tyr Arg  
 3105 3110

atg aaa cac cgg act tgg atc act gaa gct tta cgt ctt cac ttt gaa 10211  
 Met Lys His Arg Thr Trp Ile Thr Glu Ala Leu Arg Leu His Phe Glu  
 3115 3120 3125

gaa cat tta ccc cag gtt gtg gtc ggg cgt cgc ctg ggc gta cca aaa 10259  
 Glu His Leu Pro Gln Val Val Val Gly Arg Arg Leu Gly Val Pro Lys  
 3130 3135 3140

tca aca gct tgt ggt atg ttc gtg cgc ttt cgc aaa gct ggc ttt tca 10307  
 Ser Thr Ala Cys Gly Met Phe Val Arg Phe Arg Lys Ala Gly Phe Ser  
 3145 3150 3155

tgg cct ctg ccc gca ggt atg tcg gag cgg gag ctt gat ggc cgt ctt 10355  
 Trp Pro Leu Pro Ala Gly Met Ser Glu Arg Glu Leu Asp Gly Arg Leu  
 3160 3165 3170

tac ggg agt acc tcc aca gta cct gtc gta ctt tgt agt gga tcg gta 10403  
 Tyr Gly Ser Thr Ser Thr Val Pro Val Val Leu Cys Ser Gly Ser Val  
 3175 3180 3185 3190

att cag gac acc tcg aaa tcc tgt taatgttaaa acagtgaaaa tgaggatgatg 10457  
 Ile Gln Asp Thr Ser Lys Ser Cys  
 3195

c atg atc aaa act cgt cgg act aaa cgt acc ttt tcc ccg gag ttc aag 10506  
 Met Ile Lys Thr Arg Arg Thr Lys Arg Thr Phe Ser Pro Glu Phe Lys  
 3200 3205 3210

ctt gaa gct ttc gag cag gtg gtg gtt aaa tac cag cgt gat gtc aga 10554  
 Leu Glu Ala Phe Glu Gln Val Val Val Lys Tyr Gln Arg Asp Val Arg  
 3215 3220 3225 3230

gaa gtc gcg cag gca ctc gag ctc aac cct gac cat ttg cgt aaa tgg 10602  
 Glu Val Ala Gln Ala Leu Glu Leu Asn Pro Asp His Leu Arg Lys Trp  
 3235 3240 3245

ata cgg ttg tat aag cag gaa ctt cag ggt att gag cca gct ggt aat 10650  
 Ile Arg Leu Tyr Lys Gln Glu Leu Gln Gly Ile Glu Pro Ala Gly Asn  
 3250 3255 3260

gct att acc cct gaa caa cgc gaa att cag cag ctt aaa gcg cag ata 10698  
 Ala Ile Thr Pro Glu Gln Arg Glu Ile Gln Gln Leu Lys Ala Gln Ile

3265 3270 3275

aag cgc gtt gag atg gaa aaa gaa ata cta aag cag gct gcc gtg ctg 10746  
 Lys Arg Val Glu Met Glu Lys Glu Ile Leu Lys Gln Ala Ala Val Leu

3280 3285 3290

atg agc gaa atc ccc ggg aag ctg tcg cgc taatcacaca gctgaaagca 10796  
 Met Ser Glu Ile Pro Gly Lys Leu Ser Arg

3295 3300

aagtggccag tgtgggttat ttgtcattta ttcggtatta accgtagcgt ttattacgcg 10856

caggtgaagc gtcctgttaa tgtgcaaaga attgaattac gaagccgggt gagggctttc 10916

catgctctca gtcgtggcgc agccgggtag ccgggcaatc agtcagatgt tgcgccagag 10976

tggcgttgat gcaggccgggt ggctggcatg acgactgatg cggaatgag ggctgacaag 11036

tcgacagccg gttaaaccatc acaaccgggt aaacgaagac aaaagtccgc cattgccaaa 11096

tttactgaac cggcaatttc accccgccgc accaaactgc gtctggtgcg gcgacatcag 11156

ttttattcg 11165

<210> 35  
 <211> 366  
 <212> PRT  
 <213> Escherichia coli

<400> 35

Ser Asp Met Gln Arg Gly Ile Gln Ala Ala Thr Ala Ala Leu Gln Gly  
 1 5 10 15

Leu Val Gly Gly Asn Met Ala Gly Ala Leu Ala Gly Ala Ser Ala Pro  
 20 25 30

Glu Leu Ala Asn Ile Ile Gly His His Ala Gly Ile Asp Asp Asn Thr  
 35 40 45

Ala Ala Lys Ala Ile Ala His Ala Ile Leu Gly Gly Val Thr Ala Ala  
 50 55 60

Leu Gln Gly Asn Ser Ala Ala Ala Gly Ala Ile Gly Ala Gly Thr Gly  
 65 70 75 80

Glu Val Ile Ala Ser Ala Ile Ala Lys Ser Leu Tyr Pro Gly Val Asp  
 85 90 95

Pro Ser Lys Leu Thr Glu Asp Gln Lys Gln Thr Val Ser Thr Leu Ala  
 100 105 110

Thr Leu Ser Ala Gly Met Ala Gly Gly Ile Ala Ser Gly Asp Val Ala  
 115 120 125

Gly Ala Ala Ala Gly Ala Gly Ala Gly Lys Asn Val Val Glu Asn Asn  
 130 135 140

Ala Leu Ser Leu Val Ala Arg Gly Cys Ala Val Ala Ala Pro Cys Arg  
 145 150 155 160

Thr Lys Val Ala Glu Gln Leu Leu Glu Ile Gly Ala Lys Ala Gly Met  
 165 170 175

Ala Gly Leu Ala Gly Ala Ala Val Lys Asp Met Ala Asp Arg Met Thr  
 180 185 190

Ser Asp Glu Leu Glu His Leu Ile Thr Leu Gln Met Met Gly Asn Asp  
 195 200 205

Glu Ile Thr Thr Lys Tyr Leu Ser Ser Leu His Asp Lys Tyr Gly Ser  
 210 215 220

Gly Ala Ala Ser Asn Pro Asn Ile Gly Lys Asp Leu Thr Asp Ala Glu  
 225 230 235 240

Lys Val Glu Leu Gly Gly Ser Gly Ser Gly Thr Gly Thr Pro Pro Pro  
 245 250 255

Ser Glu Asn Asp Pro Lys Gln Gln Asn Glu Lys Thr Val Asp Lys Leu  
 260 265 270

Asn Gln Lys Gln Glu Ser Ala Ile Lys Lys Ile Asp Asn Thr Ile Lys  
 275 280 285

Asn Ala Leu Lys Asp His Asp Ile Ile Gly Thr Leu Lys Asp Met Asp  
 290 295 300

Gly Lys Pro Val Pro Lys Glu Asn Gly Gly Tyr Trp Asp His Met Gln  
 305 310 315 320

Glu Met Gln Asn Thr Leu Arg Gly Leu Arg Asn His Ala Asp Thr Leu  
 325 330 335

Lys Asn Val Asn Asn Pro Glu Ala Gln Ala Ala Tyr Gly Arg Ala Thr  
 340 345 350

Asp Ala Ile Asn Lys Ile Glu Ser Ala Leu Lys Gly Tyr Gly  
 355 360 365

<210> 36

<211> 128

<212> PRT

<213> Escherichia coli

<400> 36

Met Ile Thr Leu Arg Lys Leu Ile Gly Asn Ile Asn Met Thr Lys Glu  
 1 5 10 15

Pro Glu Gln Gln Ser Pro Leu Glu Leu Trp Phe Glu Arg Ile Ile Asp  
 20 25 30

Val Pro Leu Glu Lys Leu Thr Val Glu Asp Leu Cys Arg Ala Ile Arg  
 35 40 45

Gln Asn Leu Cys Ile Asp Gln Leu Met Pro Arg Val Leu Glu Val Leu  
 50 55 60

Thr Lys Glu Pro Leu Ala Gly Glu Tyr Tyr Asp Gly Glu Leu Ile Ala  
 65 70 75 80

Ala Leu Ser Thr Ile Lys Gly Glu Asp Leu Lys Asp Gln Lys Ser Thr  
 85 90 95

Phe Thr Gln Ile Arg Gln Leu Ile Asn Gln Leu Glu Pro Ser Asp Ile  
 100 105 110

Asn Asp Asp Leu Arg Lys Asp Ile Leu Lys Ile Asn Gln Ile Ile Val  
 115 120 125

<210> 37

<211> 107

<212> PRT

<213> Escherichia coli

<400> 37

Met Val Ala Lys Ala Phe Ala Tyr Ala Leu Asn Gln Trp Pro Ala Leu  
 1 5 10 15

Thr Tyr Tyr Ala Asn Asp Gly Trp Val Glu Ile Asp Asn Asn Ile Ala  
 20 25 30



Glu Asn Ala Leu Arg Ala Val Ser Leu Gly Arg Lys Asn Phe Leu Phe  
 35 40 45

Phe Gly Ser Asp His Gly Gly Glu Arg Gly Ala Leu Leu Tyr Ser Leu  
 50 55 60

Ile Gly Thr Cys Lys Leu Asn Asp Val Asp Pro Glu Ser Tyr Leu Arg  
 65 70 75 80

His Val Leu Ala Val Ile Ala Asp Trp Pro Val Asn Arg Val Ser Glu  
 85 90 95

Leu Leu Pro Trp Arg Ile Ala Leu Pro Ala Glu  
 100 105

<210> 38

<211> 86

<212> PRT

<213> Escherichia coli

<400> 38

Met Leu Met Ser Val Gln Lys Glu Lys Asn Val Ala Glu Ser Val Val  
 1 5 10 15

Ser Glu Thr His Thr Gly Asp Ser Val Tyr Ala Ser Leu Phe Glu Lys  
 20 25 30

Ile Asn Leu Asn Pro Val Ser Ala Leu Ser Ala Leu Asp Asn Pro Phe  
 35 40 45

Arg Ser Ala Asp Asn Ala Thr Gly Arg Ile Thr Ser Ser Ile Gln Pro  
 50 55 60

Ala Val Gln Cys Ala Ala Ala Ala Thr Glu Gly Ser Cys Pro Arg  
 65 70 75 80

Gln Ser Pro Cys Ser Gly  
 85

<210> 39

<211> 111

<212> PRT

<213> Escherichia coli

<400> 39

Met Val Asp Asn Trp Gln Lys Ser Val Arg Ser Arg Ala Leu Pro Glu

1	5	10	15
Glu Ala Met Thr Gly Trp Asn Glu Gly Met Ile Arg Leu Gln Gln Leu			
20	25	30	
Ala Glu Arg Leu Asn Arg Gln Asp Glu Gln Arg Gly Lys Tyr Met Thr			
35	40	45	
Val Ser Glu Leu Lys Thr Glu Val Phe Gly Ile Met Gln Ala Phe Asn			
50	55	60	
Arg His Ile Pro Ala Glu Glu Gln Leu Arg Arg Tyr Gly Glu Val Arg			
65	70	75	80
Asn Gln Asn Gly Ser Glu Gln Gln Gln Lys Gln Ala Glu Met Ala Leu			
85	90	95	
Asn Gln Leu Ile Asn Arg Tyr Gln Met Ile Arg Ala Gly Lys Gln			
100	105	110	

&lt;210&gt; 40

&lt;211&gt; 143

&lt;212&gt; PRT

&lt;213&gt; Escherichia coli

&lt;400&gt; 40

Met Val Gly Cys Ala Trp Leu Ala Glu Gln Ala Phe Ser Asp His Ala			
1	5	10	15
Leu Ser Pro His Ser Ala Trp Pro Tyr Ser Ala Ser Arg Asp Ala Gly			
20	25	30	
Leu Ala Asp Thr Gly Ala Gly Gly Tyr Pro Thr Cys Lys Gln Arg Trp			
35	40	45	
Ala Asp Asp Thr Val Gly Leu Lys Ala Arg Leu Leu Gln Leu Pro Ala			
50	55	60	
Leu Asp Ile Trp Thr Ala Phe Lys Lys Ile Asp Gln Ser Gln Val Val			
65	70	75	80
Tyr Glu Glu Ala Val Leu Arg Ser Arg Val Ser Glu Arg Asn Met Gln			
85	90	95	
Val Ser Gln Asn Gly Arg Val Tyr Pro Ser Tyr Gly Gly Asn Val Asp			
100	105	110	

Gly Thr Val Ala Asn Ala Ala Thr Arg Leu Ala Ser Gly Ala Arg Asn  
 115 120 125

Ile Leu Gly Ser Ile Ala Ala Cys Thr Ala Phe Asp Ser Val Arg  
 130 135 140

<210> 41

<211> 118

<212> PRT

<213> Escherichia coli

<400> 41

Met Val Gln Ala Gln Leu Gln Ile Ala Leu Val Ile Cys Ile Pro Leu  
 1 5 10 15

Ile Thr Leu Cys Ser Ala Trp Asp Val Lys Val Val Met Thr Leu Thr  
 20 25 30

Phe Val Gln Phe Ala Leu Phe Phe Leu Thr Phe Trp Trp Glu Leu Ala  
 35 40 45

Arg Trp Leu Asp Ser Trp Leu Leu Asp Val Leu Tyr Asn Ser Asp Thr  
 50 55 60

His Ser Ser Trp Asn Leu Ala Gly Ile Gln Asn Thr Gln Asp Asp Val  
 65 70 75 80

Ile Ile Asn Leu Val Met Arg Leu Met Phe Leu Val Leu Pro Thr Phe  
 85 90 95

Trp Leu Gly Ala Met Thr Trp Ala Gly Val Arg Val Gly Val Ala Leu  
 100 105 110

Asn Gly Ala Leu Ala Gly  
 115

<210> 42

<211> 81

<212> PRT

<213> Escherichia coli

<400> 42

Met Lys Tyr Leu Phe Phe Glu Asn Ile His Ser Ile Phe Leu Thr Phe  
 1 5 10 15

Ser Leu Phe Arg Thr Ser Val Ser Pro Asp Phe Pro Met Ile Phe Ala

				20					25					30					
Leu	Pro	Ser	Ile	Ile	Leu	Gly	Gln	Phe	Thr	Thr	Asn	Gln	Leu	Thr	Asn				
		35					40					45							
Phe	Val	Ile	Cys	Met	Gly	Asn	Thr	Val	Glu	Arg	Arg	Leu	Gly	Val	Val				
	50					55					60								
His	Asn	Pro	Phe	Lys	Arg	Ser	Gly	Asp	Gly	His	Asp	Leu	Arg	Ala	Val				
65					70					75					80				

Ala

```
<210> 43
<211> 348
<212> PRT
<213> Escherichia coli
```

```

<400> 43
Leu Ile Val Ile Asp Phe Phe Cys Gly Cys Gly Gly Ala Ser Glu Gly
  1             5             10             15
Leu Arg Gln Ala Gly Phe Asp Ile Glu Leu Gly Leu Asp Ile Asp Gln
          20             25             30
Gln Ala Ser Glu Thr Phe Lys Ala Asn Phe Pro Asp Ala Lys Phe Ile
          35             40             45
Gln Asp Asp Ile Arg Lys Ile Glu Pro Gln Asp Ile Ser Asp Ile Ile
          50             55             60
Asp Ile Lys Ala Lys Arg Pro Leu Leu Leu Ser Ala Cys Ala Pro Cys
  65             70             75             80
Gln Pro Phe Ser Gln Gln Asn Lys Asn Lys Thr Ser Asp Asp Ser Arg
          85             90             95
Arg Asn Leu Leu Asn Glu Thr His Arg Phe Ile Arg Glu Leu Leu Pro
          100            105            110
Glu Tyr Ile Met Leu Glu Asn Val Pro Gly Met Gln Lys Ile Asp Glu
          115            120            125
Glu Lys Glu Gly Pro Phe Gln Glu Phe Ile Lys Leu Leu Lys Glu Leu
          130            135            140
Glu Tyr Asn Tyr Ile Ser Phe Ile Ala Asn Ala Glu Asn Tyr Gly Ile

```

Met Leu Gly Arg Gln Gln Ile Ala Gly Ile Pro Thr Ala Leu Ser Glu  
1 5 10 15

Leu Phe Lys Asn Ala His Asp Ala Tyr Ala Asp Asn Val Glu Val Asp  
                   20                                  25                                  30

Phe Phe Arg Lys Glu Asn Leu Leu Ile Leu Arg Asp Asp Gly Leu Gly  
                   35                                  40                                  45

Met Thr Thr Asp Glu Phe Glu Glu Arg Trp Leu Thr Ile Gly Thr Ser  
                   50                                  55                                  60

Ser Lys Leu Ile Asp Asp Asp Ala Ile Asn Lys Pro Ala Val Asp Ser  
                   65                                  70                                  75                                  80

Asn Lys Ala Phe Arg Pro Ile Met Gly Glu Lys Gly Ile Gly Arg Leu  
                                   85                                  90                                  95

Ser Ile Ala Ala Ile Gly Pro Gln Val Leu Val Leu Thr Arg Ala Lys  
                                   100                                  105                                  110

Arg Asp Asn Glu Leu Lys Pro Leu Val Ala Ala Phe Val Asn Trp Ser  
                   115                                  120                                  125

Leu Phe Ala Ile Pro Ser Leu Asp Leu Asp Asp Ile Glu Ile Pro Ile  
                   130                                  135                                  140

Arg Thr Ile Ile Asn Asp Glu Cys Phe Thr Lys Lys Thr Leu Asp Glu  
                   145                                  150                                  155                                  160

Met Ile Glu Gln Ala Arg Asn Asn Leu Asp Ser Leu Ser His Lys Ile  
                                   165                                  170                                  175

Ser Lys Ser Lys Val Ser Gln Ile Asn Thr Gln Leu Ser Ser Phe Glu  
                   180                                  185                                  190

Phe Asp Pro Ile Leu Trp Glu Lys Lys Leu Gly Gly Leu Arg Leu Ser  
                   195                                  200                                  205

Gly Asp Gly His Gly Thr His Phe Ile Ile Met Pro Thr Glu Glu Ile  
                   210                                  215                                  220

Leu Ile Asp Asp Ile Ser Thr Ser Asp Ser Asn Lys Thr Ser Glu Gln  
                   225                                  230                                  235                                  240

Ser Ser Arg Leu Glu Lys Ala Leu Leu Gly Phe Thr Asn Thr Met Tyr  
                                   245                                  250                                  255

Ser Asp Ser Asn Pro Pro Ile Ile Ala Arg Phe Arg Asp Tyr Leu Glu  
                                   260                                  265                                  270

Asp Gly Glu Cys Ile Asp Arg Ile Ser Glu Ser Ile Phe Phe Thr Pro  
 275 280 285  
 Gln Glu Phe Asn Leu Ala Asp His His Ile Glu Gly Trp Phe Asn Glu  
 290 295 300  
 Phe Gly Gln Phe Ser Gly Thr Val Ser Val Tyr Gly Glu Glu Pro Ile  
 305 310 315 320  
 His His Val Val Thr Trp Lys Asn Asn Asn Gln Leu Thr Gln Cys Gly  
 325 330 335  
 Pro Phe Lys Ile Lys Leu Ala Tyr Ile His Gly Arg Leu Arg Asp Ser  
 340 345 350  
 Arg Leu Pro Met Glu Leu Trp Ala Pro Leu Lys Glu Lys Thr Asp Arg  
 355 360 365  
 Tyr Gly Gly Leu Tyr Ile Tyr Arg Asp Gly Leu Arg Ile Leu Pro Tyr  
 370 375 380  
 Gly Asp Ser Asp Thr Asp Phe Leu Lys Ile Glu Lys Arg Arg Thr Leu  
 385 390 395 400  
 Ser Ala Ser Glu Tyr Phe Phe Ser Tyr Arg Arg Leu Phe Gly Ala Ile  
 405 410 415  
 Glu Leu Thr Lys Glu Asn Asn Ala Ser Leu Val Glu Lys Ala Gly Arg  
 420 425 430  
 Glu Gly Phe Ile Glu Asn Lys Pro Tyr Lys Gln Phe Lys Glu Met Leu  
 435 440 445  
 Glu Asn Phe Phe Ile Glu Ile Ala Arg Asp Phe Phe Lys Asp Asp Gly  
 450 455 460  
 Asp Met Ser Glu Leu Phe Val Glu Thr Lys Gln Arg Arg Asn Glu Glu  
 465 470 475 480  
 His Asp Leu Leu Ser Lys Arg Ser Lys Gln Thr Lys Ala Lys Lys Asp  
 485 490 495  
 Arg Leu Lys Lys Asp Leu Tyr Asp Phe Phe Asp Lys Leu Asp Asn Asp  
 500 505 510  
 Tyr Trp Asn Ile Glu Ile Asn Lys Leu Ile Asn Lys Asn Glu Glu Tyr  
 515 520 525

Phe Ser Ser Thr Glu Ile Thr Asp Thr Asn Ile Asp Tyr Val Tyr Asn  
 530 535 540

Lys Ile Lys Glu Gln Asn Asp Ala Ile Ile Lys Asn Leu Arg Asn Ser  
 545 550 555 560

Val Asp Ile Lys Lys Pro Ser Gly Val Gly Leu Thr Lys Glu Leu Ser  
 565 570 575

Asn Leu Trp Asp Arg Tyr Gln Ile Glu Arg Gln Lys Ile Leu Leu Ser  
 580 585 590

Leu Asn Glu Leu Lys Asp Asn Val Asp Arg Lys Leu Ile Glu Leu Asp  
 595 600 605

Asn Lys Asn Asn Asp Phe Leu Asn Leu Arg Lys Arg Leu Glu Asp Ser  
 610 615 620

Leu Asn Leu Gln Gln Ser Tyr Tyr Glu Lys Glu Leu Thr Lys Leu Tyr  
 625 630 635 640

Asn Asp Ala Lys Asn Ala Leu Lys Asp Val Gln Ser Lys Ala Asn Arg  
 645 650 655

Leu Ile Ser Asp Asn Lys Lys Lys His Lys Ser Glu Leu Lys Asn Ile  
 660 665 670

Ser Tyr Glu Phe Gln Ser Thr Asn Leu Asn Gly Lys Asp Thr Ala Tyr  
 675 680 685

Ile Leu Asp Val Lys Arg Asn Leu Glu Ser Lys Ile Glu Asn Thr Ser  
 690 695 700

Asn Glu Val Ile Asn Glu Ile Arg Lys Leu Thr Asp Gln Ile Ala Ile  
 705 710 715 720

Ile Ser Asp Ser Thr Thr Ser Glu Asn Leu Ser Ser Ala Gln Val Thr  
 725 730 735

Glu Ala Ile Glu Thr Glu Leu Glu His Leu Arg Asp Gln Gln Ala Asn  
 740 745 750

Asn Ala Glu Leu Ile Leu Leu Gly Met Ala Leu Ser Val Val His His  
 755 760 765

Glu Phe Asn Gly Asn Ile Arg Ala Ile Arg Ser Ala Leu Arg Glu Leu  
 770 775 780



Lys Ala Trp Ala Asp Arg Asn Pro Lys Leu Asp Ile Ile Tyr Gln Lys  
785 790 795 800

Ile Arg Thr Ser Phe Asp His Leu Asp Gly Tyr Leu Lys Thr Phe Thr  
805 810 815

Pro Leu Thr Arg Arg Leu Ser Arg Ser Lys Thr Asn Ile Thr Gly Thr  
820 825 830

Ala Ile Leu Glu Phe Ile Arg Asp Val Phe Asp Asp Arg Leu Glu Lys  
835 840 845

Glu Gly Ile Glu Leu Phe Thr Thr Ser Lys Phe Val Asn Gln Glu Ile  
850 855 860

Val Thr Tyr Thr Ser Thr Ile Tyr Pro Val Phe Ile Asn Leu Ile Asp  
865 870 875 880

Asn Ala Ile Tyr Trp Leu Gly Lys Thr Thr Gly Glu Lys Arg Leu Ile  
885 890 895

Leu Asp Ala Thr Glu Thr Gly Phe Val Ile Gly Asp Thr Gly Pro Gly  
900 905 910

Val Ser Thr Arg Asp Arg Asp Ile Ile Phe Asp Met Gly Phe Thr Arg  
915 920 925

Lys Thr Gly Gly Arg Gly Met Gly Leu Phe Ile Ser Lys Glu Cys Leu  
930 935 940

Ser Arg Asp Gly Phe Thr Ile Arg Leu Asp Asp Tyr Thr Pro Glu Gln  
945 950 955 960

Gly Ala Phe Phe Ile Ile Glu Pro Ser Glu Glu Thr Ser Glu  
965 970

<210> 45

<211> 555

<212> PRT

<213> Escherichia coli

<400> 45

Met Thr Ser Ser Thr Asp Phe His Lys Leu Ser Glu Asp Cys Val Arg  
1 5 10 15

Arg Phe Leu His Ser Val Val Ala Val Asp Asp Asn Met Ser Phe Gly  
20 25 30

Ala Gly Ser Asp Thr Phe Pro Thr Asp Glu Asp Ile Asn Ala Leu Val  
 35 40 45  
 Asp Pro Asp Asp Asp Pro Thr Pro Ile Ile Thr Ala Ser Ala Ser Pro  
 50 55 60  
 Arg Ile Glu Ser Thr Lys Ser Lys Ala Lys Val Lys Asn His Pro Phe  
 65 70 75 80  
 Asp Tyr Gln Ala Leu Ala Glu Ala Phe Ala Lys Asp Gly Ile Ala Cys  
 85 90 95  
 Cys Gly Leu Leu Ala Lys Ser Phe Asn Val Glu Glu Arg Asp Ile Ile  
 100 105 110  
 Thr Ala Ser Ser His Lys Ala Asp Ile Thr Ile Leu Asp Trp Asp Met  
 115 120 125  
 Gln Ser Asp Ser Gly Gln Phe Ala Ile Glu Ile Ile Lys Ser Ile Ile  
 130 135 140  
 Val Ser Asp Ile Asn Ser Gly Gly Arg Leu Arg Leu Leu Ser Ile Tyr  
 145 150 155 160  
 Thr Gly Glu His Val Thr Ala Val Ile Thr Lys Leu Asn Asn Glu Leu  
 165 170 175  
 Lys Lys Thr Tyr Arg Ser Val Ile Lys Asn Asp Asp Ser Ile Phe Ile  
 180 185 190  
 Glu Asp Asn Tyr Ala Leu Glu Gln Trp Cys Ile Val Val Ile Ser Lys  
 195 200 205  
 Asp Val Tyr Glu Lys Asp Leu Pro Asn Val Leu Ile Lys Lys Phe Thr  
 210 215 220  
 Asn Leu Thr Ala Gly Leu Leu Ser Asn Ala Ala Leu Ser Cys Ile Ser  
 225 230 235 240  
 Glu Ile Arg Glu Lys Thr His Gly Ile Leu Thr Lys Tyr Asn Asn Lys  
 245 250 255  
 Leu Asp Thr Ala Tyr Val Ser His Ile Leu Asn Leu Ile Lys Ser Lys  
 260 265 270  
 Glu Ser Arg Ala Tyr Ala Tyr Glu Asn Ala His Asp Tyr Ala Val Asp  
 275 280 285

Leu Ile Ser Glu Glu Ile Arg Ser Ile Leu Gln Ile Ser Glu Asn Leu  
 290 295 300

Lys Lys Ser Leu Ser Lys Asn Ser Leu Ser His Trp Pro Ile Phe His  
 305 310 315 320

Tyr Ala Lys Asn Gly Cys Lys Asn Phe Leu Leu Thr Gly Lys Lys Gln  
 325 330 335

Lys Asp Leu Ser Val Glu His Leu Arg Asn Ile Leu Ser Ala Asp Ser  
 340 345 350

Leu Glu Glu Ile Gln His Ala Ile Glu His Ala Ser Leu Gly Lys Lys  
 355 360 365

Glu Tyr Leu Ser Gln Asp Gly Glu Glu Asp Lys Lys Leu Met Gln Leu  
 370 375 380

Cys Ser Leu Glu Ile Thr Arg Arg Ser Leu Arg Tyr His Ser His Ile  
 385 390 395 400

Asp Asn Val Ser Leu Lys Gln Gly Thr Leu Leu Leu Asp Ala Tyr Asn  
 405 410 415

Phe Val Tyr Leu Cys Ile Gln Pro Leu Cys Asp Ser Val Arg Leu His  
 420 425 430

Glu Lys Ala Asp Phe Leu Phe Leu Arg Gly Thr Leu Asp Asp Asn Asn  
 435 440 445

Tyr Asn Leu Leu Ile Glu Asp Glu Tyr Gly Gly Phe Tyr Lys Ile Lys  
 450 455 460

Met Pro Ala Lys Ala Ser Asn Ile Ile Ser Phe Ser Phe Gly Val Glu  
 465 470 475 480

Asn Gly Asn Gly Val Ile Ile Gly Lys Lys Asn Asn Leu Val Asn Thr  
 485 490 495

Asp Tyr Ile Ser Phe Val Pro Leu Leu Val Glu Lys Ile Ser Thr Pro  
 500 505 510

Lys Val Leu Lys Trp Ile Gly Glu Ile Lys Thr Thr Tyr Ala Gln Lys  
 515 520 525

Ile Thr Thr Asp Ile Val Ala Asn Leu Ser Arg Ile Gly Leu Asp Gln  
 530 535 540

His Glu Trp Leu Arg Ile Lys Ser Lys Asp Ile  
 545 550 555

<210> 46

<211> 82

<212> PRT

<213> Escherichia coli

<400> 46

Met Ser Ser Arg Gln Ile Leu Glu His Tyr Asn Ala Leu Thr Tyr Pro  
 1 5 10 15

Leu His Gln Ser Ile Leu Leu Gln Ile Met Thr Ser Asn Leu Leu Ser  
 20 25 30

Val Cys Thr Gly Lys Ser Ile Tyr Glu Asp Ile Ser Gly Ser Ser Trp  
 35 40 45

Asn Ile Ile His Phe Asn Ile Pro Leu Pro Ile Ser Arg Ala Arg Leu  
 50 55 60

Ser Ile Phe Ser Tyr Cys Val Arg Ile Lys Pro Trp Met Ser Met Asp  
 65 70 75 80

Tyr Met

<210> 47

<211> 98

<212> PRT

<213> Escherichia coli

<400> 47

Met Ser Ile Ile Phe Asn Gly His Tyr Arg Met Lys His Arg Thr Trp  
 1 5 10 15

Ile Thr Glu Ala Leu Arg Leu His Phe Glu Glu His Leu Pro Gln Val  
 20 25 30

Val Val Gly Arg Arg Leu Gly Val Pro Lys Ser Thr Ala Cys Gly Met  
 35 40 45

Phe Val Arg Phe Arg Lys Ala Gly Phe Ser Trp Pro Leu Pro Ala Gly  
 50 55 60

Met Ser Glu Arg Glu Leu Asp Gly Arg Leu Tyr Gly Ser Thr Ser Thr

65                                      70                                      75                                      80

Val Pro Val Val Leu Cys Ser Gly Ser Val Ile Gln Asp Thr Ser Lys

85                                      90                                      95

Ser Cys

<210> 48

<211> 106

<212> PRT

<213> Escherichia coli

<400> 48

Met Ile Lys Thr Arg Arg Thr Lys Arg Thr Phe Ser Pro Glu Phe Lys

1                                      5                                      10                                      15

Leu Glu Ala Phe Glu Gln Val Val Val Lys Tyr Gln Arg Asp Val Arg

20                                      25                                      30

Glu Val Ala Gln Ala Leu Glu Leu Asn Pro Asp His Leu Arg Lys Trp

35                                      40                                      45

Ile Arg Leu Tyr Lys Gln Glu Leu Gln Gly Ile Glu Pro Ala Gly Asn

50                                      55                                      60

Ala Ile Thr Pro Glu Gln Arg Glu Ile Gln Gln Leu Lys Ala Gln Ile

65                                      70                                      75                                      80

Lys Arg Val Glu Met Glu Lys Glu Ile Leu Lys Gln Ala Ala Val Leu

85                                      90                                      95

Met Ser Glu Ile Pro Gly Lys Leu Ser Arg

100                                      105

<210> 49

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Oligonucleotide

<400> 49

tgctctagag ccattactca gaatggg

27

<210> 50  
<211> 26  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Oligonucleotide

<400> 50  
cgcgagctcg acgactgaat gatccc 26

<210> 51  
<211> 26  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Oligonucleotide

<400> 51  
tcccccggt actgcagcac tcaacc 26

<210> 52  
<211> 26  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Oligonucleotide

<400> 52  
gatccccgga ccactgaaat gcgtgc 26

<210> 53  
<211> 27  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Oligonucleotide

<400> 53  
tcgtctagag atgatggtga tggagcg 27

<210> 54  
<211> 28  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Oligonucleotide

<400> 54  
gaactgcagc caaatactga taccaccc 28

<210> 55  
<211> 27  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Oligonucleotide

<400> 55  
gaactgcagg ctaaaacaga agacgcg 27

<210> 56  
<211> 27  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Oligonucleotide

<400> 56  
catgcatgca ctccatatga caaccgc 27

<210> 57  
<211> 27  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Oligonucleotide

<400> 57  
tcgtctagaa tgaagctgcg catgagg 27

<210> 58

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Oligonucleotide

<400> 58

caactgcagt cgcaaattgc gaactgg

27

<210> 59

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Oligonucleotide

<400> 59

caactgcaga ccgcaacttt tcgacgc

27

<210> 60

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Oligonucleotide

<400> 60

catgcatgcc agtgagccat tgttccc

27

<210> 61

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Oligonucleotide

<400> 61

tgctctagat acgactctga caggagg

27



<210> 62  
<211> 26  
<212> DNA  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Oligonucleotide

<400> 62

tcagatatca actaccagca gtttgg

26

<210> 63  
<211> 27  
<212> DNA  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Oligonucleotide

<400> 63

tcagatatcc ataaagagtg acgtggc

27

<210> 64  
<211> 27  
<212> DNA  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Oligonucleotide

<400> 64

tgctctagaa aacgtggcaa cagagcg

27

<210> 65  
<211> 26  
<212> DNA  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Oligonucleotide

<400> 65

tgctctagaa ggcgttgctg atcctg

26

<210> 66

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Oligonucleotide

<400> 66

gaactgcagg aaaaggccga gcagactg

28

<210> 67

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Oligonucleotide

<400> 67

gaactgcagt acagccatgt ttacggt

27

<210> 68

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Oligonucleotide

<400> 68

catgcatgcg gtgtacgaca gtttgcg

27

<210> 69

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Oligonucleotide

<400> 69

tgctctagac acatcatggg cacacc

26

<210> 70

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Oligonucleotide

<400> 70

gaactgcaga accgtccaca tcaggcg

27

<210> 71

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Oligonucleotide

<400> 71

gaactgcaga ccctgcttgc cattccg

27

<210> 72

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:Oligonucleotide

<400> 72

catgcatgca taagcgtcga acaggcg

27